THE POSSIBILITIES ARE INFINITE FUJITSU

Italy
End User Reference Price List
Prices Valid From : July 2012



Content

News and Highlights **3**
Positioning **4**

Positioning Zero Client **6**
Zero Clients 7
Portable Zero Clients 8

Positioning Tablet PC **9**
LIFEBOOK T901 10
LIFEBOOK T730 11
LIFEBOOK T731 12
LIFEBOOK T580 13
STYLISTIC Q550 14
STYLISTIC M532 15
TABLET PC Accessories 16
TABLET PC Options 18

Positioning Notebook **22**
LIFEBOOK SH531 23
LIFEBOOK LH531 24
LIFEBOOK S751 25
LIFEBOOK S752 26
LIFEBOOK S761 27
LIFEBOOK S762 28
LIFEBOOK S781 29
LIFEBOOK S782 30
LIFEBOOK S792 31
LIFEBOOK E751 32
LIFEBOOK E752 33
LIFEBOOK E781 35
LIFEBOOK E782 36
LIFEBOOK P701 37
LIFEBOOK P771 38
LIFEBOOK P772 39
LIFEBOOK P702 40
LIFEBOOK U772 41
LIFEBOOK NH751 42
LIFEBOOK UH552-UH572 43
LIFEBOOK Accessories 45
LIFEBOOK Options 47

Positioning FUTRO **63**
FUTRO S550-2 64
FUTRO S700 65
FUTRO S900 66
FUTRO Accessories 67
FUTRO Options 69

Positioning ESPRIMO **73**
ESPRIMO C 74
ESPRIMO E 75
ESPRIMO P 81
ESPRIMO Q 87
ESPRIMO Accessories 88
ESPRIMO Options 90

Positioning CELSIUS **102**
CELSIUS H710 104
CELSIUS H910 105
CELSIUS W410 106
CELSIUS W420 107
CELSIUS W510 108
CELSIUS W520 109
CELSIUS M470 111
CELSIUS R570 113
CELSIUS R670 114
CELSIUS Accessories 116
CELSIUS Options 121

Positioning Displays **140**
Displays 141

Positioning Keyboard & Security **142**
Keyboards 143

Positioning PRIMERGY Tower **144**
PRIMERGY TX100 S3p 145
PRIMERGY TX120 S3p 146
PRIMERGY TX140 S1p 147
PRIMERGY TX150 S7 149
PRIMERGY TX300 S7 151
Tower Servers Accessories 152
Tower Servers Options 161

Positioning PRIMERGY Rack **176**
PRIMERGY RX100 S7 177
PRIMERGY RX200 S7 178
PRIMERGY RX300 S6 179
PRIMERGY RX300 S7 180
PRIMERGY RX350 S7 181
PRIMECENTER M1 182
Rack Servers Accessories 185
Rack Servers Options 195

Positioning PRIMERGY Blade **216**
PRIMERGY BX400 S1 218
PRIMERGY BX620 S4 219
PRIMERGY BX620 S5 220
PRIMERGY BX92x S2 221
PRIMERGY BX960 S1 222
PRIMERGY SX910 S1 223
PRIMERGY SX940 S1 224
PRIMERGY SX960 S1 225
PRIMERGY SX980 S1 226
Blade Servers Accessories 227
Blade Servers Options 234

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

News and Highlights

ZERO CLIENTS

The Zero Client is a revolutionary new way of supplying standard office applications to your business. As a front-end device designed for a desktop virtualization environment, it delivers a full desktop experience at a fraction of the normal cost. The Zero Client is a manageable, space-saving solution for large deployments offering exceptional security, an extremely long lifecycle, excellent reliability and absolutely no noise during operation. Thanks to Desktop Virtualization, a Zero Client deployment allows a business to deploy IT resources fexibly and react quickly to changing users and working locations

STYLISTIC Q550

As a busy mobile professional, you want a Slate PC which is as good at working as your after-hours device is at playing. The STYLISTIC Q550 is the first slate to really work for you whether you're in a large corporation, government or small businesses. It delivers an excellent usability experience, with flexible options for creating business content and collaborating with others. Being Windows® 7 Professional based, it integrates with institutional platforms and provides security for enterprises with users who work on the move.

LIFEBOOK T901

The Fujitsu LIFEBOOK T901 is an ultra versatile lightweight convertible notebook for the professional user. Its brilliant, bi-directional rotatable, high-bright LED display including LED rotation indicators is a pleasure to use. With the LIFEBOOK T901 you can either work with multiple finger-touch or with the multifunctional pen. Berliner Glass ensures highest reliability.

LIFEBOOK S Series

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.

LIFEBOOK E Series

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere.
Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.

LIFEBOOK P Series

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exeptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.

The Fujitsu LIFEBOOK NH751 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 43.9 cm (17.3-inch) display with powerful NVIDIA® GeForce® GT 525M discrete graphics with NVIDIA® Optimus™ technology, whenever and wherever they want. While the spill-resistant keyboard provides extra reliability, high-gloss black finish, frameless display and

outstanding slim profile make the notebook a real head-turner.

LIFEBOOK NH751

The Fujitsu Thin Clients are perfect devices for server-based computing and Virtual Workplace solutions.

High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and the lowest running costs.

FUTRO

Fujitsu presents a range of PCs characterized by high ergonomic standards, sophisticated product concepts and the best economy. Fujitsu has the right system to suit every customer's requirements.

0-Watt PC - equipped with innovative technology from Fujitsu. Our patented 0-Watt PC technology reduces energy consumption in off- / hibernating mode to 0.0 watts, without reducing manageability.

ESPRIMO

Do you want to access your workstation remotely? Then the CELSIUS RemoteAccess solution is the right choice for you. It enables you to separate your hardware from data input and output while keeping at the same time the real workstation user experience and performance.
With the CELSIUS M470, CELSIUS R570 and CELSIUS R670 our offering of mid-range and high-end workstations got a refresh to meet highest demands.

CELSIUS

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk

The new Fujitsu displays of the P Line ECO provide all the proven features superior displays can offer and additiional unique energy saving solutions like 0-watt power save mode and automatic brightness control. The new 22-inch wide is the first with the new standard TCO Displays 5.0.

Always something new in the Peripherals Portfolio: e.g. keyboards and wireless sets in glossy piano black design fitting perfectly to the new lifestyle displays. Accessories and Security Devices according to latest technologies meet the latest market needs.

Displays & Accessories

PRIMERGY TX industry standard tower servers: efficient, rock solid, record-breaking performance. PRIMERGY TX servers benefit from over 20 years pioneering work in the field of Green IT. That is how TX servers reach industry – leading performance per watt ratios, lowering the environmental impact and running costs. TX servers can easily be managed locally or remotely via the PRIMERGY ServerView Suite, saving IT admin costs. That's efficient performance. Our made-to-measure service packages take care of your system every step of the way. Rest assured, PRIMERGY TX servers are put through 5000 boot cycles - that's rock solid performance. PRIMERGY TX servers are flexible systems capable of using up to two processors and up to 20 hard disks. Tower to rack mounting kits are available to move to a consolidated rack infrastructure. TX servers have a tradition of setting record-breaking performance levels. So, whether you use them as tower or rack servers, for file, print or application purposes, you will benefit from record-breaking performance. PRIMERGY TX: a tower of strength.

PRIMERGY TX100 S1

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades. A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.

SX940 S1

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Professional Products Positioning

ZERO CLIENTS

The Zero Client is a revolutionary new way of supplying standard office applications to your business. As a front-end device designed for a desktop virtualization environment, it delivers a full desktop experience at a fraction of the normal cost. The Zero Client is a manageable, space-saving solution for large deployments offering exceptional security, an extremely long lifecycle, excellent reliability and absolutely no noise during operation. Thanks to Desktop Virtualization, a Zero Client deployment allows a business to deploy IT

STYLISTIC

The STYLISTIC ST Series is thin, approximatly A4 in size, only 1.6 kg and relpaces your need for paper and clipboard. Boasting a robust, high-tech design, it offers a 12.1-inch display making it ideal for working while standing or walking, indoors or outside. The Intel® Centrino® Core 2 Duo processor means you can work for a whole business day. And outstanding connectivity with embedded broadband access, WLAN and Bluetooth means you can get in a full day of work without having to return to the office.

FUTRO

The FUTRO product line of smart, expandable thin clients is the ideal solution for server-based networks, particularly in terms of availability and data security. The user can neither access the operating system nor store data on the smart terminal.

ESPRIMO

Our PCs provide pure performance while balancing economic and environmental considerations. ESPRIMO PCs feature state-of-the-art technology from AMD and Intel® and are the perfect basis for productive working environments. They are quiet and cool with intelligent ergonomic designs, perfect manageability and security features. To make them as environmentally aware as possible, they are built with especially selected materials to minimize the impact on the environment.

CELSIUS

Computing power, memory space, graphics systems, expansion possibilities – even the most powerful of standard PCs are quick to reach their limits outside classic office and communication applications. Application fields such as simulation, animation, construction, and digital content creation require systems that offer maximum performance on all levels: CELSIUS workstations.

Displays & Peripherals

Positioned in three segments the Fujitsu displays offer the right model for every desire - from multifunctional all-rounders, advanced displays, which are highly ergonomic and comfortable, also for entertainment, and the superior class for highest demands in terms of performance, graphics and multimedia.

Input devices for every desire: wired and wireless, optical and laser

PRIMERGY

PRIMERGY is based on the standard architecture for good reason. Due to their high level of standardization, x86/EM64T and Dual-Core / Quad-Core servers deliver the best price/performance ratio. The Fujitsu extensive product range, coupled with more than 20 years of experience in the IT market, means that we can build reliable and flexible IT infrastructures for our customers. PRIMERGY servers are the ideal choice for ensuring greater competitiveness and success in modern e-business environments.

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning Zero Clients

ZERO CLIENTS

The Zero Client is a revolutionary new way of supplying standard office applications to your business. As a front-end device designed for a desktop virtualization environment, it delivers a full desktop experience at a fraction of the normal cost. The Zero Client is a manageable, space-saving solution for large deployments offering exceptional security, an extremely long lifecycle, excellent reliability and absolutely no noise during operation. Thanks to Desktop Virtualization, a Zero Client deployment allows a business to deploy IT resources fexibly and react quickly to changing users
and working locations

PORTABLE ZERO CLIENTS

The migration from fat client to virtual desktop infrastructures is gaining in popularity. Fujitsu´s Zero Client MZ900 leverages this trend while enabling existing desktops and notebooks to be used as the virtual desktop device. This allows you to access personal virtual desktops from anywhere. Finally you are now able to realize cost savings while benefitting from the advantages of Zero Client virtualization - maximum flexibility, maximum savings.

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Zero Clients Series

The Zero Clients D602 and DZx are a revolutionary new way of supplying standard office applications to your business. As a silent, space-saving front-end device designed for a desktop virtualization environment, the Zero Clients securely and reliably delivers a full desktop experience at a fraction of the normal cost.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ZERO Client DZ19-2					
	Zero Client DZ19-2	Zero Client DZ19-2 , with 48.3cm (19") LED backlit display, 4-in-1 Stand, 1x RJ45 LAN, 4x USB 2.0, 1x DVI-I, , 1x audio-in,1x audio out, Status LEDs and function keys, power cable. , Including Zero Client Controller software (download from http://support.ts.fujitsu.com) with 1 year update right., Supports virtual infrastructures with: , - VMware®: ESX, ESXi, vCenter, View, - Citrix®: XenDesktop with either XenServer, VMware® ESX, or Microsoft® Hyper-V, - Microsoft®: Hyper-V with SCVMM	BDL:DZ19-2	366,00	
ZERO Client DZ22-2					
	Zero Client DZ22-2	Zero Client DZ22-2 , with 55.9cm (22") LED backlit display, 4-in-1 Stand, 1x RJ45 LAN (incl. support for PoE with compatible midspans), 4x USB 2.0, , 1x DVI-I, 1x audio-in, 1x audio out, Status LEDs and function keys, power cable. , Including Zero Client Controller software (download from http://support.ts.fujitsu.com) with 1 year update right., Supports virtual infrastructures with: , - VMware®: ESX, ESXi, vCenter, View, - Citrix®: XenDesktop with either XenServer, VMware® ESX, or Microsoft® Hyper-V, - Microsoft®: Hyper-V with SCVMM	BDL:DZ22-2	425,00	
ZERO Client SZ500					
	ZERO Client SZ500	ZERO Client SZ500 , with 1x RJ45 LAN, 4x USB 2.0, 1x DVI-I, 1x combined audio-in / audio-out jack, Status LEDs, , AC-Adapter with changeable plugs (EU, UK, US and CN), audio splitter cable. , Including Zero Client Controller software (download from http://support.ts.fujitsu.com) with 1 year update right., Supports virtual infrastructures with: , - VMware®: ESX, ESXi, vCenter, View, - Citrix®: XenDesktop with either XenServer, VMware® ESX, or Microsoft® Hyper-V, - Microsoft®: Hyper-V with SCVMM	BDL:SZ500	202,00	Orderable from: 11/07/2012

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Portable Zero Clients Series

The migration from fat client to virtual desktop infrastructures is gaining in popularity. Fujitsu ´s Zero Client MZ900 leverages this trend while enabling existing desktops and notebooks to be used as the virtual desktop device. This allows you to access personal virtual desktops from anywhere. Finally you are now able to realize cost savings while benefitting from the advantag es of Zero Client virtualization - maximum flexibility, maximum savings.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
Portable Zero Client MZ900					
	Zero Client MZ900	Zero Client MZ900 , with 1x USB 2.0, lanyard. , Including Zero Client Controller software (download from http://support.ts.fujitsu.com) with 1 year update right., Supports virtual infrastructures with: , - VMware®: ESX, ESXi, vCenter, View, - Citrix®: XenDesktop with either XenServer, VMware® ESX, or Microsoft® Hyper-V, - Microsoft®: Hyper-V with SCVMM	BDL:MZ900	159,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning Tablet PC

LIFEBOOK T901

The Fujitsu LIFEBOOK T901 is an ultra versatile lightweight convertible notebook for the professional user. Its brilliant, bi-directional rotatable, high-bright LED display including LED rotation indicators is a pleasure to use. With the LIFEBOOK T901 you can either work with multiple finger-touch or with the multifunctional pen. Berliner Glass ensures highest reliability.

LIFEBOOK T730

The LIFEBOOK T730 is a 12.1-inch Tablet PC based on the new Intel® Core™ i7 vPro™ technology that supports the new multiple touch technology. With the dual digitizer this multifunctional device accepts input either with a pen or with your fingers, just as occasion demands. With the optional integrated GPS technology you will never get lost and be on track. With the modular bay and the port replicator this device answers all questions concerning mobile flexibility!

LIFEBOOK T580

With the new LIFEBOOK T580 you can alternate between a keyboard, a stylus, or your fingers in seconds.
Featuring a rotatable 10.1-inch display it's the perfect solution for working on the move. Through
integrated GPS you'll always be able to find your way around. And there is no need to feel burdened by
your notebook any longer, at just 1.4kg it's easy to take wherever you like!

STYLISTIC Q550

As a busy mobile professional, you want a Slate PC which is as good at working as your after-hours device is at playing. The STYLISTIC Q550 is the first slate to really work for you whether you're in a large corporation, government or small businesses. It delivers an excellent usability experience, with flexible options for creating business content and collaborating with others. Being Windows® 7 Professional based, it integrates with institutional platforms and provides security for enterprises with users who work on the move.

STYLISTIC Accessories

Extend your STYLISTIC tablet PC to your needs. More convenience for your business trips and more functionality enabling easy working.
Fujitsu offers a vast range of accessories for your STYLISTIC ST Series:
docking unit, power supply devices, different storage media and special cases that provide maximum protection while transportation.

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK T901

The Fujitsu LIFEBOOK T901 is an ultra versatile lightweight convertible notebook for the professional user. Its brilliant, bi-directional rotatable, high-bright LED display including LED rotation indicators is a pleasure to use. With the LIFEBOOK T901 you can either work with multiple finger-touch or with the multifunctional pen. Berliner Glass ensures highest reliability.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK T901					
	Base unit with 33.8cm (13.3") TFT wide-view high-bright WXGA LED Display with magnesium cover, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), Intel Chipset QM67 with Intel AMT 7.0 functionality (vPro requires Core i5-25xx/ i7 processor plus Intel W-LAN plus TPM module), supports maximum 8 GB Dual Channel DDR3 1333MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD (SATA-II) or weight-saver. Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, scroll wheel, ambient-light sensor, G-Sensor, fingerprint sensor (SmartAccess Fingerprint & Security Software), LED status indicators, LED hinge rotation indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, Smart Card reader slot, SD/MS Card reader, VGA, HDMI, 1x bootable USB 3.0, 2x bootable USB 2.0 (1x with off-charge function), RJ45 for LAN, optional SIM-Card Reader for UMTS or RJ11 interface for Modem, IEEE1394 Firewire, audio in (line-in, microphone), audio out (line-out, headphones), port replicator connector., Tablet pen, pen tether, cleaning cloth, notebook case.				
	LB T901 DUAL DIG. /I7-2640M/4 GB/DVD/ (Promo)	LB T901 DUAL DIG. /I7-2640M/4 GB/DVD/ 500GB 7.2K/WLAN INTEL 6205/BT V3.0/CAM/ TPM/ERASEDISK/CK INT/AC-ADAP/1ST BATT/ CABLE EU/KB I/COA_W7_MM_PROFES/,	LKN:T9010M0005IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK T901					
	LIFEBOOK T901 Dual Digitizer	Base unit with 33.8cm (13.3") TFT wide-view high-bright WXGA LED Display with magnesium cover, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), Intel Chipset QM67 with Intel AMT 7.0 functionality (vPro requires Core i5-25xx/ i7 processor plus Intel W-LAN plus TPM module), supports maximum 8 GB Dual Channel DDR3 1333MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD (SATA-II) or weight-saver. Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, scroll wheel, ambient-light sensor, G-Sensor, fingerprint sensor (SmartAccess Fingerprint & Security Software), LED status indicators, LED hinge rotation indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, Smart Card reader slot, SD/MS Card reader, VGA, HDMI, 1x bootable USB 3.0, 2x bootable USB 2.0 (1x with off-charge function), RJ45 for LAN, optional SIM-Card Reader for UMTS or RJ11 interface for Modem, IEEE1394 Firewire, audio in (line-in, microphone), audio out (line-out,	S26391-K333-V100	1.222,00	Phased out
	LIFEBOOK T901 Active Digitizer	Base unit with 33.8cm (13.3") TFT wide-view high-bright WXGA LED Display with anti-glare Berliner Glass and magnesium cover, Active digitizer for pen input, Intel Chipset QM67 with Intel AMT 7.0 functionality (vPro requires Core i5-25xx/ i7 processor plus Intel W-LAN plus TPM module), supports maximum 8 GB Dual Channel DDR3 1333MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD (SATA-II) or weight-saver. Mobile Intel HD or HD3000 integrated graphics, SATA-III Interface for internal HDD, 10/100/1000 MBit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, scroll wheel, ambient-light sensor, G-Sensor, fingerprint sensor (incl. SmartAccess Fingerprint & Security Software), LED status indicators, LED hinge rotation indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, Smart Card reader slot, SD/MS Card reader, VGA, HDMI, 1x bootable USB 3.0, 2x bootable USB 2.0 (1x with off-charge function), RJ45 for LAN, optional SIM-Card Reader for UMTS or RJ11 interface for Modem, IEEE1394 Firewire, audio in (line-in, microphone), audio out (line-out, headphones), port	S26391-K333-V200	1.017,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK T730

The LIFEBOOK T730 is a 12.1-inch Tablet PC based on the new Intel® Core™ i7 vPro™ technology that supports the new multiple touch technology. With the dual digitizer this multifunctional device accepts input either with a pen or with your fingers, just as occasion demands. With the optional integrated GPS technology you will never get lost and be on track. With the modular bay and the port replicator this device answers all questions concerning mobile flexibility!

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK T730					
	LB T730 /30,7CM WXGA STA/I3-370M/2 GB/ (Promo)	LB T730 /30,7CM WXGA STA/I3-370M/2 GB/ DVD/320GB/CAM/WLAN INTEL 6200/BT 2.1/ NO UMTS/CK EU/KB I/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/,	LKN:T7300M0001IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK T730					
	LIFEBOOK T730	Base unit with LCD 30.7cm (12.1") TFT WXGA non-glare LED Display and Touchscreen, Dual Digitizer (for pen operation and finger touch operation). Intel® Chipset QM57 with Intel® AMT functionality, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD or weight-saver. Intel® HD graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel® LAN, Intel® HD Audio, 2 microphones and 2 loudspeakers integrated, touchpad incl. scroll-sensor, ambient-light sensor, G-Sensor, fingerprint sensor (incl. SmartCase Logon+ Fingerprint & Security Software), LED status indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, SD/MS Card reader, VGA, HDMI, 3x USB 2.0, RJ45 for LAN, SIM-Card Reader for UMTS, Firewire, audio in (line-in, microphone), audio out (line-out, headphones), docking connector., AC Adapter 19V/80W, stylus pen, pen tether, cleaning-cloth, notebook case.	S26391-K314-V100	578,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK T731

The powerful Fujitsu LIFEBOOK T731 is a lightweight flexible 30.7 cm (12.1-inch) convertible Tablet PC which supports modern multiple-touch technology and allows input with up to 5 fingers at the same time as well as precise pen input. Thanks to the very bright display with its wide perspective, the integrated ambient light sensor and support for all the main radio technologies you are optimally
equipped for every business trip. The notebook's modular bay helps you to stay flexible when working, either when travelling, in the office or at home.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK T731					
	LB T731 /30,7CM WXGA STA/I5-2520M/4 GB/ (Promo)	LB T731 /30,7CM WXGA STA/I5-2520M/4 GB/ DVD/500GB 7.2K/UMTS READY/ WLAN INTEL 6205/BT V3.0/CAM/TPM/ ERASEDISK/CK INT/AC-ADAP/1ST BATT/,	LKN:T7310M0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK T731					
	LIFEBOOK T731	Base unit with LCD 30.7cm (12.1") TFT WXGA non-glare LED Display with magnesium cover, Dual Digitizer for pen input plus capacitive multi-touch screen for finger input. Intel Chipset QM67 with Intel AMT 7.0 functionality (vPro requires Core i5-25xx/i7 processor plus Intel WLAN plus TPM module), supports maximum 8 GB Dual Channel DDR3 1333MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD (SATA-II) or weight-saver. Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, ambient-light sensor, G-Sensor, fingerprint sensor (incl. Omnipass Fingrprint & Security Software), LED status indicators, application buttons, Kensington Lock. Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)., Interfaces: 1x ExpressCard Type 54mm, SD/MS Card reader, VGA, HDMI, 2x USB 2.0, 1x USB 3.0 (with off-charge function), RJ45 for LAN, optional SIM-Card Reader for UMTS, IEEE 1394 Firewire, audio in (line-in, microphone), audio out (line-out, headphones), port replicator connector, Tablet pen, pen	S26391-K335-V100	592,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK T580

With the new LIFEBOOK T580 you can alternate between a keyboard, a stylus, or your fingers in seconds. Featuring a rotatable 10.1-inch display it's the perfect solution for working on the move. Through integrated GPS you'll always be able to find your way around. And there is no need to feel burdened by your notebook any longer, at just 1.4kg it's easy to take wherever you like!

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK T580					
	LB T580 I3 /2 GB/320GB/CAM/ (Promo)	LB T580 I3 /2 GB/320GB/CAM/ WLAN INTEL 6200/BT V2.1/NO UMTS/CK EU/ KB I/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/,	LKN:T5800M0001IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK T580					
	LIFEBOOK T580 i3-380UM	Base unit with 25.7cm (10.1") HD Display with LED backlight. Dual Digitizer with touch screen for pen operation and finger touch operation. Intel Chipset HM55 with Intel Corei3 Processor i3-380UM, supports maximum 8 GB Dual Channel DDR3 800MHz PC6400 RAM (2 DIMM slots). Intel HD graphics, Serial ATA HDD interface, 10/100/1000 MBit LAN, touchpad, ambient-light sensor, G-Sensor, smart card slot, fingerprint sensor, LED status indicators, tablet buttons, Kensington Lock. Fujitsu Recovery to recover factory image (Hard Disk Based Recovery), Interfaces: SD Card reader, VGA, HDMI, 2x USB 2.0, RJ45 for LAN, SIM-Card Reader for UMTS, audio in (line-in, microphone), audio out (line-out, headphones), stylus pen, pen tether, cleaning-cloth, notebook case.	S26391-K318-V100	655,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

STYLISTIC Q550

As a busy mobile professional, you want a Slate PC which is as good at working as your after-hours device is at playing. The STYLISTIC Q550 is the first slate to really work for you whether you're in a large corporation, government or small businesses. It delivers an excellent usability experience, with flexible options for creating business content and collaborating with others. Being Windows® 7 Professional based, it integrates with institutional platforms and provides security for enterprises with users who work on the move.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
STYLISTIC Q550					
	STYLISTIC Q550 with Intel® Atom Z690	Base unit with 25.7cm (10.1") TFT wide-view high-bright WXGA LED Display, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), Intel SM35 Express Chipset with Intel Atom Z690, 2GB memory (DDR2, 800MHz). Mobile Intel GMA 600 graphics, SATA-II Interface for internal HDD and Intel HD Audio. 802.11abgn Wireless LAN with 1x Dual Band antenna. Bluetooth 3.0 with 1x antenna. 2 webcams (1x front and 1x rear), 2 digital microphones and 1 loudspeaker integrated, G-Sensor, fingerprint sensor, LED status indicators, application buttons. Interfaces: Smart Card reader slot, SD Card reader, HDMI, 1x bootable USB 2.0, optional SIM-Card Reader for UMTS, audio out (line-out, headphones), docking connector. , 4-cell Lithium-Polymer battery (5.240mAh). Including Tablet pen, pen tether, cleaning cloth.	S26391-K334-V200	628,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

STYLISTIC M532

Fujitsu STYLISTIC M532 Media Tablet - Work and Enjoy with Confidence
Business is rarely deskbound. As a mobile professional, you need powerful, lightweight tools that let you get straight to wor k – wherever you happen to be. The ultraslim, ultralight Fujitsu STYLISTIC M532 media tablet is an extension of your office. It delivers a seamless working experience and secure access to your office e-mail, calendar, contacts, and applications. Moreover, with its rich multimedia features, the Fujitsu STYLISTIC M532 is perfect after-hours, too: once you've downed tools for the day, enjoy the tablet for your own choice of apps – catch up on the latest news or weather, for instance, or do some travel planning.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
STYLISTIC M532					
	STYLISTIC M532	25.7cm (10.1") TFT high-brightness WXGA Display, capacitive multi-touch screen, Nvidia Tegra 3 Quad-Core T30s ARM Cortex A9, up to Single-Core 1.4GHz/Quad-Core 1.3GHz, 1GB memory (LPDDR2, 800MHz), 32 GB eMMC Flash memory. Bluetooth 3.0, Wireless LAN 802.11a/b/g/n, UMTS/3G with HSPA+, GPS, 2.0MP front camera, 8.0MP rear camera incl. autofocus and flash, 3.170mAh Lithium-Polymer battery for video playback 8.4 hours, digital microphone, 2 x speakers (stereo), acceleration sensor, gyro sensor, magnetic sensor, ambient light sensor, power LED, power/standby button, reset button, volume up/down button., Interfaces: 1 x Micro USB 2.0, 1 x microphone/headphone, 1 x Micro SD card, 1 x SIM card, 1 x docking connector (for charging and HDMI/USB)., Including MicroUSB-to-USB cable, cleaning cloth and AC adapter with EU and UK plugs., Dimensions: 262.6 x 175.4 x 8.6mm, 560g weight., , Product can be delivered in following countries: Abu Dhabi, Afghanistan, Albania, Andorra, Angola, Armenia, Austria, Azerbaijan, Azores, Belarus, Belgium, Bosnia-Herzegovina, Bulgaria, Canary Islands (Spain), Ceuta (Spain), Croatia, Cyprus, Czech Republic, Denmark, Dubai, Egypt, Eritrea, Estonia, Faroer Islands (Denmark),	S26391-K340-V100	549,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Accessories

Category	Description	Details	STYLISTIC M532	STYLISTIC Q550	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST6012	Product Code	EUP (€)	Comments
Accessories & services matrix											
OS/Application-SW											
	Drivers&Utility DVD (Win7) LIFEBOOK			x					S26361-F2010-L201	22,00	
UPS/Power supply											
	AC Adapter (including DC plug EU/UK/US)		x						S26391-F338-L100	44,00	
	External battery charger, incl. 16V AC	External battery charger, incl. 16V AC w/o AC Cable		x					S26391-F778-L400	187,00	
	Battery 4cell 38Wh (5.240mAh)			x					S26391-F916-L200	133,00	
	AC Adapter 19V/40W			x					S26391-F916-L500	44,00	
Security											
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM			x	x	x		S26361-F1571-L201	18,00	Phased out
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM			x	x	x		S26361-F1571-L210	118,00	Phased out
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description		x				x	S26361-F2009-L101	19,00	
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check hint box / product description		x				x	S26361-F2009-L102	29,00	
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description		x				x	S26361-F2009-L103	37,00	
	Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description		x				x	S26361-F2009-L104	30,00	
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description		x				x	S26361-F2009-L105	46,00	
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description		x				x	S26361-F2009-L106	57,00	
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description		x				x	S26361-F2009-L107	35,00	
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description		x				x	S26361-F2009-L108	56,00	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description		x				x	S26361-F2009-L109	78,00	
	Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				x	S26361-F2009-L201	19,00	
	Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				x	S26361-F2009-L202	29,00	
	Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				x	S26361-F2009-L203	37,00	
	Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				x	S26361-F2009-L204	30,00	
	Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				x	S26361-F2009-L205	46,00	
	Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				x	S26361-F2009-L206	57,00	
	ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				x	S26361-F2009-L207	35,00	
	ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				x	S26361-F2009-L208	56,00	
	ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				x	S26361-F2009-L209	78,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium						x	S26361-F2727-L100	20,00	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3			x	x	x	x	S26361-F2727-L730	43,00	
	RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing		x				x	S26381-F11-L100	38,00	
	SmartCard CARDOS V4.4. 2PCS	2 SmartCard CardOS 4.4, 68 KByte EEPROM			x	x	x		S26381-F305-L102	45,00	
	SmartCard CARDOS V4.4. 10PCS	10 SmartCard CardOS 4.4, 68 KByte EEPROM			x	x	x		S26381-F305-L110	204,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface		x				x	S26381-F331-L220	25,00	
	PalmSecure Mouse Login Kit	PalmSecure Login Kit enclosed optical USB Mouse with integrated vein sensor for biometric authentication. USB 2.0 bus powered, 3 buttons incl. scroll-wheel. Set contains also the palm guide,quick start guide, manual and OmniPass login software CD. 1.5 m USB cable, brown box.		x				x	S26381-K435-L100	310,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Accessories

Category	Description	Details	STYLISTIC M532	STYLISTIC Q550	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST6012	Product Code	EUP (€)	Comments
Accessories & services matrix											
Security (Continued)											
	PalmSecure Login Kit	PalmSecure Login Kit enclosed external USB vein sensor for biometric authentication. USB 2.0 bus poweredl. Set contains also the palm guide,quick start guide, manual and OmniPass login software CD. Brown box.		x				x	S26381-K436-L100	335,00	
Miscellaneous											
	USB/HDMI Adapter		x						S26391-F338-L300	55,00	Orderable from: 01/08/2012
	Pen & tether set			x					S26391-F796-L810	55,00	
	Screen protection foil (2 pieces)			x					S26391-F917-L300	44,00	
Cables											
	power cable EU	black, 2-pole, 1.8 m		x				x	T26139-Y2540-V113	9,00	
	power cable UK	black, 2-pole, 1,8 m		x				x	T26139-Y2540-V213	9,00	
	power cable US	black, 2-pole, 1,8 m		x				x	T26139-Y2540-V313	9,00	
Input Devices											
	Presenter IV Air	Presenter IV Air 2.4 GHz presener with laser pointer, 2D air mous and gamepad function, manual, 2 x AAA batteries, 2.4 GHz presener with laser pointer, 2D air mous and gamepad function, manual, 2 x AAA batteries		x				x	BDL:TOP-PRESENTER4	47,00	
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function		x				x	S26381-K440-L100	47,00	
Additional Software											
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x					U11081-C301	1.225,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q550	Product Code	EUP (€)	Comments
Options matrix						
Hard Disks						
	SSD SATA 30GB FDE		x	S26391-F913-E300	222,00	
	SSD SATA 62GB FDE		x	S26391-F913-E620	333,00	
	SSD SATA 128GB FDE		x	S26391-F913-E820	299,00	
Communication/Network						
	No UMTS / No GPS		x	S26391-F915-E110	2,00	
	UMTS module Sierra Wireless Gobi 3000	including GPS functionality	x	S26391-F915-E120	88,00	
	GPS module		x	S26391-F915-E130	44,00	
Mobile Security						
	TPM module		x	S26391-F959-E300	8,00	
Country kits						
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information	x	S26391-F918-E100	8,00	
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information	x	S26391-F918-E200	8,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information	x	S26391-F918-E300	8,00	
	Warranty Card Poland		x	S26391-F781-E500	2,00	
Power supply						
	AC Adapter 19V/40W		x	S26391-F916-E500	17,00	
	Additional battery 2cell 19Wh (2.620mAh)		x	S26391-F916-E100	44,00	
	Additional battery 4cell 38Wh (5.240mAh)		x	S26391-F916-E200	55,00	
	Power cable EU		x	S26391-F878-E210	5,00	
	Power cable US		x	S26391-F878-E220	5,00	
	Power cable GB		x	S26391-F878-E230	5,00	
Port Replicator						
	Cradle		x	S26391-F917-E100	33,00	
OS/Application-SW						
	Drivers&Utility DVD		x	S26361-F2010-E201	3,00	
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN,, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	S26361-F2010-E281	115,00	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN,, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	S26361-F2010-E282	199,00	
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License	x	S26361-F2010-E283	343,00	
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	S26361-F2010-E243	104,00	
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	S26361-F2010-E253	133,00	
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)	x	S26361-F2010-E242	94,00	
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)	x	S26361-F2010-E252	126,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q550	Product Code	EUP (€)	Comments
Options matrix						
OS/Application-SW (Continued)						
	License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	S26361-F2010-E244	104,00	
	License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	S26361-F2010-E254	133,00	
	License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, , Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	S26361-F2010-E245	104,00	
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, , Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	S26361-F2010-E255	133,00	
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India	x	S26361-F2010-E248	104,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India	x	S26361-F2010-E258	133,00	
	Win7 HomePremium32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E341	4,00	
	Win7 HomePremium32 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E342	4,00	
	Win7 HomePremium32 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E343	4,00	
	Win7 HomePremium32 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E344	4,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q550	Product Code	EUP (€)	Comments
Options matrix						
OS/Application-SW (Continued)						
	Win7 HomePremium32 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E345	4,00	
	Win7 HomePremium32 RU+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E346	4,00	
	Win7 Pro32 RU+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E356	4,00	
	Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E351	4,00	
	Win7 Pro32 NODRIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E352	4,00	
	Win7 Pro32 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E353	4,00	
	Win7 Pro32 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E354	4,00	
	Win7 Pro32 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E355	4,00	
	REC-DVD Win7 Home Premium 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	x	S26361-F2010-E543	3,00	
	REC-DVD Win7 Home Premium 32 RU		x	S26361-F2010-E542	3,00	
	REC-DVD Win7 Professional 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	x	S26361-F2010-E553	3,00	
	REC-DVD Win7 Professional 32 RUS	RU	x	S26361-F2010-E552	3,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q550	Product Code	EUP (€)	Comments
Options matrix						
OS/Application-SW (Continued)						
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E751	3,00	
	REC-DVD 2 Win7 NORDIC+Office2010s	Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Office 2010 incl. Office Starter - 32bit, NORDICS (Nordic Region), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E752	3,00	
	REC-DVD 2 Win7 EM+SE+Office2010s	Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 incl. Office Starter - 32bit, EM-SE (Emerging Markets&Southern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E753	3,00	
	REC-DVD 2 Win7 IBER+NE+Office2010s	Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Office 2010 incl. Office Starter - 32bit, IBER-NE (Iberia and Northern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E754	3,00	
	REC-DVD 2 Win7 SEE+Office2010s	Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Office 2010 incl. Office Starter - 32bit, SEE (South Eastern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E755	3,00	
	REC-DVD 2 Win7 RU+Office2010s	Languages: RU, Office 2010 incl. Office Starter - 32bit, RU (RU & CIS countries), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E756	3,00	
Mouse						
	Mouse 400NB Black		x	S26391-F428-E100	17,00	
Miscellaneous						
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	S26391-F782-E200	3,00	
	Folio Case		x	S26391-F917-E200	23,00	
	MED Kit	Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers.,	x	S26391-F918-E900	6,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning Notebooks

LIFEBOOK S Series

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.

LIFEBOOK E Series

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere.
Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.

LIFEBOOK P Series

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exeptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.

LIFEBOOK NH751

The The Fujitsu LIFEBOOK NH751 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 43.9 cm (17.3-inch) display with powerful NVIDIA® GeForce® GT 525M discrete graphics with NVIDIA® Optimus™ technology, whenever and wherever they want. While the spill-resistant keyboard provides extra reliability, high-gloss black finish, frameless display and outstanding slim profile make the notebook a real head-turner.

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK SH531

The compact Fujitsu LIFEBOOK SH531 is the perfect everyday mobile companion at home, in the office, at school or on the go. With its 33.8 cm (13.3-inch) display this 1.9 kg notebook is small and light enough for every trip. Stay connected with family and colleagues via WLAN, or upgrade your LIFEBOOK SH531 with an external UMTS solution in its 34 mm ExpressCard slot.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK SH531					
	LIFEBOOK SH531	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM65 chipset with integrated Mobile Intel HD Graphics, DDRIII-1333 (2 DIMM slots), camera 1,3 Mpix, 10/100/1000 Mbitps-LAN, integrated WLAN a/b/g/n, Bluetooth V3.0 + EDR, 4 in 1 card reader SD/MS/MSPro/MMC, 34 mm Express Card Slot, integrated digital microphone, Touchpad, DVD- Super-Multi-Writer or Bluray Combo Drive, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 6 cell battery, AC adapter 19V/60W, Interfaces: VGA , HDMI, 3 x USB 2.0, RJ45 for LAN, audio in and audio out, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K336-V100	412,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK LH531

The Fujitsu LIFEBOOK LH531 is the perfect choice, if you are looking for an all-purpose notebook. Weighing only 2.2 kg this 35.6 cm (14-inch) notebook is small and light enough for every trip, and at the same time big enough to check emails, surf the web, edit your pictures or watch a movie conveniently. With the optionally integrated Blu-ray Disc™ drive you even can enjoy high-definition
entertainment at its best.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK LH531					
	LIFEBOOK LH531 BLACK	LCD 14" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM65 chipset with integrated Mobile Intel HD Graphics, DDRIII-1333 (2 DIMM slots), camera 1,3 Mpix, 10/100/1000 Mbitps-LAN, integrated WLAN a/b/g/n, Bluetooth V3.0 + EDR, 4 in 1 card reader SD/MS/MSPro/MMC, integrated digital microphone, Touchpad, DVD- Super-Multi-Writer or Bluray Combo Drive, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 6 cell battery, AC adapter 19V/60W, Interfaces: VGA , HDMI, 4 x USB 2.0, RJ45 for LAN, audio in and audio out, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K325-V200	393,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S751

The Fujitsu LIFEBOOK S751 offers the perfect balance between low weight and high-end performance. Weighing only 2.3 kg it is a light modular 35.6cm (14-inch) notebook. A flexible modular bay and a phantastic battery life enable convenient working. Optional embedded 3G/UMTS and optional webcam enable connectivity anytime, anywhere.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S751					
	LIFEBOOK S751	Base unit, Chipset Intel HM65, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 4x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , globales model, , , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K322-V100	426,00	Phased out
	LIFEBOOK S751 vPro	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Fujitsu Recovery (Hard Disk Based Recovery), , Please be aware, that Microphones are not part of the base unit and can be ordered separately, vpro Logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module	S26391-K322-V200	448,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S752

If you need a reliable notebook for everyday business use, choose the Fujitsu LIFEBOOK S752. Its 35.6 cm (14-inch) display and useful interfaces offer you convenience in the office. The extendable modular bay for a second battery or hard disk drive lets you increase storage or battery runtime, providing enhanced flexibility. Multiple connectivity options and excellent energy efficiency complete the package.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S752					
	LB S752 /14.0" HD+/i5-3320M/2x4 GB/ (Promo)	LB S752 /14.0" HD+/i5-3320M/2x4 GB/ DVD Super Multi/500GB 7.2k/No Modem/ WLAN INTEL 6205/BT V4.0/UMTS/LTE ready/ mic&FHD cam/Fingerprint/TPM Module/,	LKN:S7520M0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S752					
	LIFEBOOK S752 HM76 Chipset	Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0, thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , global model, , Please do not forget to configure the AC adapter, AC cable & 1st battery extra. We recommend to use 65W AC adapter for the system. For the usage with Port replicator 80W AC Adapter is required	S26391-K351-V100	395,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S761

The Fujitsu LIFEBOOK S761 is the perfect notebook for users who are looking for a light-weight system but don't want to compromise on performance. With the 33.8cm (13.3-inch) display and starting from just 1.66 kg it is equipped with a full-featured performance processor. Thanks to the modular bay you can extend battery life for working all day. With features like fingerprint sensor and TPM, your notebook is secured from any data theft.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S761					
	LB S761 QM67 /13.3" HD T&L/I5-2520M/ (Promo)	LB S761 QM67 /13.3" HD T&L/I5-2520M/ 4 GB/DVD/500GB 7.2K/UMTS READY/NO MODEM/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/TPM/CK INT/AC-ADAP/,	LKN:S7610M0004IT		Phased out
	LB S761 QM67 /13.3" HD T&L/I7-2640M/ (Promo)	LB S761 QM67 /13.3" HD T&L/I7-2640M/ 4 GB/DVD/500GB 7.2K/UMTS READY/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/TPM/ERASEDISK/CK INT/,	LKN:S7610M0010IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S761					
	LIFEBOOK S761 vPro	Base unit, Intel QM67 Chipset with vPro technology, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drive and 2nd battery. Mobile Intel HD oder HD3000 integrierte Graphik, S-ATA III Schnittstelle für interne HDD, 10/100/1000 MBit Intel 82579LM, Intel High Definition Audio, 1 digital microphone integrated, touchpad and ScrollWheel, G-sensor, LED Status display,application buttons, Kensington Lock connector, Sleeve Case., supports iAMT 7.0: vProLogo requires Core i5-25xx/ i7 processor, Intel W-LAN & TPM module, Interfaces: 1x ExpressCard, 1x SD Card reader, 1x VGA, 1x HDMI, 1x USB 3.0, 2x USB 2.0 thereof 1 with anytime charging functionality, 1x RJ45 for LAN, 1x RJ11 optional for analogue modem, microphone in, audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K321-V100	680,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S762

If you need a lightweight but fully-equipped notebook for office-based or mobile working, choose the Fujitsu LIFEBOOK S762. This 1.8 kg notebook offers excellent mobility through its small form factor and 33.8 cm (13.3-inch) display. Its modular bay for increased battery runtime, a second hard disk drive or Fujitsu's optional patented bay projector guarantee you maximum flexibility on a business trip.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S762					
	LB S762 /13.3" HD/3360M/2x4 GB/ (Promo)	LB S762 /13.3" HD/3360M/2x4 GB/ DVD Super Multi/500GB 7.2k/EC slot/ UMTS/LTE ready/WLAN INTEL 6205/BT V4.0/ mic&FHD cam/Fingerprint/TPM/ERASEDISK/,	LKN:S7620M0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S762					
	LIFEBOOK S762 HM76	Base unit, Intel HM76 Chipset, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd battery, 2nd hard disk (S-ATA-II) or bay projector. Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 V, Intel High Definition Audio, integrated Touchpad with Gesture support, ScrollWheel, G-sensor, LED Status display,application buttons, Kensington Lock connector., Interfaces: 1x ExpressCard (optional), 1x Smart Card Reader (optional), 1x SD Card reader, 1x VGA, 1x Displayport, 2x USB 3.0 (thereof 1x E-SATA/USB combo, 1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN, 1x RJ11 optional, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Global model, , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K360-V100	588,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S781

The Fujitsu LIFEBOOK S781 is a reliable notebook in 35.6 cm (14 inch) format with a high quality magnesium lid and only 2.3 kg, offering you the perfect balance between lightweight and stability. The modular bay offers a large number of extension options, such as a second battery or a second disk drive for flexible working in the office or on the move. Optional embedded 3G/UMTS allows you to stay connected wherever you are and to recall your business data.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S781					
	LB S781 /14.0" HD+/I7-2640M/4 GB/DVD/ (Promo)	LB S781 /14.0" HD+/I7-2640M/4 GB/DVD/ 500GB 7.2K/UMTS READY/WLAN INTEL 6205/ BT V3.0/MIC&CAM/FP SENSOR + SW/TPM/ ERASEDISK/CK INT/AC-ADAP/1ST BATT/,	LKN:S7810M0001IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S781					
	LIFEBOOK S781	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that Microphones are not part of the base unit and can be ordered separately, vpro Logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module	S26391-K322-V300	470,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S782

If you need a solid and reliable notebook for everyday business use, choose the Fujitsu LIFEBOOK S782. The 35.6 cm (14-inch) display and useful interfaces offer you enhanced convenience in the office. The modular bay for a second battery or hard disk drive to extend battery runtime or storage provides you with increased flexibility. Moreover, the solid magnesium display lid gives you enhanced stability.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S782					
	LB S782 /14.0" HD+/3360M/2x4 GB/ (Promo)	LB S782 /14.0" HD+/3360M/2x4 GB/ DVD Super Multi/500GB 7.2k/No Modem/ WLAN INTEL 6205/BT V4.0/UMTS/LTE ready/ mic&FHD cam/Fingerprint/TPM Module/,	LKN:S7820M0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S782					
	LIFEBOOK S782 QM77 Chipset	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0, thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC adapter, AC cable & 1st battery extra. We recommend to use 65W AC adapter for the system. For the usage with Port replicator 80W AC Adapter is required	S26391-K358-V300	422,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S792

If a solid, lightweight and fully-equipped notebook for mobile or office-based working is what you require, Fujitsu LIFEBOOK S792 should be your first choice. This 1.6 kg notebook provides the right balance between mobility and ease of use with its small form factor, 33.8 cm (13.3-inch) display and robust magnesium lid. Its modular bay for increased battery runtime, a second hard disk drive and Fujitsu's optional patented bay projector guarantee you maximum flexibility on business trips.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S792					
	LB S792 vPro /13.3" HD T&L/i7-3520M/ (Promo)	LB S792 vPro /13.3" HD T&L/i7-3520M/ 2x4 GB/DVD Super Multi/SSD 128GB/ EC slot/UMTS/LTE ready/WLAN INTEL 6205/ BT V4.0/mic&FHD cam/Fingerprint/TPM/,	LKN:S7920M0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S792					
	LIFEBOOK S792 QM77	Base unit, Intel QM77 Chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd battery, 2nd hard disk (S-ATA-II) or bay projector. Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 LM, Intel High Definition Audio, integrated Touchpad with Gesture support, ScrollWheel, G-sensor, LED Status display,application buttons, Kensington Lock connector, Sleeve Case., Interfaces: 1x ExpressCard (optional), 1x Smart Card Reader (optional), 1x SD Card reader, 1x VGA, 1x Displayport, 2x USB 3.0 (thereof 1x E-SATA/USB combo, 1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN, 1x RJ11 optional, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K367-V300	619,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK E751

The simple philosophy behind Fujitsu LIFEBOOK E751: only the best is good enough. State-of-theart Intel® technology and high speed Intel® integrated graphics ensure brilliant graphics and best performance. This 39.6 cm (15.6-inch) notebook supports HD or HD+ display with LED backlight. With features like fingerprint and Fujitsu's Advanced Theft Protection (ATP) your notebook is secured from any data theft.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK E751					
	LIFEBOOK E751	Base unit, Chipset Intel HM65, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 4x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , global model, , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K326-V100	473,00	Phased out
	LIFEBOOK E751 with 10-key KB	Base unit, Chipset Intel HM65, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 4x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K326-V110	484,00	Phased out
	LIFEBOOK E751 vPro	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that Microphones are not part of the base unit and can be ordered separately., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module	S26391-K326-V200	492,00	Phased out
	LIFEBOOK E751 vPro with 10-key KB	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that Microphones are not part of the base unit and can be ordered separately., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module	S26391-K326-V210	504,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK E752

Your Professional Desktop Replacement
If you need a reliable and energy-efficient notebook for daily business use, select the Fujitsu LIFEBOOK E752. The 39.6 cm (15.6-inch) display and useful interfaces offer you enhanced convenience. The modular bay lets you add extra memory or a second battery to increase your flexibility. Moreover, advanced security features protect your valuable company data.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK E752					
	LB E752 /15.6" HD+/i5-3320M/2x4 GB/ (Promo)	LB E752 /15.6" HD+/i5-3320M/2x4 GB/ DVD Super Multi/500GB 7.2k/ WLAN INTEL 6205/BT V4.0/UMTS/LTE ready/ mic&FHD cam/Fingerprint/TPM Module/,	LKN:E7520M0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK E752					
	LIFEBOOK E752 HM76 Chipset	Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , global model, , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V100	419,00	
	LIFEBOOK E752 HM76 Chipset 10-key	Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V110	430,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK E752

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK E752 (Continued)					
	LIFEBOOK E752 QM77 Chipset	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V200	448,00	
	LIFEBOOK E752 QM77 Chipset 10-key	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V210	458,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK E781

The Fujitsu LIFEBOOK E781 meets the requirements of the most demanding of users: the highperformance 39.6 cm (15.6 inch) notebook has a robust yet lightweight magnesium lid and offers you high resolution thanks to HD, HD+ and Full HD with LED backlight. Security functions such as Advanced Theft Protection (ATP) and fingerprint sensor reliably protect your notebook against all
types of data theft.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK E781					
	LB E781 VPRO 10-KEY /15.6" HD+/I7-2640M/ (Promo)	LB E781 VPRO 10-KEY /15.6" HD+/I7-2640M/ 4 GB/DVD/500GB 7.2K/UMTS READY/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/TPM/ERASEDISK/CK INT/,	LKN:E7810M0001IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK E781					
	LIFEBOOK E781 vPro QM67 with 10-key KB	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that Microphones are not part of the base unit and can be ordered separately., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module	S26391-K326-V310	525,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK E781

The Fujitsu LIFEBOOK E781 meets the requirements of the most demanding of users: the highperformance 39.6 cm (15.6 inch) notebook has a robust yet lightweight magnesium lid and offers you high resolution thanks to HD, HD+ and Full HD with LED backlight. Security functions such as Advanced Theft Protection (ATP) and fingerprint sensor reliably protect your notebook against all
types of data theft.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK E782					
	LB E782 /15.6" FHD/3360M/2x4 GB/ (Promo)	LB E782 /15.6" FHD/3360M/2x4 GB/ DVD Super Multi/500GB 7.2k/ WLAN INTEL 6205/BT V4.0/UMTS/LTE ready/ mic&FHD cam/Fingerprint/TPM Module/,	LKN:E7820M0001IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK E782					
	LIFEBOOK E782 QM77 Chipset 10-key	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and/or Full-HD displays and for usage with port replicator a 80W AC Adapter is required	S26391-K357-V310	470,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK P701

Highest performance level of all components as well as new high speed Intel® graphics and a 12.1- inch (30.7 cm) WXGA display make the slim and handy notebook a real mobile companion for all situations. Thanks to very low weight, robust design, anytime USB charge and much more the Fujitsu LIFEBOOK P701 is prepared for everyday business and mobile usage and grants effective working even for the most demanding of users.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK P701					
	LB P701 HM65 I5-2520M /12.1" WXGA/4 GB/ (Promo)	LB P701 HM65 I5-2520M /12.1" WXGA/4 GB/ 500GB 7.2K/UMTS READY/WLAN INTEL 6205/ BT V3.0/MIC&CAM/FP SENSOR + SW/TPM/ CK INT/AC-ADAP/1ST BATT/CABLE EU/KB I/,	LKN:P701XM0002IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK P701					
	LIFEBOOK P701 HM65 i3-2330M	Base unit, Chipset Intel HM65, Intel i3-2330M CPU, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Mobile Intel HD3000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, RJ45, 1x audio in, 1x audio out, 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC cable and 1st Battery extra	S26391-K327-V330	738,00	Phased out
	LIFEBOOK P701 HM65 i5-2520M	Base unit, Chipset Intel HM65, Intel i5-2520M CPU, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Mobile Intel HD3000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, RJ45, 1x audio in, 1x audio out, 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC cable and 1st Battery extra	S26391-K327-V500	822,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK P771

Small, lightweight and nevertheless high performance? The answer to those requirements is the Fujitsu LIFEBOOK P771. With one of the smallest footprints in the 12-inch market and weighing only 1.3 kg, it offers the user quite a range of goodies: all standard interfaces and connectivity features like embedded 3G/UMTS, WLAN and Bluetooth®. Thanks to the modular bay you can extend battery life for working all day. With features like fingerprint sensor and TPM, your notebook is secured from any data theft.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK P771					
	LB P771 QM67 I7-2617M /4 GB/DVD/ (Promo)	LB P771 QM67 I7-2617M /4 GB/DVD/ 320GB 7.2K/UMTS READY/WLAN INTEL 6205/ BT V3.0/MIC&CAM/FP SENSOR + SW/TPM/ CK INT/AC-ADAP/1ST BATT/CABLE EU/KB I/,	LKN:P7710M0001IT		Phased out
	LB P771 QM67 I7-2617M /4 GB/DVD/ (Promo)	LB P771 QM67 I7-2617M /4 GB/DVD/ 500GB 7.2K/UMTS GOBI 3000/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/TPM/CK INT/AC-ADAP/,	LKN:P7710M0002IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK P771					
	LIFEBOOK P771 glossy black	LCD 30.7 cm (12.1") WXGA TFT antiglare LED Display, glossy black, Intel QM67 chipset, Intel Core i7-2617M (1.5 GHz), supports max. 8 GB Dual Channel DDR3 1333MHz PC10600 system memory (2 DIMM slots), Intel HD3000 integrated graphics, S-ATA III Interface for internal HDD,10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, Touchpad with ScrollWheel, G-Sensor, application buttons, Kensington Lock, cleaning-cloth, notebook case, Modular bay concept for optical drive and 2nd battery, supports iAMT 7.0: vPro Logo requires Intel W-LAN & TPM module, Interfaces: 1x ExpressCard, 1x SD Card reader, 1x VGA, 1x HDMI, 2x USB 3.0, 1x USB 2.0 thereof 1 (all with anytime charging functionality), 1x RJ45 for LAN, microphone in, audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra	S26391-K328-V100	1.188,00	Phased out
	LIFEBOOK P771 matt	LCD 30.7 cm (12.1") WXGA TFT antiglare LED Display with compound lid, matt, Intel QM67 chipset, Intel Core i5-2520M (2.5 GHz), supports max. 8 GB Dual Channel DDR3 1333MHz PC10600 system memory (2 DIMM slots), Intel HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, Touchpad with ScrollWheel, G-Sensor, application buttons, Kensington Lock, notebook case, Modular bay concept for optical drive and 2nd battery, supports iAMT 7.0: vPro Logo requires Intel W-LAN & TPM module, Interfaces: 1x ExpressCard, 1x SD Card reader, 1x VGA, 1x HDMI, 2x USB 3.0, 1x USB 2.0 thereof 1 (all with anytime charging functionality), 1x RJ45 for LAN, microphone in, audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra	S26391-K328-V200	962,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK P772

The Small Companion to Go
As a frequent traveler, the lightweight but fully-featured Fujitsu LIFEBOOK P772 provides you with the right balance of flexibility and mobility for working on the move. The LIFEBOOK P772 is unique in offering an integrated modular bay in a 30.7 cm (12.1-inch) notebook. The patented bay projector option guarantees you additional presentation convenience on business trips.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK P772					
	LB P772 SC /12.1" WXGA/i3-2370M/4 GB/ (Promo)	LB P772 SC /12.1" WXGA/i3-2370M/4 GB/ DVD Super Multi/500GB 7.2k/ Cent. 2200 802.11b\g\n/BT V4.0/ UMTS/LTE ready/mic&FHD cam/Fingerprint/,	LKN:P7720M0001IT		
	LB P772 SC /12.1" WXGA/i5-3320M/2x4 GB/ (Promo)	LB P772 SC /12.1" WXGA/i5-3320M/2x4 GB/ DVD Super Multi/500GB 7.2k/ WLAN INTEL 6205/BT V4.0/UMTS/LTE ready/ mic&FHD cam/Fingerprint/TPM/ERASEDISK/,	LKN:P7720M0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK P772					
	LIFEBOOK P772 SC matt	Base unit matt black, Intel QM77 chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots), Modular bay concept for optical drive, 2nd battery, 2nd HDD (S-ATA II) or bay projector, Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD,10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, integrated Touchpad with Gesture support, ScrollWheel, G-Sensor, LED status display, application buttons, Kensington Lock, cleaning-cloth, sleeve case, Interfaces: 1x Smartcard Reader, 1x SD Card reader, 1x VGA, 1x DP, 2x USB 3.0 thereof 1 (all with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1xaudio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra	S26391-K361-V340	777,00	
	LIFEBOOK P772 EC glossy black	Base unit glossy black, Intel QM77 chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots), Modular bay concept for optical drive, 2nd battery, 2nd HDD (S-ATA II) or bay projector, Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD,10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, integrated Touchpad with Gesture support, ScrollWheel, G-Sensor, LED status display, application buttons, Kensington Lock, cleaning-cloth, sleeve case, Interfaces:1x Express Card, 1x SD Card reader, 1x VGA, 1x DP, 2x USB 3.0 thereof 1 (all with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1xaudio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra	S26391-K361-V320	788,00	
	LIFEBOOK P772 SC glossy black	Base unit glossy black, Intel QM77 chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots), Modular bay concept for optical drive, 2nd battery, 2nd HDD (S-ATA II) or bay projector, Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD,10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, integrated Touchpad with Gesture support, ScrollWheel, G-Sensor, LED status display, application buttons, Kensington Lock, cleaning-cloth, sleeve case, Interfaces: 1x Smartcard Reader, 1x SD Card reader, 1x VGA, 1x DP, 2x USB 3.0 thereof 1 (all with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1xaudio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra	S26391-K361-V330	788,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK P702

Ultra-Mobile Performance to Go
If you need a versatile and lightweight notebook for your everyday business tasks, the Fujitsu LIFEBOOK P702 should be your first choice. Its small form factor, 30.7 cm (12.1-inch) display and long battery runtime ensure enhanced mobile productivity. The ShockSensor protects your hard disk drive against physical impacts while its robust magnesium lid and various security features guarantee that the notebook is secure both on the move and in the office.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK P702					
	LB P702 /12.1" WXGA/i5-3320M/2x4 GB/ (Promo)	LB P702 /12.1" WXGA/i5-3320M/2x4 GB/ SSD 128GB/WLAN INTEL 6205/BT V4.0/ UMTS/LTE ready/mic&FHD cam/Fingerprint/ TPM/CK Int/AC 19V/80W/1st Batt/CABLE EU/,	LKN:P702XM0001IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK P702					
	LIFEBOOK P702 HM76	Base unit, Chipset Intel i76HM, supports Dual Channel DDR3 1333MHz PC12800 RAM (2 DIMM slots). Mobile Intel HD4000 integrated graphics, S-ATA III HDD interface, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 , integrated Touchpad with Gesture support, LED-Status display, ScrollWheel, G-sensor, application buttons, connector for Kensington Lock, Interfaces: Express Card slot type 34, 1xSmart Card reader: 1x VGA, 1x Displayport, SD Card reader, 3x USB 2.0, 1xUSB 3.0 with Anytime USB Charge, RJ45, 1x audio in, 1x audio out, 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Global model, , Please do not forget to configure the AC Adapter (65W for notebook; 80W for Portrep), AC cable and 1st Battery extra	S26391-K350-V100	602,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK U772

Business Elegance in Style
The Fujitsu LIFEBOOK U772 Ultrabook™ is the perfect choice for demanding business professionals on business trips and in the office. The stylish and fully-featured notebook offers a unique combination of an outstanding small form factor with a 35.6 cm (14-inch) frameless display at only 1.4 kg, making you a real eye-catcher. Its extended battery runtime, high responsiveness, ultimate security features and optional embedded 4G/LTE or 3G/UMTS offer you the slim mobility you need when on the move. Moreover, the solid magnesium housing provides additional reliability, anywhere..

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK U772					
	LB U772 silver /14.0" HD/i5-3427U/4 GB/ (Promo)	LB U772 SILVER /14.0" HD/i5-3427U/4 GB/ SSD Cache 32GB/500GB 5.4k/ Cent. 6205 802.11a\b\g\n (WW)/BT V4.0/ No UMTS/LTE/mic&HD cam/Fingerprint/TPM/,	LKN:U7720M0001IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK U772					
	LIFEBOOK U772 silver	Base unit, Intel QM77 Chipset, prepared for vPro technology and iAMT 8.0, supports DDR3 1600MHz PC12800 RAM (1 DIMM slot). Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 LM, Intel High Definition Audio, integrated Touchpad with Gesture support, G-sensor, LED Status display, Eco button, Kensington Lock connector, Interfaces: 1x SD Card reader, 1x HDMI, 2x USB 3.0 (1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN (mini LAN connector incl. Adapter), 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter and AC Cable extra	S26391-K364-V100	689,00	
	LIFEBOOK U772 red	Base unit, Intel QM77 Chipset, prepared for vPro technology and iAMT 8.0, supports DDR3 1600MHz PC12800 RAM (1 DIMM slot). Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 LM, Intel High Definition Audio, integrated Touchpad with Gesture support, G-sensor, LED Status display, Eco button, Kensington Lock connector, Interfaces: 1x SD Card reader, 1x HDMI, 2x USB 3.0 (1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN (mini LAN connector incl. Adapter), 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter and AC Cable extra	S26391-K364-V200	689,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK NH751

The Fujitsu LIFEBOOK NH751 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 43.9 cm (17.3-inch) display with powerful NVIDIA® GeForce® GT 525M discrete graphics with NVIDIA® Optimus™ technology, whenever and wherever they want. While the spill-resistant keyboard provides extra reliability, high-gloss black finish, frameless display and outstanding slim profile make the notebook a real head-turner.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK NH751					
	LIFEBOOK NH751 2GB VRAM		S26391-K320-V300	533,00	Phased out
	LIFEBOOK NH751 FHD 2GB VRAM	""Base unit 17.3" (43.9cm, 16:9) Full-HD LED Display based Intel HM65, supports maximum 8 GB Dual channel DDR3 1333 MHz memory (2 DIMM slots), NVIDIA GeForce GT 525M with 2GB dedicated DDR3 VRAM, Bluetooth V. 3.0, Serial ATA HDD interface, 10/100/1000 MBit LAN, integrated WLAN, integrated 1.3 megapixel WebCam, 5 way speakers, digital microphone, touchpad with scroll buttons, LED status indicators, spill-proof keyboard, Kensington Lock connector, 4-in-1 card reader, including Li-Ion 8-cell battery 5.200 mAh, AC adapter 19V/120W, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery), , , , , , Interfaces: 1x VGA, 1xHDMI 1.4a, 1x USB 3.0, 3x USB 2.0, 1x RJ45 for LAN, 1x line-in, 1x mic-in, 1x headphone out, ExpressCard Slot 34/54mm, 1xDC-in, 1x kensington lock""	S26391-K320-V400	590,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK UH552/UH572

UH552: Your Slim and Stylish Partner

For everyday business, the slim and attractive Fujitsu LIFEBOOK UH552 is the ideal device. Its light weight of 1.6 kg, small form factor and 33.8 cm (13.3-inch) anti-glare display offer you the mobility you desire. Its combination of good looks and thin design lets you arouse attention in all situations. Moreover, the notebook provides effective working with optional embedded 3G/UMTS and Computrace® enabled BIOS to keep your data safe.

UH572Business in a Briefcase

The stylish and ultra-slim Fujitsu LIFEBOOK UH572 Ultrabook™ is the perfect choice for everyday requirements. Its small form factor, 33.8 cm (13.3-inch) display and light weight of only 1.6 kg offer enhanced mobility. An attractive combination of thin design and sleek look with two color options makes the LIFEBOOK UH572 turn heads anywhere. Elaborate security features, optional embedded 3G/UMTS and high responsiveness provide you with enhanced convenience for effective working in all situations.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK UH552/UH572					
	LB UH552 silver i5 /4 GB/500GB/ (Promo)	LB UH552 silver i5 /4 GB/500GB/ Intel Centr N2230/CK INT/ AC 19V/65W+EU CBL/KB ISO BL IT/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	LKN:UH552M0001IT		
	LB UH572 red i5 /4 GB/500GB/ (Promo)	LB UH572 red i5 /4 GB/500GB/ UMTS Gobi 3000/Intel Centr N2230/CK INT/ AC 19V/65W+EU CBL/KB ISO BL IT/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	LKN:UH572M0001IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK UH552/UH572					
	LIFEBOOK UH552 silver i3	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with integrated Mobile Intel HD Graphics, Intel Core i3-3217U (1.8 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V130	606,00	
	LIFEBOOK UH552 silver i5	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with integrated Mobile Intel HD Graphics, Intel Core i5-3317U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V150	662,00	
	LIFEBOOK UH572 silver i5	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with integrated Mobile Intel HD Graphics, Intel Core i5-3317U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)"""	S26391-K349-V150	734,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK UH552/UH572

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK UH552/UH572 (Continued)					
	LIFEBOOK UH572 silver i7	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with integrated Mobile Intel HD Graphics, Intel Core i7-3517U (1.9 GHz, 4 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)""""	S26391-K349-V170	812,00	
	LIFEBOOK UH572 red i5	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with integrated Mobile Intel HD Graphics, Intel Core i5-3317U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)""""	S26391-K349-V250	734,00	
	LIFEBOOK UH572 red i7	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with integrated Mobile Intel HD Graphics, Intel Core i7-3517U (1.9 GHz, 4 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)"""""	S26391-K349-V270	812,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Professional Notebooks Accessories

| Category | Description | Details | LIFEBOOK A1220 | LIFEBOOK A530 | LIFEBOOK A532/Antivirus | LIFEBOOK A532/GFX | LIFEBOOK A532/HD | LIFEBOOK A532/HSPA+ | LIFEBOOK A532/GFX | LIFEBOOK AH502/GFX | LIFEBOOK AH502/HSPA+ | LIFEBOOK E751 | LIFEBOOK E752 | LIFEBOOK E780 | LIFEBOOK E781 | LIFEBOOK E8010 | LIFEBOOK E8020 | LIFEBOOK E8030 | LIFEBOOK LH531 | LIFEBOOK LH532 | LIFEBOOK MH32 | LIFEBOOK MH32 | LIFEBOOK NH570 | LIFEBOOK NH751 | LIFEBOOK P701 | LIFEBOOK P702 | LIFEBOOK P770 | LIFEBOOK P771 | LIFEBOOK P772 | LIFEBOOK P8010 | LIFEBOOK P8020 | LIFEBOOK P8030 | LIFEBOOK P8120 | LIFEBOOK P8130 | LIFEBOOK P8230 | LIFEBOOK S6410 | LIFEBOOK S6420 | LIFEBOOK S710 | LIFEBOOK S7110 Supreme | LIFEBOOK S7110 Value | LIFEBOOK S7110 Value FP | LIFEBOOK S7220 | LIFEBOOK S7230 | LIFEBOOK S751 | LIFEBOOK S760 | LIFEBOOK S761 | LIFEBOOK S762 | LIFEBOOK S781 | LIFEBOOK S782 | LIFEBOOK S8010 | LIFEBOOK T5010 | LIFEBOOK T580 | LIFEBOOK T730 | LIFEBOOK T731 | LIFEBOOK T800 | LIFEBOOK T901 | LIFEBOOK T9010 | LIFEBOOK U772 | LIFEBOOK UH552/AM572 | Product Code | EUP (€) | Comments |
|---|---|---

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Professional Notebooks Accessories

| Category | Description | Details | LIFEBOOK A1130 | LIFEBOOK A530 | LIFEBOOK A531/AH531 | LIFEBOOK A532/AH532 | LIFEBOOK AH502/GFX | LIFEBOOK AH530/HD6 | LIFEBOOK AH531/FO | LIFEBOOK AH532/GFX | LIFEBOOK AH550/GFX | LIFEBOOK AH552/BL | LIFEBOOK E751 | LIFEBOOK E752 | LIFEBOOK E780 | LIFEBOOK E781 | LIFEBOOK E782 | LIFEBOOK E810 | LIFEBOOK E8310 | LIFEBOOK E8410 | LIFEBOOK E8420 | LIFEBOOK LH531 | LIFEBOOK LH532 | LIFEBOOK N532 | LIFEBOOK N7832 | LIFEBOOK N7870 | LIFEBOOK N7751 | LIFEBOOK P1510 | LIFEBOOK P702 | LIFEBOOK P730 | LIFEBOOK P770 | LIFEBOOK P771 | LIFEBOOK P7710 | LIFEBOOK P7810 | LIFEBOOK P810 | LIFEBOOK PH530 | LIFEBOOK S6410 | LIFEBOOK S6420 | LIFEBOOK S730 | LIFEBOOK S7110 Supreme | LIFEBOOK S7110 Value | LIFEBOOK S7110 Value FP | LIFEBOOK S7210 | LIFEBOOK S751 | LIFEBOOK S752 | LIFEBOOK S760 | LIFEBOOK S761 | LIFEBOOK S762 | LIFEBOOK S770 | LIFEBOOK S772 | LIFEBOOK S782 | LIFEBOOK SH531 | LIFEBOOK T3010 | LIFEBOOK T900 | LIFEBOOK T930 | LIFEBOOK T960 | LIFEBOOK T731 | LIFEBOOK T900 | LIFEBOOK T901 | LIFEBOOK TH700 | LIFEBOOK U772 | LIFEBOOK UH532/AR72 | Product Code | EUP (€) | Comments |
|---|---|---

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E781	LIFEBOOK E782	LIFEBOOK LH531	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P771	LIFEBOOK P772	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552/UH572	Product Code	EUP (€)	Comments
Options matrix																																					
Thin Client Kit																																					
	Thin Client Upgrade Kit LIFEBOOK	administrative component to avoid non-functional configurations,						x									x				x															S26391-F994-E100	3,00	
Approvals/dependencies																																					
	China (CCC) approval								x									x				x		x			x								S26391-F1100-E900	3,00	Orderable from: 20/07/2012
	US (FCC) approval								x									x				x		x			x								S26391-F1100-E910	3,00	
LCD-Display																																					
	30,7 cm (12.1") WXGA magnesium LED	30,7 cm (12.1-inch), LED backlight, (WXGA), anti-glare display, magnesium lid, 1280x800 pixel, 200 cd/m																x		x																S26391-F1100-E100	145,00	
	30,7 cm (12.1") WXGA magnesium LED	30,7 cm (12.1-inch), LED backlight, (WXGA), anti-glare display, compound lid, 1280x800 pixel, 200 cd/m																		x																S26391-F1100-E200	156,00	
	33,8 cm (13.3") HD compound LED	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 200 cd/m, EPEAT Silver certification																						x												S26391-F1120-E100	78,00	
	33,8 cm (13.3") HD T&L Magnesium LED	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, Magnesium lid, 1366 x 768 pixel, 200 cd/m, EPEAT Gold certification																									x								S26391-F1120-E200	200,00	
	35.6 cm (14.0") HD compound LED	35.6 cm (14.0-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 220 cd/m																				x														S26391-F1140-E100	99,00	
	35.6 cm (14.0") HD+ compound LED	35.6 cm (14.0-inch), LED backlight, (HD+), anti-glare display, compound lid, 1600x900 pixel, 220 cd/m																				x														S26391-F1140-E110	133,00	
	39.6 cm (15.6") HD compound LED	39.6 cm (15.6-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 220 cd/m							x																											S26391-F1150-E100	77,00	
	39.6 cm (15.6") HD+ compound LED	39.6 cm (15.6-inch), LED backlight, (HD+), anti-glare display, compound lid, 1600x900 pixel, 220 cd/m							x																											S26391-F1150-E110	110,00	
	30,7 cm (12.1") WXGA premium LED	Wide-View High-Bright LED Display																												x						S26391-F660-E100	178,00	
	30,7 cm (12.1") WXGA standard LED																													x						S26391-F660-E200	95,00	
	30,7 cm (12.1") WXGA premium LED																														x					S26391-F920-E100	167,00	
	30,7 cm (12.1") WXGA standard LED																														x					S26391-F920-E200	84,00	
	39.6 cm (15.6") HD compound LED	39.6 cm (15.6-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 220 cd/m²						x																												S26391-F940-E100	77,00	
	39.6 cm (15.6") HD+ compound LED	39.6 cm (15.6-inch), LED backlight, (HD+), anti-glare display, compound lid, 1600x900 pixel, 220 cd/m²						x																												S26391-F940-E200	110,00	
	30,7 cm (12.1") WXGA compound LED	30,7 cm (12.1-inch), LED backlight, (WXGA), anti-glare display, compound lid, 1280x800 pixel, 200 cd/m															x																			S26391-F960-E100	89,00	
	39.6 cm (15.6") HD magnesium LED	39.6 cm (15.6-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 220 cd/m²							x																											S26391-F940-E300	110,00	
	39.6 cm (15.6") HD+ magnesium LED	39.6 cm (15.6-inch), LED backlight, (HD+), anti-glare display, magnesium lid, 1600x900 pixel, 220 cd/m²							x																											S26391-F940-E400	137,00	
	39.6 cm (15.6") FHD magnesium LED								x																											S26391-F940-E500	177,00	
	35.6 cm (14.0") HD magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 220 cd/m																																x		S26391-F1130-E100	112,00	
	33,8 cm (13.3") HD compound LED	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 200 cd/m, EPEAT Silver certification																					x													S26391-F950-E100	78,00	
	35.6 cm (14.0") HD compound LED	35.6 cm (14.0-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 220 cd/m²																				x														S26391-F980-E100	99,00	
	35.6 cm (14.0") HD magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 220 cd/m																									x									S26391-F1140-E200	112,00	
	39.6 cm (15.6") HD magnesium LED	39.6 cm (15.6-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 220 cd/m									x																									S26391-F1150-E200	110,00	
	33,8 cm (13.3") HD T&L magnesium LED	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, Magnesium lid, 1366 x 768 pixel, 200 cd/m, EPEAT Gold certification																					x													S26391-F950-E200	200,00	
	35.6 cm (14.0") HD+ compound LED	35.6 cm (14.0-inch), LED backlight, (HD+), anti-glare display, compound lid, 1600x900 pixel, 220 cd/m²																				x														S26391-F980-E200	133,00	
	35.6 cm (14.0") HD+ magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD+), anti-glare display, magnesium lid, 1600x900 pixel, 220 cd/m																									x									S26391-F1140-E210	139,00	
	39.6 cm (15.6") HD+ magnesium LED	39.6 cm (15.6-inch), LED backlight, (HD+), anti-glare display, magnesium lid, 1600x900 pixel, 220 cd/m									x																									S26391-F1150-E210	137,00	
	39.6 cm (15.6") FHD magnesium LED	39.6 cm (15.6-inch), LED backlight, (FHD), anti-glare display, magnesium lid, 1920x1080 pixel, 220 cd/m									x																									S26391-F1150-E300	177,00	
	35.6 cm (14.0") HD magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 220 cd/m²																									x									S26391-F980-E300	112,00	
	35.6 cm (14.0") HD+ magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD+), anti-glare display, magnesium lid, 1600x900 pixel, 220 cd/m²																									x									S26391-F980-E400	139,00	
Processor																																					
	Intel Core i7-3667U up to 3.2GHz 4MB	.																																x		S26391-F1131-E667	400,00	
	Intel Core i5-3320M up to 3.3GHz 3MB																																x		S26391-F1181-E332	262,00	New product,Orderable from: 13/07/2012
	Intel Core i7-3520M up to 3.6GHz 4MB																																x		S26391-F1181-E352	400,00	New product,Orderable from: 13/07/2012
	Intel Core i3-370M 2.40GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)																												x						S26391-F532-E370	155,00	
	Intel Core i7-2640M 2.8GHz 4MB							x		x											x				x										S26391-F981-E264	400,00	
	Intel Core i7-3667U up to 3.2GHz 4MB	2.50 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT																		x																S26391-F1101-E366	400,00	
	Intel Core i7-3667U up to 3.2GHz 4MB	not for Corporate Projects (only for Retail, SMB, education and government)																		x																S26391-F1101-E367	400,00	
	Intel Core i5-2450M up to 3.1GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)																x																		S26391-F1111-E245	208,00	
	Intel Core i5-2540M 2.6GHz 3MB	2.60 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT						x		x												x				x										S26391-F981-E254	287,00	
	Intel Core i5-3320M up to 3.3GHz 3MB																			x																S26391-F1101-E332	262,00	
	Intel Core i5-3320M up to 3.3GHz 3MB																			x																S26391-F1101-E333	262,00	
	Intel Core i5-3320M up to 3.3GHz 3MB																	x																		S26391-F1111-E332	262,00	
	Intel Core i7-3612QM up to 3.1GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government).							x		x												x				x									S26391-F1121-E361	277,00	
	Intel Core i7-3612QM up to 3.1GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government).																						x				x								S26391-F1121-E612	277,00	
	Intel Core i5-2520M 2.5GHz 3MB	2.50 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT						x		x												x				x										S26391-F981-E252	262,00	
	Intel Core i7-3520M up to 3.6GHz 4MB								x		x												x		x		x	x								S26391-F1121-E352	400,00	
	Intel Core i3-2370M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)																			x															S26391-F1101-E238	157,00	
	Intel Core i5-2450M 2.5GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)						x		x												x					x									S26391-F981-E245	208,00	
	Intel Core i5-3360M up to 3.5GHz 3MB								x		x												x		x		x	x								S26391-F1121-E336	287,00	
	Intel Core i3-2370M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)																			x															S26391-F1101-E237	157,00	
	Intel Core i5-3210M up to 3.1GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)																x																		S26391-F1111-E321	208,00	
	Intel Core i5-3320M up to 3.3GHz 3MB								x		x												x		x		x	x								S26391-F1121-E332	262,00	
	Intel Core i5-3210M up to 3.1GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)							x		x												x		x		x	x								S26391-F1121-E321	208,00	
	Intel Core i3-2350M 2.3GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)						x		x												x				x										S26391-F981-E235	162,00	
	Intel Core i3-2370M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)																x																		S26391-F1111-E237	157,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E781	LIFEBOOK E782	LIFEBOOK LH531	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P771	LIFEBOOK P772	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552/UH572	Product Code	EUP (€)	Comments
Options matrix																																					
Processor (Continued)																																					
	Intel Core i5-3317U up to 2.6GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)																																x		S26391-F1131-E317	208,00	
	Intel Core i5-3427U up to 2.8GHz 3MB	.																																x		S26391-F1131-E427	262.00	
	Intel Celeron B810 1.6GHz 2MB							x													x															S26391-F981-E810	123.00	
	Intel Core i7-3612QM up to 3.1GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)											x																							S26391-F902-E361	277,00	
	Intel Core i7-3612QM up to 3.1GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)			x																															S26391-F852-E361	277,00	
	Intel Core i7-3520M up to 3.6GHz 4MB												x																							S26391-F902-E352	400.00	
	Intel Core i5-2450M 2.5GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)		x																																S26391-F482-E245	208,00	
	Intel Core i5-3210M up to 3.1GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)											x																							S26391-F902-E321	208,00	
	Intel Core i3-3110M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)											x																							S26391-F902-E311	193,00	
	Intel Core i3-2350M 2.3GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)		x																																S26391-F482-E235	162,00	
	Intel Core i3-2370M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)											x																							S26391-F902-E237	157,00	
	Intel Core i5-3210M up to 3.1GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)			x	x																														S26391-F852-E321	208,00	
	Intel Core i5-3210M up to 3.1GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)					x																													S26391-F862-E321	208,00	
	Intel Core i3-2350M 2.3GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)											x																							S26391-F902-E235	162,00	
	Intel Core i3-2370M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)			x																															S26391-F852-E237	157,00	
	Intel Pentium B960 2.2GHz 2MB	only for shipments to retail customers		x																																S26391-F544-E960	64.00	
	Intel Pentium B950 2.1GHz 2MB	only for shipments to retail customers		x																																S26391-F544-E950	64.00	
	Intel Celeron B815 1.6GHz 2MB			x																																S26391-F480-E815	44.00	
	Intel Core i3-2350M 2.3GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)										x			x													x								S26391-F472-E235	162,00	
	Intel Core i3-2350M 2.3GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)												x	x																					S26391-F602-E235	162,00	
	Intel Core i3-2350M 2.3GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)																					x									x	x			S26391-F881-E235	162,00	
	Intel Core i3-2370M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)																										x								S26391-F472-E237	157,00	
	Intel Core i3-2370M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)												x	x																					S26391-F602-E237	157,00	
	Intel Core i5-2450M 2.5GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)										x				x												x								S26391-F472-E245	208,00	
	Intel Core i5-2450M 2.5GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)							x		x											x	x	x		x	x					x	x			S26391-F881-E245	208,00	
	Intel Core i3-2370M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)							x		x											x		x		x	x					x	x			S26391-F1121-E237	157,00	
	Intel Core i5-2540M 2.6GHz 3MB																						x													S26391-F881-E254	287.00	
	Intel Core i5-2520M 2.5GHz 3MB																						x									x	x			S26391-F881-E252	262.00	
	Intel Core i7-2640M 2.8GHz 4MB															x																					S26391-F472-E264	400.00	
	Intel Core i7-2640M 2.8GHz 4MB																						x									x	x			S26391-F881-E264	400.00	
	Intel Core i7-2670QM 2.2GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)														x																				S26391-F472-E267	287.00	
	Intel Core i3-380M 2.53GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)	x																																	S26391-F799-E380	155,00	
	Intel Core i3-3110M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)												x	x																					S26391-F602-E311	193,00	
	Intel Core i5-3210M up to 3.1GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)												x	x																					S26391-F602-E321	208,00	
	Intel Core i7-3520M up to 3.6GHz 4MB													x	x																					S26391-F602-E352	400.00	
	Intel Core I7 3610QM up to 3.3GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)												x	x																					S26391-F602-E361	277,00	
	Intel Celeron B810 1.6GHz 2MB																						x													S26391-F881-E810	123.00	
	Intel Pentium B960 2.2GHz 2MB	only for shipments to retail customers										x																x								S26391-F543-E960	64.00	
	Intel Pentium B950 2.1GHz 2MB	only for shipments to retail customers										x				x												x								S26391-F543-E950	64.00	
Memory																																					
	2 GB DDR3 1600 MHz PC3-12800																						x		x											S26391-F1122-E200	23.00	
	4 GB DDR3 1600 MHz PC3-12800																						x		x											S26391-F1122-E400	43.00	
	8 GB DDR3 1600 MHz PC3-12800																						x		x											S26391-F1122-E800	209.00	
	2 GB DDR3 1600 MHz PC3-12800								x		x											x				x											S26391-F1142-E200	23.00	
	4 GB DDR3 1600 MHz PC3-12800								x		x											x				x											S26391-F1142-E400	43.00	
	8 GB DDR3 1600 MHz PC3-12800								x		x											x				x											S26391-F1142-E800	209.00	
	2 GB DDR3 1600 MHz PC3-12800																																x			S26391-F1182-E200	23.00	New product,Orderable from: 13/07/2012
	4 GB DDR3 1600 MHz PC3-12800																																x			S26391-F1182-E400	43.00	New product,Orderable from: 13/07/2012
	8 GB DDR3 1600 MHz PC3-12800																																x			S26391-F1182-E800	209.00	New product,Orderable from: 13/07/2012
	2 GB DDR3 1333 MHz PC3-10600															x																				S26391-F473-E200	23.00	
	4 GB DDR3 1333 MHz PC3-10600															x																				S26391-F473-E400	43.00	
	2 GB DDR3 1600 MHz PC3-12800													x	x																					S26391-F603-E200	23.00	
	4 GB DDR3 1600 MHz PC3-12800													x	x																					S26391-F603-E400	43.00	
	8 GB DDR3 1600 MHz PC3-12800													x	x																					S26391-F603-E800	209.00	
	2 GB DDR3 1066 MHz PC3-8500																													x						S26391-F621-E500	23.00	
	4 GB DDR3 1066 MHz PC3-8500																													x						S26391-F621-E600	43.00	
	2 GB DDR3 800 MHz PC3-6400																												x							S26391-F662-E100	23.00	
	4 GB DDR3 800 MHz PC3-6400																												x							S26391-F662-E200	43.00	
	4 GB DDR3 1066 MHz PC3-8500		x																																	S26391-F791-E540	43.00	
	2 GB DDR3 1600 MHz PC3-12800			x																													x			S26391-F853-E200	23.00	
	4 GB DDR3 1600 MHz PC3-12800			x	x																												x			S26391-F853-E400	43.00	
	2 GB DDR3 1333 MHz PC3-10600																																x			S26391-F882-E200	23.00	
	4 GB DDR3 1333 MHz PC3-10600																																x			S26391-F882-E400	43.00	
	2 GB DDR3 1600 MHz PC3-12800												x																							S26391-F903-E200	23.00	
	4 GB DDR3 1600 MHz PC3-12800												x																							S26391-F903-E400	43.00	
	8 GB DDR3 1600 MHz PC3-12800												x																							S26391-F903-E800	209.00	
	2 GB DDR3 1333 MHz PC3-10600																																x			S26391-F922-E200	23.00	
	4 GB DDR3 1333 MHz PC3-10600																																x			S26391-F922-E400	43.00	
	2 GB DDR3 1600 MHz PC3-12800																			x																S26391-F1102-E200	23.00	
	2 GB DDR3 1600 MHz PC3-12800																	x																		S26391-F1112-E200	23.00	
	4 GB DDR3 1600 MHz PC3-12800																			x																S26391-F1102-E400	43.00	
	4 GB DDR3 1600 MHz PC3-12800																	x																		S26391-F1112-E400	43.00	
	8 GB DDR3 1600 MHz PC3-12800																			x																S26391-F1102-E800	209.00	
	8 GB DDR3 1600 MHz PC3-12800																	x																		S26391-F1112-E800	209.00	
	1 GB DDR3 1333 MHz PC3-10600											x																								S26391-F483-E100	20.00	
	1 GB DDR3 1333 MHz PC3-10600																		x																	S26391-F972-E100	20.00	
	2 GB DDR3 1600 MHz PC3-12800																																	x		S26391-F1132-E200	23.00	
	2 GB DDR3 1333 MHz PC3-10600			x																																S26391-F483-E200	23.00	
	2 GB DDR3 1333 MHz PC3-10600											x																								S26391-F493-E200	23.00	
	2 GB DDR3 1333 MHz PC3-10600																												x							S26391-F540-E200	23.00	
	2 GB DDR3 1600 MHz PC3-12800																																		x	S26391-F933-E200	23.00	
	2 GB DDR3 1333 MHz PC3-10600																						x													S26391-F952-E200	23.00	
	2 GB DDR3 1333 MHz PC3-10600																x																			S26391-F962-E200	23.00	
	2 GB DDR3 1333 MHz PC3-10600																		x																	S26391-F972-E200	23.00	
	2 GB DDR3 1333 MHz PC3-10600							x		x											x				x											S26391-F982-E200	23.00	
	4 GB DDR3 1600 MHz PC3-12800																																	x		S26391-F1132-E400	43.00	
	4 GB DDR3 1333 MHz PC3-10600		x																																	S26391-F483-E400	43.00	
	4 GB DDR3 1333 MHz PC3-10600											x																								S26391-F493-E400	43.00	
	4 GB DDR3 1333 MHz PC3-10600																											x								S26391-F540-E400	43.00	
	4 GB DDR3 1600 MHz PC3-12800					x																														S26391-F863-E400	43.00	
	4 GB DDR3 1600 MHz PC3-12800																																		x	S26391-F933-E400	43.00	
	4 GB DDR3 1333 MHz PC3-10600																						x													S26391-F952-E400	43.00	
	4 GB DDR3 1333 MHz PC3-10600																x																			S26391-F962-E400	43.00	
	4 GB DDR3 1333 MHz PC3-10600																		x																	S26391-F972-E400	43.00	
	4 GB DDR3 1333 MHz PC3-10600							x		x											x				x											S26391-F982-E400	43.00	
	8 GB DDR3 1600 MHz PC3-12800																																	x		S26391-F1132-E800	209.00	
Removable Media Drives																																					
	DVD Super Multi (reader/writer)																																x			S26391-F1184-E200	39.00	New product,Orderable from: 13/07/2012
	Blu-ray Triple Writer incl. Playback SW	Blu-ray read/write + DVD read/write + CD read/write																															x			S26391-F1184-E300	255,00	New product,Orderable from: 13/07/2012
	Weight saver																																x			S26391-F1184-E400	4.00	New product,Orderable from: 13/07/2012
	2nd Battery 6cell 28Wh (2.600mAh)																																x			S26391-F1184-E500	106.00	New product,Orderable from: 13/07/2012
	DVD Super multi (reader/writer)															x																				S26391-F477-E100	39.00	
	Blu-ray Triple Writer + BD playback SW	Blu-ray read/write + DVD read/write + CD read/write														x																				S26391-F477-E300	217,00	
	DVD Super Multi (reader/writer)													x	x																					S26391-F607-E100	39.00	
	Blu-ray Triple Writer + BD playback SW	Blu-ray read/write + DVD read/write + CD read/write												x	x																					S26391-F607-E300	217,00	
	DVD Super Multi (reader/writer)																													x						S26391-F777-E700	39.00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E761	LIFEBOOK E782	LIFEBOOK LH531	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P771	LIFEBOOK P772	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552/UH572	Product Code	EUP (€)	Comments
Options matrix																																					
Removable Media Drives (Continued)																																					
	Blu-ray combo drive incl. BD playback SW	Blu-ray read only + DVD read/write + CD read/write																												x						S26391-F777-E800	122,00	
	DVD Super Multi (reader/writer)				x	x																														S26391-F857-E100	39.00	
	DVD SUPER MULTI						x																													S26391-F867-E100	3.00	
	DVD Super Multi (reader/writer)																														x					S26391-F924-E100	39.00	
	Blu-ray Triple Writer incl. Playback SW	Blu-ray read/write + DVD read/write + CD read/write																													x					S26391-F924-E200	217,00	
	DVD Super Multi (reader/writer)								x		x											x				x										S26391-F1144-E200	39.00	
	Blu-ray Triple Writer incl. Playback SW	Blu-ray read/write + DVD read/write + CD read/write; with playback software							x		x											x				x										S26391-F1144-E300	217,00	
	Weight saver for modular bay																						x	x			x									S26391-F954-E400	4.00	
	DVD Super Multi (reader/writer)	Nero on driver DVD																					x													S26391-F954-E100	39.00	
	Weight saver for modular bay	Nero on driver DVD																	x	x																S26391-F974-E400	4.00	
	Weight saver for modular bay							x	x	x	x										x	x			x	x					x	x				S26391-F984-E400	4.00	
	Blu-ray Triple Writer incl. Playback SW	Blu-ray read/write + DVD read/write + CD read/write																					x													S26391-F954-E200	255,00	Phased out
	DVD Super Multi (reader/writer)	Nero on driver DVD																	x																	S26391-F974-E100	39.00	
	DVD Super Multi (reader/writer)	Nero on driver DVD						x		x											x					x										S26391-F984-E100	39.00	
	Blu-ray Triple Writer incl. Playback SW	Blu-ray read/write + DVD read/write + CD read/write; with playback software						x		x											x					x										S26391-F984-E200	217,00	
	2nd Battery 3cell 27Wh (2.500mAh)																						x													S26391-F954-E500	122.00	
	2nd Battery 3cell 27Wh (2.500mAh)	Nero on driver DVD																	x																	S26391-F974-E500	122.00	
	2nd Battery 6cell 41Wh (3.800mAh)							x	x	x	x										x	x			x	x										S26391-F984-E500	122.00	
	Bay projector																						x	x			x									S26391-F954-E600	444.00	
	Bay projector																		x	x																S26391-F974-E600	444.00	
	DVD Super multi (reader/writer)											x																									S26391-F497-E100	39.00	
	DVD Super multi (reader/writer)																											x								S26391-F548-E100	39.00	
	DVD Super Multi (reader/writer)																															x				S26391-F884-E100	39.00	
	DVD Super Multi (reader/writer)												x																							S26391-F907-E100	39.00	
	DVD Super Multi (reader/writer)	Nero on driver DVD																		x																S26391-F1104-E200	39.00	
	DVD Super Multi (reader/writer)																							x			x									S26391-F1124-E200	39.00	
	Blu-ray Triple Writer incl. Playback SW	Blu-ray read/write + DVD read/write + CD read/write																		x																S26391-F1104-E300	255,00	
	Blu-ray Triple Writer incl. Playback SW	Blu-ray read/write + DVD read/write + CD read/write																						x			x									S26391-F1124-E300	255,00	
	Blu-ray Triple Writer incl. Playback SW	Blu-ray read/write + DVD read/write + CD read/write																														x				S26391-F884-E300	217,00	
	Blu-ray Triple Writer + BD playback SW	Blu-ray read/write + DVD read/write + CD read/write											x																							S26391-F907-E300	217,00	
	2nd Battery 6cell 27Wh (2.600mAh)																			x																S26391-F1104-E500	106.00	
	2nd Battery 6cell 28Wh (2.600mAh)																							x			x									S26391-F1124-E500	110.00	
	Weight saver for modular bay																													x						S26391-F777-E300	4.00	
	2nd Battery (10.8V, 3.800mAh)																													x	x	x				S26391-F777-E400	122.00	
Hard Disks																																					
	HDD SATA 320 GB 7.2k								x		x																									S26391-F1153-E257	200.00	
	HDD SATA 320 GB 5.4k								x		x																									S26391-F1153-E320	144.00	
	HDD SATA 320 GB 7.2k FDE								x		x																									S26391-F1153-E328	204.00	
	HDD SATA 500 GB 7.2k								x		x																									S26391-F1152-E507	227.00	
	SSD SATA III 128 GB FDE high speed								x		x																									S26391-F1153-E820	299.00	
	SSD SATA III 128 GB high speed								x		x																									S26391-F1153-E825	266.00	
	SSD SATA III 256 GB high speed								x		x																									S26391-F1153-E835	346.00	
	HDD SATA 320 GB																																	x		S26391-F1183-E320	144.00	New product.Orderable from: 13/07/2012
	HDD SATA 320 GB 7.2k																																	x		S26391-F1183-E327	208.00	New product.Orderable from: 13/07/2012
	HDD SATA 320 GB 7.2k FDE																																	x		S26391-F1183-E328	204.00	New product.Orderable from: 13/07/2012
	HDD SATA 500 GB																																	x		S26391-F1183-E507	227.00	New product.Orderable from: 13/07/2012
	SSD SATA III 128 GB FDE high speed																																	x		S26391-F1183-E820	299.00	New product.Orderable from: 13/07/2012
	SSD SATA III 128 GB high speed																																	x		S26391-F1183-E825	266.00	New product.Orderable from: 13/07/2012
	SSD SATA III 256 GB FDE high speed																																	x		S26391-F1183-E830	555.00	New product.Orderable from: 13/07/2012
	SSD SATA III 256 GB high speed																																	x		S26391-F1183-E835	346.00	New product.Orderable from: 13/07/2012
	SSD cache 32GB for IRST & Express Cache																																	x		S26391-F1183-E900	84.00	New product.Orderable from: 13/07/2012
	HDD SATA 160 GB 5.4k																													x						S26391-F661-E100	120.00	
	HDD SATA 320 GB 5.4k																													x						S26391-F661-E200	144.00	
	HDD SATA 320 GB 5.4k FDE																													x						S26391-F661-E400	204.00	
	HDD SATA 500 GB 7.2k																													x						S26391-F661-E500	252.00	
	SSD SATA 64GB FDE																													x						S26391-F661-E700	333.00	
	SSD SATA 128GB FDE																													x						S26391-F661-E800	299.00	
	HDD SATA 320 GB 5.4k																														x					S26391-F663-E200	144.00	
	HDD SATA 250 GB 5.4k																														x					S26391-F663-E250	106.00	
	HDD SATA 320 GB 5.4k FDE																														x					S26391-F663-E300	204.00	
	HDD SATA 500 GB 7.2k																														x					S26391-F663-E400	227.00	
	SSD SATA 128 GB FDE																														x					S26391-F663-E800	299.00	
	HDD SATA 160 GB 5.4k																																	x		S26391-F883-E160	120.00	
	HDD SATA 160 GB 7.2k																																	x		S26391-F883-E167	119.00	
	HDD SATA 250 GB 5.4k																																	x		S26391-F883-E250	106.00	
	HDD SATA 320 GB 5.4k																																	x		S26391-F883-E320	144.00	
	HDD SATA 320 GB 5.4k Win XP optimized																																	x		S26391-F883-E321	178.00	
	HDD SATA 320 GB 7.2k																																	x		S26391-F883-E327	208.00	
	HDD SATA 320GB 5.4 FDE																																	x		S26391-F883-E328	204.00	
	HDD SATA 500 GB 7.2k																																	x		S26391-F883-E500	227.00	
	SSD SATA 128 GB FDE																																	x		S26391-F883-E820	299.00	
	SSD SATA III 128 GB high speed																																	x		S26391-F883-E830	266.00	
	HDD SATA 250 GB 5.4k																						x													S26391-F953-E250	106.00	
	HDD SATA 250 GB 5.4k																	x																		S26391-F963-E250	106.00	
	HDD SATA 250 GB 5.4k																		x																	S26391-F973-E250	106.00	
	HDD SATA 250 GB 5.4k							x		x											x				x											S26391-F983-E250	106.00	
	HDD SATA 320 GB 5.4k																						x													S26391-F953-E320	144.00	
	HDD SATA 320 GB 5.4k																	x																		S26391-F963-E320	144.00	
	HDD SATA 320 GB 5.4k																			x																S26391-F973-E320	144.00	
	HDD SATA 320 GB 5.4k							x		x												x				x										S26391-F983-E320	144.00	
	HDD SATA 320 GB 5.4k Win XP optimized																						x													S26391-F953-E321	178.00	
	HDD SATA 320 GB 5.4k Win XP optimized																	x																		S26391-F963-E321	178.00	
	HDD SATA 320 GB 5.4k Win XP optimized																			x																S26391-F973-E321	178.00	
	HDD SATA 320 GB 5.4k Win XP optimized							x		x												x				x										S26391-F983-E321	178.00	
	HDD SATA 320 GB 5.4k																							x			x									S26391-F1123-E320	144.00	
	HDD SATA 320 GB 7.2k																							x			x									S26391-F1123-E257	200.00	
	HDD SATA 500 GB 7.2k																							x			x									S26391-F1123-E507	227.00	
	HDD SATA 320 GB 7.2k FDE																							x			x									S26391-F1123-E328	204.00	
	SSD SATA III 128 GB FDE high speed																							x			x									S26391-F1123-E820	299.00	
	SSD SATA III 128 GB high speed																							x			x									S26391-F1123-E825	266.00	
	SSD SATA III 256 GB high speed																							x			x									S26391-F1123-E835	346.00	
	SSD cache 32GB for IRST & Express Cache																							x			x									S26391-F1129-E320	84.00	
	HDD SATA 160 GB 7.2k																						x													S26391-F953-E167	119.00	
	HDD SATA 160 GB 7.2k																		x																	S26391-F963-E167	119.00	
	HDD SATA 160 GB 7.2k																			x																S26391-F973-E167	119.00	
	HDD SATA 160 GB 7.2k							x		x												x				x										S26391-F983-E167	119.00	
	HDD SATA 160 GB 7.2k																															x				S26391-F923-E167	119.00	
	HDD SATA 320 GB 7.2k																						x													S26391-F953-E327	208.00	
	HDD SATA 320 GB 7.2k																		x																	S26391-F963-E327	208.00	
	HDD SATA 320 GB 7.2k																			x																S26391-F973-E327	208.00	
	HDD SATA 320 GB 7.2k							x		x												x				x										S26391-F983-E327	208.00	
	HDD SATA 250 GB 5.4k																															x				S26391-F923-E250	106.00	
	HDD SATA 320 GB 7.2k																				x															S26391-F1103-E257	200.00	
	HDD SATA 320 GB 7.2k																		x																	S26391-F1113-E257	200.00	
	HDD SATA 320 GB 7.2k																					x				x										S26391-F1143-E257	200.00	
	HDD SATA 500 GB 7.2k																			x																S26391-F973-E507	227.00	
	HDD SATA 500 GB 7.2k							x		x												x				x										S26391-F983-E507	227.00	
	HDD SATA 320 GB 5.4k																				x															S26391-F1103-E320	144.00	
	HDD SATA 320 GB 5.4k																		x																	S26391-F1113-E320	144.00	
	HDD SATA 320 GB 5.4k																																		x	S26391-F1133-E320	144.00	
	HDD SATA 320 GB 5.4k																					x				x										S26391-F1143-E320	144.00	
	HDD SATA 320 GB 5.4k															x																				S26391-F474-E320	144.00	
	HDD SATA 320 GB 5.4k		x																																	S26391-F484-E320	144.00	
	HDD SATA 320 GB 5.4k											x																								S26391-F494-E320	144.00	
	HDD SATA 320 GB 5.4k																												x							S26391-F541-E320	144.00	
	HDD SATA 320 GB 5.4k													x	x																					S26391-F604-E320	144.00	
	HDD SATA 320 GB 5.4k												x																							S26391-F904-E320	144.00	
	HDD SATA 320 GB 5.4k																														x					S26391-F923-E320	144.00	
	HDD SATA 320 GB 5.4k																																		x	S26391-F934-E320	144.00	
	HDD SATA 320 GB 5.4k Win XP optimized																														x					S26391-F923-E321	178.00	
	HDD SATA 320 GB 7.2k														x																					S26391-F474-E327	208.00	
	HDD SATA 320 GB 7.2k													x	x																					S26391-F604-E327	208.00	
	HDD SATA 320 GB 7.2k												x																							S26391-F904-E327	208.00	
	HDD SATA 320 GB 7.2k																														x					S26391-F923-E327	208.00	
	HDD SATA 320 GB 7.2k																																		x	S26391-F934-E327	144.00	
	HDD SATA 320 GB 7.2k FDE																				x															S26391-F1103-E328	204.00	
	HDD SATA 320 GB 7.2k FDE																		x																	S26391-F1113-E328	204.00	
	HDD SATA 320 GB 7.2k FDE																					x				x										S26391-F1143-E328	204.00	
	HDD SATA 320GB 5.4 FDE																														x					S26391-F923-E328	204.00	
	HDD SATA 500 GB 5.4k																																		x	S26391-F1133-E500	219.00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E781	LIFEBOOK E782	LIFEBOOK LH531	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P771	LIFEBOOK P772	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552/UH572	Product Code	EUP (€)	Comments
Options matrix																																					
Hard Disks (Continued)																																					
	HDD SATA 500 GB 5.4k															x																			S26391-F474-E500	219.00	
	HDD SATA 500 GB 5.4k			x																															S26391-F484-E500	219.00	
	HDD SATA 500 GB 5.4k											x																							S26391-F494-E500	219.00	
	HDD SATA 500 GB 5.4k																											x							S26391-F541-E500	219.00	
	HDD SATA 500 GB 5.4k													x	x																				S26391-F604-E500	219.00	
	HDD SATA 500 GB 5.4k												x																						S26391-F904-E500	219.00	
	HDD SATA 500 GB 5.4k																																	x	S26391-F934-E500	219.00	
	2x HDD SATA 500 GB 5.4k															x																			S26391-F474-E502	350.00	
	2x HDD SATA 500 GB 5.4k													x	x																				S26391-F604-E502	350.00	
	HDD SATA 500 GB 5.4k			x	x																														S26391-F854-E500	219.00	
	HDD SATA 500 GB 5.4k					x																													S26391-F864-E500	219.00	
	HDD SATA 500 GB 7.2k																			x															S26391-F1103-E507	227.00	
	HDD SATA 500 GB 7.2k																	x																	S26391-F1113-E507	227.00	
	HDD SATA 500 GB 7.2k																					x			x										S26391-F1143-E507	227.00	
	HDD SATA 500 GB 7.2k											x																x							S26391-F494-E507	227.00	
	HDD SATA 500 GB 7.2k																															x			S26391-F923-E507	227.00	
	HDD SATA 500 GB 7.2k																						x												S26391-F963-E507	227.00	
	HDD SATA 320 GB 5.4k FDE																						x												S26391-F953-E328	204.00	
	HDD SATA 320 GB 5.4k FDE																x																		S26391-F963-E328	204.00	
	HDD SATA 320 GB 5.4k FDE																		x																S26391-F973-E328	204.00	
	HDD SATA 320 GB 5.4k FDE							x		x												x				x									S26391-F983-E328	204.00	
	HDD SATA 750 GB 5.4k															x																			S26391-F474-E750	270.00	
	HDD SATA 750 GB 5.4k		x																																S26391-F484-E750	270.00	
	HDD SATA 750GB 5.4k											x																							S26391-F494-E750	270.00	
	HDD SATA 750 GB 5.4k													x	x																				S26391-F604-E750	270.00	
	HDD SATA 750 GB 5.4k			x	x																														S26391-F854-E750	270.00	
	HDD SATA 750 GB 5.4k												x																						S26391-F904-E750	270.00	
	2x HDD SATA 750 GB 5.4k															x																			S26391-F474-E752	406.00	
	2x HDD SATA 750 GB 5.4k													x	x																				S26391-F604-E752	406.00	
	SSD SATA III 128 GB FDE high speed																				x														S26391-F1103-E820	299.00	
	SSD SATA III 128 GB FDE high speed																	x																	S26391-F1113-E820	299.00	
	SSD SATA III 128 GB FDE high speed																																	x	S26391-F1133-E820	410.00	New product.Orderable from: 27/07/2012
	SSD SATA III 128 GB FDE high speed																					x			x										S26391-F1143-E820	299.00	
	SSD SATA 128 GB FDE																														x				S26391-F923-E820	299.00	
	SSD SATA 128 GB FDE																						x												S26391-F953-E820	299.00	
	SSD SATA 128 GB FDE																	x																	S26391-F963-E820	299.00	
	SSD SATA 128 GB FDE																		x																S26391-F973-E820	299.00	
	SSD SATA 128 GB FDE							x		x												x				x									S26391-F983-E820	299.00	
	SSD SATA III 128 GB high speed																				x														S26391-F1103-E825	266.00	
	SSD SATA III 128 GB high speed																	x																	S26391-F1113-E825	266.00	
	SSD SATA III 128 GB high speed																																	x	S26391-F1133-E825	266.00	
	SSD SATA III 128 GB high speed																					x				x									S26391-F1143-E825	266.00	
	SSD SATA III 128 GB high speed																														x				S26391-F923-E830	266.00	
	SSD SATA III 128 GB high speed																																	x	S26391-F934-E830	266.00	
	SSD SATA III 128 GB high speed																						x												S26391-F953-E830	266.00	
	SSD SATA III 128 GB high speed																	x																	S26391-F963-E830	266.00	
	SSD SATA III 128 GB high speed																		x																S26391-F973-E830	266.00	
	SSD SATA III 128 GB high speed							x		x												x				x									S26391-F983-E830	266.00	
	SSD SATA III 256 GB high speed																				x														S26391-F1103-E835	346.00	
	SSD SATA III 256 GB high speed																	x																	S26391-F1113-E835	346.00	
	SSD SATA III 256 GB high speed																																	x	S26391-F1133-E835	346.00	
	SSD SATA III 256 GB high speed																					x				x									S26391-F1143-E835	346.00	
	SSD SATA III 256 GB high speed																																	x	S26391-F934-E840	346.00	
	SSD cache 32GB for IRST & Express Cache															x																		x	S26391-F1132-E320	84.00	
	HDD SATA 1 TB 5.4k															x																			S26391-F474-E100	349.00	
	HDD SATA 1 TB 5.4k													x	x																				S26391-F604-E100	349.00	
	HDD SATA 1 TB 5.4k												x																						S26391-F904-E100	349.00	
	2x HDD SATA 1 TB 5.4k															x																			S26391-F474-E102	693.00	
	2x HDD SATA 1 TB 5.4k													x	x																				S26391-F604-E102	693.00	
	SSD cache 32GB for IRST & Express Cache								x		x											x				x									S26391-F1142-E320	84.00	
	SSD SATA III 128 GB high speed															x																			S26391-F474-E830	266.00	
	SSD SATA III 128 GB high speed													x	x																				S26391-F604-E830	266.00	
	SSD SATA III 256 GB high speed													x	x																				S26391-F604-E840	346.00	
Card Slot																																					
	ExpressCard slot																						x			x									S26391-F1129-F300	17.00	
	SmartCard slot																						x			x									S26391-F1129-E310	17.00	
WebCam																																					
	No Camera																												x						S26391-F625-E110	8.00	
	2M pixels Camera																												x						S26391-F625-E310	23.00	
	No Camera																																		S26391-F625-F400	8.00	
	1.3M pixels Camera																												x						S26391-F625-E410	23.00	
Communication/Network																																					
	Intel Centrino 6205 802.11a\b\g\n (WW)															x																			S26391-F476-E220	22.00	
	WLAN Atheros 802.11b\g\n (WW)															x																			S26391-F476-E230	10.00	
	UMTS Module Sierra Wireless Gobi 3000												x																						S26391-F906-E120	88.00	
	Intel Centrino 6200 802.11a\b\g\n (WW)																													x					S26391-F647-E500	26.00	Phased out
	Intel Centrino 6200 802.11a\b\g\n (WW)																												x						S26391-F664-E220	26.00	Phased out
	WLAN Atheros 802.11b\g\n (WW)																													x					S26391-F647-E600	10.00	
	WLAN Atheros 802.11b\g\n (WW)																												x						S26391-F664-E230	10.00	
	No WLAN																																		S26391-F624-E100	2.00	
	No WLAN																												x						S26391-F664-E210	2.00	
	Bluetooth module V2.1+EDR																																		S26391-F624-E500	22.00	
	Bluetooth module V2.1																												x						S26391-F664-E320	22.00	
	No Bluetooth																												x						S26391-F664-E310	2.00	
	No Bluetooth																																		S26391-F624-E550	2.00	
	No UMTS/LTE																								x		x								S26391-F1125-E500	2.00	
	UMTS/LTE ready kit (only antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)																							x		x								S26391-F1125-E510	12.00	
	UMTS module Sierra Wireless Gobi 3000																								x		x								S26391-F1125-E520	88.00	
	LTE module Sierra Wireless MC7710																								x		x								S26391-F1125-E530	144.00	
	UMTS Sierra Wireless Gobi2000	including GPS functionality																													x				S26391-F647-E210	110.00	
	UMTS Sierra Wireless Gobi2000	including GPS functionality																											x						S26391-F664-E120	110.00	
	No UMTS			x								x	x	x																				x	S26391-F798-E600	2.00	
	UMTS Module Sierra Wireless Gobi 3000																																	x	S26391-F936-E120	88.00	
	Intel Wireless-N2230 b/g/n incl. BT																																	x	S26391-F936-E200	17.00	
	No UMTS							x		x																									S26391-F945-E110	2.00	
	No UMTS																												x						S26391-F647-E110	2.00	
	No UMTS																												x						S26391-F664-E110	4.00	
	No UMTS / No Modem																															x			S26391-F885-E110	3.00	
	No UMTS																														x				S26391-F925-E110	2.00	
	No UMTS																							x											S26391-F955-E110	2.00	
	No UMTS																	x																	S26391-F965-E110	3.00	
	No UMTS																					x				x									S26391-F985-E110	2.00	
	UMTS Module Sierra Wireless Gobi 3000													x	x																				S26391-F606-E120	88.00	
	UMTS module Sierra Wireless Gobi 3000	including GPS functionality																														x			S26391-F885-E120	88.00	
	UMTS module Sierra Wireless Gobi 3000	including GPS functionality																													x				S26391-F925-E120	88.00	
	UMTS module Sierra Wireless Gobi 3000							x																											S26391-F945-E120	88.00	
	UMTS module Sierra Wireless Gobi 3000									x																									S26391-F945-E220	88.00	
	UMTS ready (no module, antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)																						x											S26391-F955-E125	12.00	
	UMTS ready (no module, antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)																x																	S26391-F965-E125	12.00	
	UMTS ready (no module, antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)																	x																S26391-F975-E125	12.00	
	UMTS ready (no module, antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)																	x																S26391-F975-E525	12.00	
	UMTS ready (no module, antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)																				x													S26391-F985-E125	12.00	
	UMTS ready (no module, antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)																								x									S26391-F985-E225	12.00	
	Cable HDMI to VGA																																	x	S26391-F991-E120	68.00	Orderable from: 13/07/2012
	UMTS ready (no module, antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)																												x					S26391-F925-E125	12.00	
	UMTS ready (no module, antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)						x																											S26391-F945-E125	12.00	
	UMTS ready (no module, antennas incl.)									x																									S26391-F945-E225	12.00	
	UMTS module Sierra Wireless Gobi 3000	including GPS functionality																					x												S26391-F955-E120	88.00	
	UMTS module Sierra Wireless Gobi 3000																	x																	S26391-F965-E120	88.00	
	UMTS module Sierra Wireless Gobi 3000																		x																S26391-F975-E120	88.00	
	UMTS module Sierra Wireless Gobi 3000																		x																S26391-F975-E520	88.00	
	UMTS module Sierra Wireless Gobi 3000																				x														S26391-F985-E120	88.00	
	UMTS module Sierra Wireless Gobi 3000																								x										S26391-F985-E220	88.00	
	No Modem																					x				x									S26391-F1145-E135	10.00	
	Modem																															x			S26391-F885-E130	10.00	
	No Modem																						x	x		x									S26391-F955-E135	2.00	
	No UMTS																				x														S26391-F975-E530	2.00	
	No Modem							x	x	x	x											x				x									S26391-F985-E135	2.00	
	Modem																						x				x								S26391-F1145-E130	15.00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E781	LIFEBOOK E782	LIFEBOOK LH531	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P771	LIFEBOOK P772	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552/UH572	Product Code	EUP (€)	Comments
Options matrix																																						
Communication/Network (Continued)																																						
	Modem								x		x																									S26391-F1155-E130	6.00	
	Modem																						x	x			x									S26391-F955-E130	10.00	
	Modem							x		x											x				x											S26391-F985-E130	10.00	
	Intel Centrino 6205 802.11a\b\g\n (WW)																																	x		S26391-F1185-E200	22.00	New product,Orderable from: 13/07/2012
	Intel Centrino 2200 802.11b\g\n																																	x		S26391-F1185-E210	17.00	New product,Orderable from: 13/07/2012
	No WLAN							x	x	x	x						x	x	x	x	x	x	x	x	x	x	x				x	x			S26391-F955-E210	2.00	
	Intel Centrino N 6205 802.11a\b\g\n (WW)												x	x	x																					S26391-F606-E220	22.00	
	Intel Centrino Wireless-N2200 b/g/n												x	x	x																					S26391-F606-E230	17.00	
	WLAN Atheros 802.11b\g\n (WW)							x		x							x		x		x		x		x						x	x			S26391-F955-E230	10.00	
	Intel Centrino 2200 802.11b\g\n								x		x							x		x		x		x		x	x								S26391-F1105-E240	17.00	
	Intel Centrino 6205 802.11a\b\g\n (WW)							x	x	x	x						x	x	x	x	x	x	x	x	x	x	x				x	x			S26391-F955-E240	22.00	
	No Bluetooth																																	x		S26391-F985-E310	2.00	
	No Bluetooth																																x			S26391-F925-E310	2.00	
	No Bluetooth							x	x	x	x						x	x	x	x	x	x	x	x	x	x	x						x			S26391-F955-E310	2.00	
	Bluetooth Module V4.0																				x															S26391-F1105-E320	23.00	
	Bluetooth Module V4.0																x																			S26391-F1115-E320	23.00	
	Bluetooth Module V4.0																						x		x											S26391-F1125-E320	23.00	
	Bluetooth Module V4.0																																		x	S26391-F1135-E320	23.00	
	Bluetooth Module V4.0								x		x											x				x										S26391-F1145-E320	23.00	
	Bluetooth Module V4.0																																	x		S26391-F1185-E320	23.00	New product,Orderable from: 13/07/2012
	Bluetooth V3.0 module																																	x		S26391-F985-E320	22.00	
	Bluetooth V3.0 module																																x			S26391-F925-E320	23.00	
	Bluetooth module V3.0																						x													S26391-F955-E320	23.00	
	Bluetooth module V3.0																x																			S26391-F965-E320	23.00	
	Bluetooth module V3.0																	x																		S26391-F975-E320	23.00	
	Bluetooth module V3.0							x		x											x					x										S26391-F985-E320	23.00	
	No UMTS / LTE																	x		x																S26391-F1105-E500	5.00	
	No UMTS/LTE																																		x	S26391-F1135-E500	2.00	
	No UMTS/LTE								x		x											x				x										S26391-F1145-E500	2.00	
	No UMTS/LTE																																	x		S26391-F1185-E500	5.00	New product,Orderable from: 13/07/2012
	UMTS/LTE ready kit (only antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)																			x														S26391-F1105-E510	12.00	
	UMTS/LTE ready kit (only antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)																x																		S26391-F1115-E510	12.00	
	UMTS/LTE ready kit (only antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)																				x														S26391-F1145-E510	12.00	
	UMTS/LTE ready kit (only antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)							x																											S26391-F1155-E510	12.00	
	UMTS ready kit (only antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)																																x		S26391-F1185-E510	12.00	New product,Orderable from: 13/07/2012
	USB2.0-LAN-ADAPTER																																		x	S26391-F6055-E510	14.00	
	UMTS/LTE ready kit (only antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)																								x										S26391-F1145-E515	12.00	
	UMTS/LTE ready kit (only antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)									x																									S26391-F1155-E515	12.00	
	LTE ready kit (only antennas incl.)	necessary to be able to upgrade later with LTE Upgrade Kit																																x		S26391-F1185-E515	12.00	New product,Orderable from: 13/07/2012
	UMTS module Sierra Wireless Gobi 3000																			x															S26391-F1105-E520	88.00	
	UMTS module Sierra Wireless Gobi 3000																	x																		S26391-F1115-E520	88.00	
	UMTS module Sierra Wireless Gobi 3000																																		x	S26391-F1135-E520	88.00	
	UMTS module Sierra Wireless Gobi 3000																					x														S26391-F1145-E520	88.00	
	UMTS module Sierra Wireless Gobi 3000								x																												S26391-F1155-E520	88.00	
	UMTS module Sierra Wireless Gobi 3000																																	x		S26391-F1185-E520	88.00	New product,Orderable from: 13/07/2012
	UMTS module Sierra Wireless Gobi 3000																									x										S26391-F1145-E525	88.00	
	UMTS module Sierra Wireless Gobi 3000										x																									S26391-F1155-E525	88.00	
	LTE module Sierra Wireless MC7710																			x																S26391-F1105-E530	144.00	
	LTE module Sierra Wireless MC7710																	x																		S26391-F1115-E530	155.00	
	LTE module Sierra Wireless MC7710																																		x	S26391-F1135-E530	144.00	
	LTE module Sierra Wireless MC7710																					x														S26391-F1145-E530	144.00	
	LTE module Sierra Wireless MC7710								x																												S26391-F1155-E530	144.00	
	LTE module Sierra Wireless MC7710																																	x		S26391-F1185-E530	155.00	New product,Orderable from: 13/07/2012
	LTE module Sierra Wireless MC7710																										x									S26391-F1145-E535	144.00	
	LTE module Sierra Wireless MC7710										x																									S26391-F1155-E535	144.00	
	Intel Centrino 6205 802.11a\b\g\n (WW)																																		x	S26391-F1135-E240	22.00	
	Modem adapter kit (EU) w\ modem cable	includes all adapter for EU						x	x	x	x											x	x	x	x	x	x						x			S26391-F646-E100	33.00	
Multimedia Module																																						
	2x digital array mic																																		x	S26391-F1180-E500	13.00	New product,Orderable from: 13/07/2012
	2x digital array mic & FHD cam																																		x	S26391-F1180-E510	23.00	New product,Orderable from: 13/07/2012
	No camera																																x			S26391-F920-E600	8.00	
	2.0Mpixels camera																																x			S26391-F920-E610	23.00	
	1x digital mic & 1x FHD cam w/ Lync																	x		x																S26391-F1100-E500	23.00	
	1x digital mic & 1x FHD cam w/ Lync																							x			x									S26391-F1120-E500	23.00	
	2x digital array mic																					x														S26391-F1140-E500	13.00	
	2x digital array mic								x																												S26391-F1150-E500	13.00	
	No camera																																	x		S26391-F880-E500	12.00	
	1 x digital microphone																						x													S26391-F950-E500	6.00	
	1 x digital microphone																	x	x	x	x															S26391-F960-E500	6.00	
	1 x digital microphone																		x																	S26391-F970-E500	6.00	
	1x digital mic & 1x HD cam																	x																		S26391-F1100-E510	16.00	
	1x digital mic & 1x HD cam																							x												S26391-F1120-E510	16.00	
	2x digital mics & HD cam																																		x	S26391-F1130-E510	23.00	
	No camera																																	x		S26391-F880-E510	12.00	
	2x digital array mic & FHD cam																					x														S26391-F1140-E515	23.00	
	1x digital mic																							x		x										S26391-F1120-E520	6.00	
	2x digital array mic & HD cam																					x														S26391-F1140-E530	17.00	
	2x digital array mic & HD cam								x																												S26391-F1150-E530	17.00	
	2x digital array mic & FHD cam								x																												S26391-F1150-E540	23.00	
	2x digital array mic																										x									S26391-F1140-E600	13.00	
	2.0Mpixels camera																																	x		S26391-F880-E600	23.00	
	1 x digital microphone & 1.3Mpix webcam																						x													S26391-F950-E600	13.00	
	1 x digital microphone & 1.3Mpix webcam																	x		x																S26391-F960-E600	13.00	
	1 x digital microphone & 2.0Mpix webcam																			x																S26391-F970-E600	16.00	
	2x digital array mic										x																										S26391-F1150-E610	13.00	
	2.0Mpixels camera																																	x		S26391-F880-E610	23.00	
	2x digital array mic & FHD cam										x																										S26391-F1150-E630	23.00	
	2x digital array mic & FHD cam																									x										S26391-F1140-E640	23.00	
	Dummy module							x	x													x	x														S26391-F980-E700	3.00	
	2x digital array microphones							x														x															S26391-F980-E710	13.00	
	2x digital array mics & 1.3Mpix Webcam							x														x															S26391-F980-E720	19.00	
	Dummy module								x	x															x	x											S26391-F980-E800	3.00	
	2x digital array microphones								x																x												S26391-F980-E810	13.00	
	2x digital array mics & 2.0Mpix Webcam								x																x												S26391-F980-E820	19.00	
Mobile Security																																						
	Slim Kensington Lock cable																																		x	S26391-F1139-E400	68.00	
	No Fingerprint								x																												S26391-F1159-E100	4.00	
	Fingerprint sensor & software								x																												S26391-F1159-E110	28.00	
	No Fingerprint								x		x																										S26391-F1159-E200	4.00	
	Fingerprint sensor & software								x		x																										S26391-F1159-E210	28.00	
	TPM Module								x		x																										S26391-F1159-E300	8.00	
	TPM Module V1.2													x																							S26391-F605-E100	8.00	
	No Fingerprint																			x																S26391-F1109-E100	4.00	
	No Fingerprint																	x																		S26391-F1119-E100	4.00	
	No Fingerprint																								x		x									S26391-F1129-E100	4.00	
	No Fingerprint																					x				x										S26391-F1149-E100	4.00	
	No Fingerprint							x																												S26391-F949-E100	4.00	
	No Fingerprint																						x													S26391-F959-E100	4.00	
	No Fingerprint																	x																		S26391-F969-E100	4.00	
	No Fingerprint																			x																S26391-F979-E100	4.00	
	No Fingerprint																					x				x										S26391-F989-E100	4.00	
	Fingerprint sensor & software																				x															S26391-F1109-E110	26.00	
	Fingerprint sensor & software																	x																		S26391-F1119-E110	26.00	
	Fingerprint sensor & software																								x		x									S26391-F1129-E110	26.00	
	Fingerprint sensor & software																																		x	S26391-F1139-E110	26.00	
	Fingerprint sensor & software																					x				x										S26391-F1149-E110	28.00	
	No Fingerprint							x		x																										S26391-F949-E110	4.00	
	No Fingerprint																		x																	S26391-F979-E110	4.00	
	No Fingerprint																				x															S26391-F1109-E200	4.00	
	TPM Module																					x				x										S26391-F1149-E200	8.00	
	Fingerprint sensor & software							x																												S26391-F949-E200	28.00	
	Fingerprint sensor & software																						x													S26391-F959-E200	26.00	
	Fingerprint sensor & software																	x																		S26391-F969-E200	26.00	
	Fingerprint sensor & software																			x																S26391-F979-E200	26.00	
	Fingerprint sensor & software																					x				x										S26391-F989-E200	28.00	
	Fingerprint sensor & software																				x															S26391-F1109-E210	26.00	
	Fingerprint sensor & software							x		x																										S26391-F949-E210	28.00	
	Fingerprint sensor & software																			x																S26391-F979-E210	26.00	
	TPM module							x		x								x	x	x	x		x	x	x		x					x	x	x	x		S26391-F959-E300	8.00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E781	LIFEBOOK E782	LIFEBOOK LH531	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P771	LIFEBOOK P772	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552/UH572	Product Code	EUP (€)	Comments
Options matrix																																					
Mobile Security (Continued)																																					
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk						x	x	x	x					x	x	x	x	x	x	x	x	x	x	x			x	x	x	x			S26391-F993-E100	23,00	
	SystemLock3	SystemLock3 Smartcard BIOS Pre-Boot Authentification						x	x	x	x					x	x	x	x	x	x	x	x	x	x	x			x	x	x	x			S26391-F993-E200	18,00	
	SmartCase Logon+ 3.2.2	Supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics						x	x	x	x					x	x	x	x	x	x	x	x	x	x	x			x	x	x	x			S26361-F2011-E740	14,00	
	Kensington Lock cable							x	x	x	x					x	x	x	x	x	x	x	x	x	x	x			x	x	x				S26391-F959-E400	55,00	
Country kits																																					
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information																					x			x									S26391-F1128-E100	6,00	
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information																					x			x									S26391-F1128-E200	6,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information																					x			x									S26391-F1128-E300	6,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information																															x		S26391-F1188-E100	6,00	New product,Orderable from: 13/07/2012
	Country Kit Int	incl. safety manual (D), Getting Started, Service Desk Information																															x		S26391-F1188-E200	6,00	New product,Orderable from: 13/07/2012
	Country Kit GB	incl. safety manual (D), Getting Started, Service Desk Information																															x		S26391-F1188-E300	6,00	New product,Orderable from: 13/07/2012
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information														x																			S26391-F479-E100	8,00	
	Country Kit Int.	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information														x																			S26391-F479-E200	8,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information														x																			S26391-F479-E300	8,00	
	Country Kit DE													x	x																				S26391-F609-E100	6,00	
	Country Kit Int.													x	x																				S26391-F609-E200	6,00	
	Country Kit GR													x	x																				S26391-F609-E300	6,00	
	Country Kit EU	supporting also India, incl. power cord (EU),safety manual (Int), Getting Started, Service Desk Information																												x					S26391-F645-E500	14,00	
	Country Kit GB	incl. power cord (GB),safety manual (GB/ARA), Getting Started, Service Desk Information																												x					S26391-F645-E600	14,00	
	Country Kit US	incl. power cord (US),safety manual (Int), Getting Started, Service Desk Information																												x					S26391-F645-E700	12,00	
	Country Kit D	incl. power cord (EU),safety manual (D), Getting Started, Service Desk Information																												x					S26391-F645-E800	14,00	
	Country Kit EU	supporting also India, incl. power cord (EU),safety manual (Int), Getting Started, Service Desk Information																											x						S26391-F665-E100	17,00	
	Country Kit GB	incl. power cord (GB),safety manual (GB/ARA), Getting Started, Service Desk Information																											x						S26391-F665-E200	17,00	
	Country Kit US	incl. power cord (US),safety manual (Int), Getting Started, Service Desk Information																											x						S26391-F665-E300	17,00	
	Country Kit D	incl. power cord (EU),safety manual (D), Getting Started, Service Desk Information																											x						S26391-F665-E400	17,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information																													x				S26391-F928-E100	17,00	
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information																													x				S26391-F928-E200	17,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information																													x				S26391-F928-E300	17,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information																		x															S26391-F1108-E100	6,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information															x																			S26391-F1118-E100	6,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information																																x	S26391-F1138-E100	6,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information							x		x											x				x									S26391-F1148-E100	6,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information										x																							S26391-F499-E100	8,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information																											x						S26391-F542-E100	8,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information																														x			S26391-F888-E100	8,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information											x																						S26391-F909-E100	6,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information																																x	S26391-F939-E100	6,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information																				x													S26391-F958-E100	8,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information														x																			S26391-F968-E100	8,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information															x																		S26391-F978-E100	8,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information						x		x											x				x										S26391-F988-E100	8,00	
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information																		x															S26391-F1108-E200	6,00	
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information															x																		S26391-F1118-E200	6,00	
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information																																x	S26391-F1138-E200	6,00	
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information							x		x											x				x									S26391-F1148-E200	6,00	
	Country Kit Int.	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information		x																															S26391-F489-E200	6,00	
	Country Kit Int.	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information										x																							S26391-F499-E200	8,00	
	Country Kit Int.	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information																											x						S26391-F542-E200	8,00	
	Country Kit Int.	incl. safety manual (D), Getting Started, Service Desk Information			x																														S26391-F859-E200	6,00	
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information																														x			S26391-F888-E200	8,00	
	Country Kit Int.	incl. safety manual (D), Getting Started, Service Desk Information											x																						S26391-F909-E200	6,00	
	Country Kit Int.	incl. safety manual (D), Getting Started, Service Desk Information																																x	S26391-F939-E200	6,00	
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information																				x													S26391-F958-E200	8,00	
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information															x																		S26391-F968-E200	8,00	
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information																	x																S26391-F978-E200	8,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E781	LIFEBOOK E782	LIFEBOOK LH531	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P771	LIFEBOOK P772	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552/UH572	Product Code	EUP (€)	Comments
Options matrix																																					
Country kits (Continued)																																					
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information						x		x											x				x										S26391-F988-E200	8,00	
	Country Kit Int.	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information		x																															S26391-F489-E210	6,00	
	Country Kit Int.	incl. safety manual (D), Getting Started, Service Desk Information			x	x																													S26391-F859-E210	6,00	
	Country Kit Int.	incl. safety manual (D), Getting Started, Service Desk Information					x																												S26391-F869-E210	6,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information																		x															S26391-F1108-E300	6,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information																x																	S26391-F1118-E300	6,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information																																x	S26391-F1138-E300	6,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information							x		x											x				x									S26391-F1148-E300	6,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information										x																							S26391-F499-E300	8,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information																											x						S26391-F542-E300	8,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information																													x				S26391-F888-E300	8,00	
	Country Kit GB	incl. safety manual (D), Getting Started, Service Desk Information											x																						S26391-F909-E300	6,00	
	Country Kit GB	incl. safety manual (D), Getting Started, Service Desk Information																																x	S26391-F939-E300	6,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information																					x												S26391-F958-E300	8,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information															x																		S26391-F968-E300	8,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information																	x																S26391-F978-E300	8,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information						x		x											x				x										S26391-F988-E300	8,00	
	Warranty Card Poland							x	x	x	x						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F781-E500	2,00	
	Made in Germany sticker	The „Made in Germany" sticker prominently displays this universally admired differentiating product value										x	x	x	x	x												x						x	S26391-F404-E911	2,00	
Power supply																																					
	1st Battery 4cell 45Wh (3.150mAh)																																	x	S26391-F1136-E100	55.00	
	3pin AC Adapter 19V/65W grounded																																	x	S26391-F1136-E520	15.00	
	1st Battery 6cell 72Wh (6.700mAh)																																x		S26391-F1186-E100	110.00	New product.Orderable from: 13/07/2012
	AC Adapter 19V/80W																																x		S26391-F1186-E510	19.00	New product.Orderable from: 13/07/2012
	3pin AC Adapter 19V/100W																																x		S26391-F1186-E530	30.00	New product.Orderable from: 13/07/2012
	AC Adapter 19V/120W															x																			S26391-F478-E100	28.00	
	3-pin Power Cable DK																																	x	S26391-F878-E370	7.00	Orderable from: 13/07/2012
	AC Adapter 20V/65W + EU cable			x																															S26391-F488-E650	17.00	
	AC Adapter 19V/60W + EU cable											x																x							S26391-F498-E800	15.00	
	AC Adapter 19V/80W + EU cable												x																						S26391-F908-E800	20.00	
	AC Adapter 19V/60W + US cable											x																x							S26391-F498-E810	15.00	
	AC Adapter 19V/80W + US cable												x																						S26391-F908-E810	20.00	
	AC Adapter 19V/60W + GB cable											x																x							S26391-F498-E820	17.00	
	AC Adapter 19V/80W + GB cable												x																						S26391-F908-E820	20.00	
	1st Battery 6cell 67Wh (6.200mAh)																															x	x		S26391-F886-E100	82.00	
	1st Battery 6cell 63Wh (5.800mAh)							x	x	x	x						x	x	x	x	x	x	x	x	x	x									S26391-F956-E100	74.00	
	1st Battery 6cell 72Wh (6.700mAh)								x		x							x		x		x		x		x	x								S26391-F1106-E100	88.00	
	1st Battery 6cell 63Wh (5.800mAh)																															x	x		S26391-F886-E110	74.00	
	AC Adapter 19V/120W													x	x																				S26391-F608-E200	25.00	
	AC Adapter 19V/80W (0-Watt technology)							x	x	x	x						x	x	x	x	x	x	x	x	x	x						x	x	x	S26391-F886-E200	33.00	
	1st Battery 6cell 67Wh (6.200mAh)							x		x							x		x		x		x		x										S26391-F956-E200	82.00	
	Power cable EU													x	x	x																			S26391-F490-E210	5.00	
	Power cable EU							x	x	x	x						x	x	x	x	x	x	x	x	x	x						x	x	x	S26391-F878-E210	5.00	
	Power cable US													x	x	x																			S26391-F490-E220	5.00	
	Power cable US							x	x	x	x						x	x	x	x	x	x	x	x	x	x						x	x	x	S26391-F878-E220	5.00	
	Power cable GB													x	x	x																			S26391-F490-E230	5.00	
	Power cable GB							x	x	x	x						x	x	x	x	x	x	x	x	x	x						x	x	x	S26391-F878-E230	5.00	
	AC cable for 2-pin China							x	x								x	x			x	x		x			x								S26391-F878-E240	6.00	
	Power cable China																						x												S26391-F878-E250	6.00	
	AC Adapter 19V/80W							x		x							x		x	x	x		x		x							x	x		S26391-F886-E300	22.00	
	3-pin Power cable EU							x	x	x	x						x	x	x	x	x	x	x	x	x	x						x	x	x	S26391-F878-E310	6.00	
	3-pin Power Cable US																																	x	S26391-F878-E320	7.00	
	3-pin Power Cable GB																																	x	S26391-F878-E330	7.00	
	3-pin Power Cable IT																																	x	S26391-F878-E350	7.00	Orderable from: 13/07/2012
	3-pin Power Cable CH																																	x	S26391-F878-E360	7.00	Orderable from: 29/06/2012
	3pin AC Adapter 19V/120W	for Russia/GOST						x		x							x		x		x		x		x							x	x		S26391-F886-E400	33.00	
	AC Adapter 19V/65W stick type								x		x							x		x		x		x		x	x						x		S26391-F1106-E500	23.00	
	Slim AC Adapter 19V/60W																		x																S26391-F886-E500	33.00	
	AC Adapter 19V/65W								x		x							x		x		x		x		x	x								S26391-F1106-E510	15.00	
	AC Adapter 19V/80W								x		x							x				x		x		x	x								S26391-F1106-E530	19.00	
	3pin AC Adapter 19V/100W grounded								x		x							x		x		x		x		x	x								S26391-F1106-E520	30.00	
	AC Adapter 19V/60W																		x																S26391-F886-E600	17.00	
	AC Adapter 20V/65W + EU cable			x																															S26391-F858-E650	18.00	
	AC Adapter 20V/65W + EU cable					x																													S26391-F868-E650	18.00	
	AC Adapter 19V/65W + EU cable																																	x	S26391-F938-E650	17.00	
	AC Adapter 19V/65W + US cable																																	x	S26391-F938-E660	17.00	
	AC Adapter 19V/65W + GB cable																																	x	S26391-F938-E670	17.00	
	AC Adapter 19V/80W + EU cable				x																														S26391-F858-E800	20.00	
Port Replicator																																					
	Port Replicator\3pin AC Adapter 19V/100W	min. 80W AC Adapter needed																																x	S26391-F1137-E100	94.00	Orderable from: 06/07/2012
	Port Replicator	min. 80W AC Adapter needed							x		x											x			x										S26391-F1147-E100	77.00	
	Portreplicator	min. 80W AC Adapter needed																															x		S26391-F1187-E100	77.00	New product.Orderable from: 13/07/2012
	Portreplicator																					x	x		x										S26391-F655-E300	77.00	
	Portreplicator\AC Adapter\EU-Cable Kit																												x						S26391-F794-E300	99.00	
	Portreplicator\AC Adapter\GB-Cable Kit																												x						S26391-F794-E400	99.00	
	Port Replicator																																x		S26391-F887-E100	77.00	
	Portreplicator																															x			S26391-F927-E100	77.00	
	Port Replicator																x	x	x	x															S26391-F977-E100	77.00	
	Port Replicator							x		x											x				x										S26391-F987-E100	77.00	
OneBox-Keyboards																																					
	Keyboard black w/ 10key DE	with 10 keys, Germany														x																			S26391-F471-E221	19.00	
	Keyboard black w/ 10key IT	with 10 keys, Italy														x																			S26391-F471-E223	19.00	
	Keyboard black w/ 10key GB	with 10 keys, Great Britain														x																			S26391-F471-E225	19.00	
	Keyboard black w/ 10key US/Int	with 10 keys, US/International														x																			S26391-F471-E233	19.00	
	Keyboard black w/ 10key US	with 10 keys, US English														x																			S26391-F471-E234	19.00	
	Black Keyboard w\o TS Spillproof D	Germany																												x	x				S26391-F626-E121	12.00	
	Black Keyboard w\o TS Spillproof I	Italy																												x	x				S26391-F626-E123	12.00	
	Black Keyboard w\o TS Spillproof GB	Great Britain																												x	x				S26391-F626-E125	12.00	
	Black Keyboard w\o TS Spillproof US	US English																												x	x				S26391-F626-E134	12.00	
	Antibacterial white Keyboard w\oTS D	antibacterial, without touchstick, Germany																													x				S26391-F626-E221	17.00	
	Antibacterial white Keyboard w\oTS GB	antibacterial, without touchstick, Great Britain																													x				S26391-F626-E225	17.00	
	Antibacterial white Keyboard w\oTS US	antibacterial, without touchstick, US English																													x				S26391-F626-E234	17.00	
	Keyboard white w/o TS DE	without touchstick, Germany						x													x		x		x										S26391-F628-E121	12.00	
	Keyboard white w/o TS IT	without touchstick, Italy						x													x		x		x										S26391-F628-E123	12.00	
	Keyboard white w/o TS GB	without touchstick, Great Britain						x													x		x		x										S26391-F628-E125	12.00	
	Keyboard white w/o TS US	without touchstick, US English						x													x		x		x										S26391-F628-E134	12.00	
	Keyboard D	Germany																											x						S26391-F659-E121	12.00	
	Keyboard I	Italy																											x						S26391-F659-E123	12.00	
	Keyboard GB	Great Britain																											x						S26391-F659-E125	12.00	
	Keyboard US	US English																											x						S26391-F659-E134	12.00	
	Keyboard iso black w/ 10key DE													x	x																				S26391-F767-E221	9.00	
	Keyboard iso black w/ 10key IT													x	x																				S26391-F767-E223	9.00	
	Keyboard iso black w/ 10key GB													x	x																				S26391-F767-E225	9.00	
	Keyboard iso black w/ 10key US													x	x																				S26391-F767-E234	9.00	
	Keyboard black w/o TS DE																																	x	S26391-F768-E221	14.00	
	Keyboard black w/o TS IT																																	x	S26391-F768-E223	14.00	
	Keyboard black w/o TS GB																																	x	S26391-F768-E225	14.00	
	Keyboard black w/o TS US																																	x	S26391-F768-E234	14.00	
	Keyboard black w/o TS DE	without touchstick, Germany																x		x															S26391-F790-E121	12.00	
	Keyboard black w/o TS IT	without touchstick, Italy																x		x															S26391-F790-E123	12.00	
	Keyboard black w/o TS GB	without touchstick, Great Britain																x		x															S26391-F790-E125	12.00	
	Keyboard black w/o TS US	without touchstick, US English																x		x															S26391-F790-E135	12.00	
	Keyboard black w/o TS DE	without touchstick, Germany						x													x		x		x							x			S26391-F870-E121	12.00	
	Keyboard black w/o TS IT	without touchstick, Italy						x													x		x		x							x			S26391-F870-E123	12.00	
	Keyboard black w/o TS GB	without touchstick, Great Britain						x													x		x		x							x			S26391-F870-E125	12.00	
	Keyboard black w/o TS US	without touchstick, US English						x													x		x		x							x			S26391-F870-E134	12.00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E781	LIFEBOOK E782	LIFEBOOK LH531	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P771	LIFEBOOK P772	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552/UH572	Product Code	EUP (€)	Comments
Options matrix																																					
OneBox-Keyboards (Continued)																																					
	Antibacterial white Keyboard w/o TS DE	antibacterial, without touchstick, Germany						x													x		x		x						x				S26391-F870-E221	17,00	
	Antibacterial white Keyboard w/o TS GB	antibacterial, without touchstick, Great Britain						x													x		x		x						x				S26391-F870-E225	17,00	
	Antibacterial white Keyboard w/o TS US	antibacterial, without touchstick, US English						x													x		x		x						x				S26391-F870-E234	17,00	
	Keyboard white w/ TS DE	with touchstick, Germany						x													x				x										S26391-F871-E121	34,00	
	Keyboard white w/ TS IT	with touchstick, Italy						x													x				x										S26391-F871-E123	34,00	
	Keyboard white w/ TS GB	with touchstick, Great Britain						x													x				x										S26391-F871-E125	34,00	
	Keyboard white w/ TS US	with touchstick, US English						x													x				x										S26391-F871-E134	34,00	
	Keyboard white w/ TS+10keys TS IT	with touchstick and 10 keys, Italy						x	x	x	x																								S26391-F872-E123	39,00	
	Keyboard white w/o TS DE	without touchstick, Germany															x		x																S26391-F873-E121	12,00	
	Keyboard white w/o TS IT	without touchstick, Italy															x		x																S26391-F873-E123	12,00	
	Keyboard white w/o TS GB	without touchstick, Great Britain															x		x																S26391-F873-E125	12,00	
	Keyboard white w/o TS US	without touchstick, US English															x		x																S26391-F873-E134	12,00	
	Keyboard black w/ TS+10keys DE	with touchstick and 10 keys, Germany						x	x	x	x																								S26391-F874-E121	39,00	
	Keyboard black w/ TS+10keys IT	with touchstick and 10 keys, Italy						x	x	x	x																								S26391-F874-E123	39,00	
	Keyboard black w/ TS+10keys GB	with touchstick and 10 keys, Great Britain						x	x	x	x																								S26391-F874-E125	39,00	
	Keyboard black w/ TS+10keys US	with touchstick and 10 keys, US English						x	x	x	x																								S26391-F874-E134	39,00	
	Keyboard black w/ TS IT								x													x				x									S26391-F875-E123	34,00	
	Keyboard black w/ TS GB								x													x				x									S26391-F875-E125	34,00	
	Keyboard black w/ TS US								x													x				x									S26391-F875-E134	34,00	
	Keyboard black w/o TS DE								x													x		x		x	x								S26391-F876-E121	12,00	
	Keyboard black w/o TS IT								x													x		x		x	x								S26391-F876-E123	12,00	
	Keyboard black w/o TS GB								x													x		x		x	x								S26391-F876-E125	12,00	
	Keyboard black w/o TS US								x													x		x		x	x								S26391-F876-E134	12,00	
	Keyboard black w/o TS DE																																x		S26391-F877-E221	17,00	New product.Orderable from: 13/07/2012
	Keyboard black w/o TS IT																																x		S26391-F877-E223	17,00	New product.Orderable from: 13/07/2012
	Keyboard black w/o TS GB																																x		S26391-F877-E225	17,00	New product.Orderable from: 13/07/2012
	Keyboard black w/o TS US																																x		S26391-F877-E234	17,00	New product.Orderable from: 13/07/2012
	Antibacterial Keyboard black w/o TS DE								x													x		x		x	x								S26391-F879-E221	14,00	
	Antibacterial Keyboard black w/o TS GB								x													x		x		x	x								S26391-F879-E225	14,00	
	Antibacterial Keyboard black w/o TS US								x													x		x		x	x								S26391-F879-E234	14,00	
	Keyboard white w/o TS DE																	x		x															S26391-F765-E121	9,00	
	Keyboard white w/o TS IT																	x		x															S26391-F765-E123	9,00	
	Keyboard white w/o TS GB																	x		x															S26391-F765-E125	9,00	
	Keyboard white w/o TS US																	x		x															S26391-F765-E134	9,00	
	Keyboard iso black DE												x																						S26391-F164-E221	17,00	
	Keyboard iso black DE																																	x	S26391-F165-E221	17,00	
	Keyboard black DE	Germany										x																x							S26391-F491-E221	12,00	
	Keyboard black w/o TS DE																	x		x															S26391-F766-E221	9,00	
	Keyboard iso black w/ 10key IT	with 10 keys, Italy		x																															S26391-F162-E223	16,00	
	Keyboard iso black w/ 10key IT				x	x																													S26391-F163-E223	15,00	
	Keyboard iso black IT												x																						S26391-F164-E223	17,00	
	Keyboard iso black IT																																	x	S26391-F165-E223	17,00	
	Keyboard iso black w/ 10key IT						x																												S26391-F166-E223	17,00	
	Keyboard black IT	Italy										x																x							S26391-F491-E223	12,00	
	Keyboard black w/o TS IT																	x		x															S26391-F766-E223	9,00	
	Keyboard iso black GB												x																						S26391-F164-E225	17,00	
	Keyboard iso black GB																																	x	S26391-F165-E225	17,00	
	Keyboard black GB	Great Britain										x																x							S26391-F491-E225	12,00	
	Keyboard black w/o TS GB																	x		x															S26391-F766-E225	9,00	
	Keyboard black US/Int	US/International										x																x							S26391-F491-E233	12,00	
	Keyboard iso black US												x																						S26391-F164-E234	17,00	
	Keyboard iso black US																																	x	S26391-F165-E234	17,00	
	Keyboard black US	US English										x																x							S26391-F491-E234	12,00	
	Keyboard black w/o TS US																	x		x															S26391-F766-E234	9,00	
	Keyboard black N-EST	Norway\Sweden/Finland/Denmark/Estonia										x																x							S26391-F491-E246	12,00	
OS/Application-SW																																					
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback),, BackItUp/ on DVD										x				x												x							S26361-F1818-E893	10,00	
	Nero 10 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp											x	x	x																			x	S26361-F1818-E897	10,00	
	No Operating System							x	x	x	x						x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	S26361-F2008-E100	4,00	
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback),, BackItUp/ on DVD						x		x							x		x		x		x		x						x	x	x		S26361-F2008-E893	10,00	
	Nero 10 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp							x		x							x		x		x		x	x								x	x	S26361-F2008-E897	10,00	
	Drivers&Utility DVD (Win7) LIFEBOOK							x		x							x				x		x		x										S26361-F2010-E168	3,00	
	Drivers&Utility DVD (Win7) LIFEBOOK																															x			S26361-F2010-E202	3,00	
	DU-DVD (Win7) LIFEBOOK																																	x	S26361-F2010-E211	3,00	
	SAG CAT Client WIN7 Jul12	SAG CAT Client WIN7 Jul12 preloaded WIN7 PE, short documentation																		x														x	S26361-F2011-E986	4,00	Orderable from: 17/07/2012
	DU-DVD (Win7) LIFEBOOK								x		x							x		x		x		x		x	x						x		S26361-F2012-E101	3,00	
	DU-DVD (WinXP) LIFEBOOK								x		x							x		x		x		x		x	x						x		S26361-F2012-E102	3,00	
	Win Embedded Standard_7_SC DE LIFEBOOK							x									x					x													S26361-F2010-E203	79,00	
	OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.						x									x		x		x		x						x	x		x			S26361-F2110-E177	115,00	
	Win Embedded Standard_7_SC EN LIFEBOOK							x									x				x														S26361-F2010-E206	79,00	
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.		x	x		x					x	x	x	x	x												x						x	S26361-F2009-E243	95,00	
	Win Embedded Standard_7 DE LIFEBOOK							x									x				x														S26361-F2010-E204	69,00	
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x	x	x	x					x	x	x	x	x												x						x	S26361-F2009-E253	126,00	
	Win Embedded Standard_7 EN LIFEBOOK							x									x				x														S26361-F2010-E207	69,00	
	eLux RL + Scout builtin license LIFEBOOK							x									x				x														S26361-F2010-E209	70,00	
	OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.						x									x		x		x		x						x	x		x			S26361-F2110-E180	115,00	
	OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.						x									x		x		x		x						x	x		x			S26361-F2110-E181	115,00	
	OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.						x									x		x		x		x						x	x		x			S26361-F2110-E182	199,00	
	License RUS - Windows 7 Home Basic	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).										x	x	x	x													x						x	S26361-F2009-E232	50,00	
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).										x	x	x	x	x												x						x	S26361-F2009-E242	82,00	
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).										x	x	x	x	x												x						x	S26361-F2009-E252	118,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E761	LIFEBOOK E782	LIFEBOOK LH531	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P771	LIFEBOOK P772	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552/UH572	Product Code	ELIP (€)	Comments
Options matrix																																					
OS/Application-SW (Continued)																																					
	OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.						x									x		x		x		x						x	x		x				S26361-F2110-E185	199,00	
	OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.						x									x		x		x		x						x	x		x				S26361-F2110-E186	199,00	
	OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.						x									x		x		x		x						x	x		x				S26361-F2110-E187	343,00	
	OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.						x									x		x		x		x						x	x		x				S26361-F2110-E190	343,00	
	License EM - Windows 7 Home Basic	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro										x	x	x	x													x							x	S26361-F2009-E234	64,00	
	License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro										x	x	x	x	x												x							x	S26361-F2009-E244	95,00	
	License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro										x	x	x	x	x												x							x	S26361-F2009-E254	126,00	
	License EM-MEA - Windows 7 Home Basic	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe										x	x	x	x														x							x	S26361-F2009-E235	64,00	
	OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.						x									x		x		x		x						x	x		x				S26361-F2110-E191	343,00	
	License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe										x	x	x	x	x													x							x	S26361-F2009-E245	95,00	
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets). Word, Excel, PowerPoint, OneNote 2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.						x	x	x	x						x	x	x	x	x	x	x	x	x	x	x				x	x	x	x		S26361-F2010-E281	115,00	
	Drivers&Utility DVD(XP/Vista/7) LIFEBOOK																												x							S26361-F2010-E198	3,00	
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe										x	x	x	x	x													x							x	S26361-F2009-E255	126,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E781	LIFEBOOK E782	LIFEBOOK LH531	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P771	LIFEBOOK P772	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552/UH572	Product Code	ELIP (€)	Comments
Options matrix																																					
OS/Application-SW (Continued)																																					
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN,, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.						x	x	x	x						x	x	x	x	x	x	x	x	x				x	x	x	x		S26361-F2010-E282	199,00	
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License						x	x	x	x						x	x	x	x	x	x	x	x	x				x	x	x	x		S26361-F2010-E283	343,00	
	License EM-SEA - Windows 7 Home Basic	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam										x	x	x	x													x							x	S26361-F2009-E236	64,00	
	License EM-SEA - Windows 7 Home Premium	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam										x	x	x	x	x												x							x	S26361-F2009-E246	95,00	
	License EM-SEA - Windows 7 Professional	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam										x	x	x	x	x												x							x	S26361-F2009-E256	126,00	
	OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.										x																							S26361-F2009-E177	106,00	Phased out
	OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.										x																							S26361-F2009-E180	106,00	Phased out
	OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.										x																							S26361-F2009-E181	106,00	Phased out
	OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.										x																							S26361-F2009-E182	183,00	Phased out
	OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.										x																							S26361-F2009-E185	183,00	Phased out
	OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.										x																							S26361-F2009-E186	183,00	Phased out
	OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.										x																							S26361-F2009-E187	315,00	Phased out
	OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.										x																							S26361-F2009-E190	315,00	Phased out
	OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.										x																							S26361-F2009-E191	315,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E781	LIFEBOOK E782	LIFEBOOK LH531	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P771	LIFEBOOK P772	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552/UH572	Product Code	EUP (€)	Comments
Options matrix																																					
OS/Application-SW (Continued)																																					
	License EM-LATAM Windows 7 Home Basic	EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela										x	x	x	x													x							x	S26361-F2009-E237	64,00	
	License EM-LATAM Windows7 Home Premium	EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela										x	x	x	x	x												x							x	S26361-F2009-E247	95,00	
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN,, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.										x	x	x	x	x												x							x	S26361-F2009-E271	106,00	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN,, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.										x	x	x	x	x												x							x	S26361-F2009-E272	183,00	
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN,, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.										x	x	x	x	x												x							x	S26361-F2009-E273	315,00	
	Drivers&Utility DVD(XP/Vista/7) LIFEBOOK																													x					S26361-F2010-E166	3,00	
	Drivers&Utility DVD (Win7) LIFEBOOK																		x												x				S26361-F2010-E167	3,00	
	License EM-LATAM Windows 7 Professional	EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela										x	x	x	x	x												x							x	S26361-F2009-E257	126,00	
	License EM-INDIA Windows 7 Home Basic	EM-INDIA. Select for shipments to: India										x	x	x	x												x							x	S26361-F2009-E238	64,00	
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India										x	x	x	x	x											x							x	S26361-F2009-E248	95,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India										x	x	x	x	x											x							x	S26361-F2009-E258	126,00	
	No Operating System			x								x	x	x	x	x											x							x	S26361-F1818-E100	2,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x		x					x	x	x	x	x											x							x	S26361-F2109-E441	4,00	
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.										x	x	x	x	x											x							x	S26361-F2109-E442	4,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E781	LIFEBOOK E782	LIFEBOOK LH531	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P771	LIFEBOOK P772	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552/UH572	Product Code	EUP (€)	Comments
Options matrix																																					
OS/Application-SW (Continued)																																					
	Win7 HomePremium64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.									x	x	x	x	x												x							x	S26361-F2109-E443	4,00	
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.									x	x	x	x	x												x							x	S26361-F2109-E444	4,00	
	Win7 HomePremium64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.									x	x	x	x	x												x							x	S26361-F2109-E445	4,00	
	Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.									x	x	x	x	x												x							x	S26361-F2109-E446	4,00	
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x					x	x	x	x	x											x							x	S26361-F2109-E451	4,00	
	Win7 Pro64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.									x	x	x	x	x												x							x	S26361-F2109-E452	4,00	
	Win7 Pro64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.									x	x	x	x	x												x							x	S26361-F2109-E453	4,00	
	Win7 Pro64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.									x	x	x	x	x												x							x	S26361-F2109-E454	4,00	
	Win7 Pro64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.									x	x	x	x	x												x							x	S26361-F2109-E455	4,00	
	Win7 Pro 64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.									x	x	x	x	x												x							x	S26361-F2109-E456	4,00	
	Win7 HomeBasic64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.									x	x	x	x													x							x	S26361-F2109-E436	3,00	
	Win7 HomeBasic64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.									x	x	x	x													x							x	S26361-F2109-E433	3,00	
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.						x	x	x	x						x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2010-E243	104,00	
	REC-DVD Win7 Home Basic 64 RUS	RUS										x	x	x	x												x							x	S26361-F2009-E632	3,00	
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.						x	x	x	x						x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2010-E253	133,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E781	LIFEBOOK E782	LIFEBOOK LH531	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P771	LIFEBOOK P772	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552/UH572	Product Code	ELP (€)	Comments
Options matrix																																					
OS/Application-SW (Continued)																																					
	License RUS - Windows 7 Home Basic	RUS/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)						x	x	x	x						x	x	x	x	x	x	x	x	x										S26361-F2010-E232	58,00	
	REC-DVD Win7 Home Premium 64 RUS	RU										x	x	x	x	x												x							x	S26361-F2009-E642	3,00	
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)						x	x	x	x						x	x	x	x	x	x	x	x	x					x	x	x	x	x	x		S26361-F2010-E242	94,00	
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)						x	x	x	x						x	x	x	x	x	x	x	x	x					x	x	x	x	x	x		S26361-F2010-E252	126,00	
	REC-DVD Win7 Professional 64 RUS	RU										x	x	x	x	x												x							x	S26361-F2009-E652	3,00	
	License EM - Windows 7 Home Basic	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro						x	x	x	x						x	x	x	x	x	x	x	x	x										S26361-F2010-E234	68,00	
	License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro						x	x	x	x						x	x	x	x	x	x	x	x	x					x	x	x	x	x	x		S26361-F2010-E244	104,00	
	License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro						x	x	x	x						x	x	x	x	x	x	x	x	x					x	x	x	x	x	x		S26361-F2010-E254	133,00	
	REC-DVD Win7 Home Basic 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR										x	x	x	x													x							x	S26361-F2009-E633	3,00	
	License EM-MEA - Windows 7 Home Basic	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, , Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe						x	x	x	x						x	x	x	x	x	x	x	x	x										S26361-F2010-E235	68,00	
	License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, , Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe						x	x	x	x						x	x	x	x	x	x	x	x	x					x	x	x	x	x	x		S26361-F2010-E245	104,00	
	REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR		x	x		x					x	x	x	x	x												x							x	S26361-F2009-E643	3,00	
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, , Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe						x	x	x	x						x	x	x	x	x	x	x	x	x										S26361-F2010-E255	133,00	
	REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR										x	x	x	x	x												x							x	S26361-F2009-E653	3,00	
	License EM-INDIA Windows 7 Home Basic	EM-INDIA. Select for shipments to: India						x	x	x	x						x	x	x	x	x	x	x	x	x										S26361-F2010-E238	68,00	
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India						x	x	x	x						x	x	x	x	x	x	x	x	x					x	x	x	x	x	x		S26361-F2010-E248	104,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India						x	x	x	x						x	x	x	x	x	x	x	x	x					x	x	x	x	x	x		S26361-F2010-E258	133,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x																													S26361-F2009-E753	3,00	
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x					x	x	x	x	x												x							x	S26361-F2109-E751	3,00	
	REC-DVD 2 Win7 NORDIC+Office2010s	Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Office 2010 incl. Office Starter - 32bit, NORDICS (Nordic Region), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.										x	x	x	x	x												x							x	S26361-F2109-E752	3,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E781	LIFEBOOK E782	LIFEBOOK LH531	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P771	LIFEBOOK P772	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552/UH572	Product Code	EUP (€)	Comments
Options matrix																																					
OS/Application-SW (Continued)																																					
	REC-DVD 2 Win7 EM+SE+Office2010s	Sprachen: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 inkl. Office Starter - 32bit, EM-SE (Emerging Markets&Southern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.										x	x	x	x	x												x							x	S26361-F2109-E753	3,00	
	REC-DVD 2 Win7 IBER+NE+Office2010s	Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Office 2010 incl. Office Starter - 32bit, IBER-NE (Iberia and Northern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.										x	x	x	x	x												x							x	S26361-F2109-E754	3,00	
	REC-DVD 2 Win7 SEE+Office2010s	Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Office 2010 incl. Office Starter - 32bit, SEE (South Eastern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.										x	x	x	x	x												x							x	S26361-F2109-E755	3,00	
	REC-DVD 2 Win7 RU+Office2010s	Languages: RU, Office 2010 incl. Office Starter - 32bit, RU (RU & CIS countries), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.										x	x	x	x	x												x							x	S26361-F2109-E756	3,00	
	Win7 HomeBasic64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x						x	x	x	x	x	x	x	x	x	x									S26361-F2110-E433	4,00	
	Win7 HomeBasic64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x						x	x	x	x	x	x	x	x	x	x									S26361-F2110-E436	4,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x						x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	x	S26361-F2110-E441	4,00	
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x						x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	x	S26361-F2110-E442	4,00	
	Win7 HomePremium64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x						x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	x	S26361-F2110-E443	4,00	
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x						x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	x	S26361-F2110-E444	4,00	
	Win7 HomePremium64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x						x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	x	S26361-F2110-E445	4,00	
	Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x						x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	x	S26361-F2110-E446	4,00	
	Win7 Pro64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x						x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	x	S26361-F2110-E451	4,00	
	Win7 Pro64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x						x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	x	S26361-F2110-E452	4,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E781	LIFEBOOK E782	LIFEBOOK LH531	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P771	LIFEBOOK P772	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552/UH572	Product Code	EUP (€)	Comments
Options matrix																																					
OS/Application-SW (Continued)																																					
	Win7 Pro64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2110-E453	4,00	
	Win7 Pro64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2110-E454	4,00	
	Win7 Pro64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2110-E455	4,00	
	Win7 Pro64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2110-E456	4,00	
	REC-DVD Win7 Home Basic 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish						x	x	x	x					x	x	x	x	x	x	x	x	x											S26361-F2010-E633	3,00	
	REC-DVD Win7 Home Basic 64 RUS	RU						x	x	x	x					x	x	x	x	x	x	x	x	x											S26361-F2010-E632	3,00	
	REC-DVD Win7 Home Premium 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish						x	x	x	x					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2010-E643	3,00	
	REC-DVD Win7 Home Premium 64 RUS	RU						x	x	x	x					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2010-E642	3,00	
	REC-DVD Win7 Professional 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish																								x	x							S26361-F2010-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish						x	x	x	x					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2010-E653	3,00	
	REC-DVD Win7 Professional 64 RUS	RU						x	x	x	x					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2010-E652	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish						x	x	x	x					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2010-E753	3,00	
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2110-E751	3,00	
	REC-DVD 2 Win7 NORDIC+Office2010s	Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Office 2010 incl. Office Starter - 32bit, NORDICS (Nordic Region), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2110-E752	3,00	
	REC-DVD 2 Win7 EM+SE+Office2010s	Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 incl. Office Starter - 32bit, EM-SE (Emerging Markets&Southern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2110-E753	3,00	
	REC-DVD 2 Win7 IBER+NE+Office2010s	Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Office 2010 incl. Office Starter - 32bit, IBER-NE (Iberia and Northern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2110-E754	3,00	
	REC-DVD 2 Win7 SEE+Office2010s	Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Office 2010 incl. Office Starter - 32bit, SEE (South Eastern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2110-E755	3,00	
	REC-DVD 2 Win7 RU+Office2010s	Languages: RU, Office 2010 incl. Office Starter - 32bit, RU (RU & CIS countries), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2110-E756	3,00	
UPS/Power supply																																					
	2nd AC Adapter 19V/80W (w/o AC cable)																													x						S26391-F778-E500	17,00	
	AC Adapter 19V/60W	2nd AC Adapter for LB P770, 1st and 2nd AC Adapter for LB T580 as LB T580 has no AC Adapter included in base unit																												x						S26391-F794-E500	17,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E781	LIFEBOOK E782	LIFEBOOK LH531	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P771	LIFEBOOK P772	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552/UH572	Product Code	ELP (€)	Comments
Options matrix																																					
UPS/Power supply (Continued)																																					
	slim AC Adapter 19V/60W	1st and 2nd AC Adapter for LB T580 as LB T580 has no AC Adapter included in base unit																											x							S26391-F794-E510	33,00	
	2nd Cable EU																												x	x						S26391-F794-E610	5,00	
	2nd Cable GB																												x	x						S26391-F794-E620	5,00	
	2nd Cable US																												x	x						S26391-F794-E630	5,00	
	1st Battery 6cells, 5800 mAh																												x							S26391-F795-E400	70,00	
	1st Battery 3cells, 2900 mAh																												x							S26391-F795-E450	55,00	
	1st Battery 6cells, 5200 mAh																													x						S26391-F795-E500	67,00	
	1st Battery 6cells, 5800 mAh																													x						S26391-F795-E600	74,00	
Securitv																																					
	TPM module V1.2																												x	x						S26391-F646-E300	8,00	
	SmartCard reader for ExpressCard slot																		x				x							x	x					S26391-F658-E100	55,00	
Mouse																																					
	Mouse 400NB Black							x	x	x	x						x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26391-F428-E100	17,00	
Miscellaneous																																					
	MED Kit	Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers.,																											x							S26391-F665-E500	6,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note						x	x	x	x						x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26391-F782-E200	3,00	
	MED Kit	Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers.																												x						S26391-F796-E710	6,00	
	MED Kit	Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers.,																														x				S26391-F888-E900	6,00	
	MED Kit	Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers., , , ,																														x				S26391-F928-E900	6,00	
Keyboard /Mouse																																					
	Remote Control RC900	Remote Control RC900, micro receiver, manual, batteries														x																				S26381-K456-E100	15,00	
Desk View																																					
	DV Adv. Migration (DVD + 1 Lic.)	DeskView Advanced Migration DVD incl. 1 License, , Components: , - Data Migration (Migration of personalizations, settings, links, favorites, etc.), - System Migration (Virtualization of HDDs and full systems), - Secure Deletion (secure deletion of data on HDDs via multiple options of deletion algorithms), , Efficient tool that supports you migration your old system to a new system including the secure deletion of the data on your old HDD. Supports Windows XP, Windows Vista and Windows 7 (32 Bit and 64 Bit architectures).,											x	x	x	x	x												x							x	S26361-F4040-E10	17,00	

Positioning FUTRO thin clients

FUTRO S100

The compact and cost-efficient FUTRO S100 is your perfect entry thin client for Server-Based Computing and Virtual Workplace solutions. High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and lowest running costs.

FUTRO S450
FUTRO S500

This small but powerful and expandable thin client is your ideal client for server-based computing. No matter if used with RDP or ICA protocol, as thin client for Windows terminal services or as Java based network terminal, FUTRO S Series always helps you to minimize the Total Cost of Owernership. Low power consumption, no fans and rotating drives turn the FUTRO S Series into a very reliable and silent thin client.

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO S550-2

The small but powerful FUTRO S550 is your ideal client for server-based computing and virtual workplace solutions: for Windows Terminal services or as a Java-based network terminal. Low power consumption, no fans nor rotating drives make your system a reliable and quiet thin client.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
FUTRO S550-2					
	FUTRO S550-2	FUTRO S550-2, Processor: AMD Sempron 200U (1 GHz),, Graphics: ATI Radeon X1250,, LAN: 10/100/1000 Mbit/s Fast Ethernet,, mouse, DVI-VGA-adapter, external A/C adapter, Interfaces: 1x DVI-I, (Dual Monitor support with optional DVI-D adapter or optional DVI-I to DVI-D / VGA adapter cable, 2x PS/2 (1x mouse, 1x keyboard), 8x USB2.0 (2x front, 4x rear, 2x internal), 2 x serial, audio (rear): 1x audio in, 1x audio out, audio (front) 1x headphone, 1x microphone, 1x LAN RJ45, SCR optional, PCI Slot midsize (optional riser card in combination with a PCI card)	S26361-K528-V301	310,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO S700

The powerful FUTRO S700 is your ideal thin client for server-based computing and virtual workplac solutions. An optimized thermal concept and the latest flash drive technology make fans and rotating parts obsolete. This results in superior ergonom ics due to noiseless operation and significantly increased reliability. The outstanding manageability solution makes it easy to administer while
reducing total cost of ownership. Latest AMD™ Fusion® technology offers excellent performance at a reasonable price.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
FUTRO S700					
	FUTRO S700	, FUTRO S700 Base unit: ; Mainboard type D3003-B miniITX; Chipset AMD A55E Controller Hub, AMD G-Series G-T44R, max. 2 GB, 1 SO DIMM (DDR3, 1066 MHz) slots , ; Graphics: AMD Radeon HD 6250; Audio: Realtek ALC262; LAN: Built-in 10/100/1000 MBit/s; Slots: ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, 1 x DC-in, 1 DP x DisplayPort, 1 DVI-I (integrated VGA can be used with DVI-VGA adapter) x DVI, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2),	S26361-K1040-V100	227,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO S900

The powerful FUTRO S900 is your ideal thin client for server-based computing and virtual workplace solutions. An optimized thermal concept and the latest flash drive technology make fans and rotating parts obsolete. This results in superior ergonom ics due to noiseless operation and significantly increased reliability. Additional slots offer the opportunity to meet all demand s for the most
challenging scenarios and outstanding manageability solution makes it easy to administer while reducing total cost of ownersh ip. Latest AMD™ Fusion® technology offers excellent performance at a reasonable price.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
FUTRO S900					
	FUTRO S900	, FUTRO S900 Base unit: ; Mainboard type D3003-A miniITX; Chipset AMD A55E Controller Hub, AMD G-Series G-T44R, max. 4 GB, 2 SO DIMM (DDR3, 1066 MHz) slots , ; Graphics: AMD Radeon HD 6250; Audio: Realtek ALC262; LAN: Built-in 10/100/1000 MBit/s; Slots: 1 x (155 mm /) low profile (optional), 1 x PCI slots, 1 x PCI-Express x1; Interfaces: 1 x Audio: line-in, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, 1 x DC-in, 1 DP x DisplayPort, 1 DVI-I (integrated VGA can be used with DVI-VGA adapter) x DVI, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2),	S26361-K1050-V100	294,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Accessories

Category	Description	Details	FUTRO A300 eLux	FUTRO A300 WEC	FUTRO C200 i915GV	FUTRO C400	FUTRO DC20-1	FUTRO S100	FUTRO S200	FUTRO S2xx	FUTRO S300	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code	EUP (€)	Comments
Accessories & services matrix																		
Graphics																		
	Y-cable for dual monitoring	Dual Monitoring support										x	x	x	x	S26361-F2421-L100	39,00	
	DVI-D Adapter for Dual DVI	Dual Monitoring										x	x			S26361-F2421-L110	22,00	
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately													x	S26361-F2748-L997	106,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor												x	x	S26361-F2391-L200	22,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector												x	x	S26361-F2391-L1	19,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors													x	S26361-F2391-L101	32,00	
	DVI/VGA adapter		x	x												S26361-F2391-L3	8,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors													x	S26361-F2391-L102	34,00	
	Y-cable for dual monitoring		x	x												S26361-F2421-L300	9,00	
Communication/Network																		
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel											x			S26361-F3465-L2	33,00	Phased out
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel											x			S26361-F3465-L3	38,00	
	Dual serial card PCIe x1														x	S26361-F3465-L4	38,00	
	2nd LAN/PoE module													x	x	S26361-F3466-L1	38,00	
	WLAN 802.11g/Draft													x	x	S26361-F4525-L10	55,00	
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket, without Riser Card											x		x	S26361-F3465-L1	26,00	
OS/Application-SW																		
	License for Scout EP	Client license for Scout EP including 2 years of software support., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.)	x	x				x				x	x	x	x	S26361-F2727-L701	45,00	
	License for eLux RL	License for eLux including 2 years of software support. (No client licenses for Scout EP are included.)	x	x				x				x	x	x	x	S26361-F2727-L702	40,00	
	Subscription Key eLux/Scout	Subscription Key for eLux to prolong the software support for 12 months. (For the utilization of the Subscription Key, a valid client license for Scout EP is required.)	x	x				x				x	x	x	x	S26361-F2727-L703	17,00	
	FLUENDO Codec Package	The FLUENDO Codec Package includes the licenses for using multimedia codecs in combination with eLux RL. The codecs itself are pre-installed on our eLux RL operating system. When ordering the FLUENDO Codec Package, you will receive a license key which allows to use the codecs on your Thin Client., , Following codecs are covered: MP3, WMA stereo, AAC stereo, AC3 stereo, WMV, H264, MPEG4 part2 and MPEG2. ,	x	x				x				x	x	x	x	S26361-F2727-L704	10,00	
	Windows MPS 2011 CAL					x	x									S26361-F2011-L170	67,00	
	License for PowerTerm WBT	License for PowerTerm InterConnect from Ericom., PowerTerm InterConnect is an emulation suite that allows you to connect to IBM mainframes, IBM AS/400, Unix, VAX/Alpha OpenVMS, Tandem (NSK), HP-3000 and Data General. To use this software, you must have the PowerTerm InterConnect" (powerterm) package installed. The software includes a 30-minute trial period.	x	x				x				x	x	x	x	S26361-F2600-L144	28,00	
Security																		
	SmartCard Reader	internal											x			S26361-F1260-L802	33,00	
	SmartCard reader internal USB FUTRO S900	chipcard reader internal built in optional, USB interface, w/o SmartCard													x	S26361-F1260-L803	28,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium											x			S26361-F2727-L100	20,00	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3											x			S26361-F2727-L730	43,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x			x	x		x	x	x	x	x	S26381-F331-L220	25,00	
Miscellaneous																		
	Vesa Mounting Kit with Subadapter	Vesa Mounting Kit with Subadapter designed for FUTRO S100 and FUTRO A300 , designed for FUTRO S100 and FUTRO A300; holder for TFT	x	x				x								BDL:VESA-SUB-KIT	92,00	
	Riser Card												x			S26361-F2421-L200	22,00	
	AC-Adapter 20V/40W													x	x	S26361-F2542-L14	17,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Accessories

Category	Description	Details	FUTRO A300 eLux	FUTRO A300 WEC	FUTRO C200 i915GV	FUTRO C400	FUTRO DC20-1	FUTRO S100	FUTRO S200	FUTRO S2xx	FUTRO S300	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code	EUP (€)	Comments
Accessories & services matrix																		
Miscellaneous (Continued)																		
	PCI Riser														x	S26361-F2542-L19	28,00	
	PCIe Riser														x	S26361-F2542-L20	28,00	
	Horizontal foot kit											x	x	x	x	S26361-F2542-L290	12,00	
	USB Security Cover													x	x	S26361-F2542-L291	17,00	
	VESA Kit w/ subadapter S4**/5**/7**/9**	Mounting kit for attaching Thin Clients to the rear of TFT displays. Attachable to most LCDs in combination with the included subadapter.										x	x	x	x	S26361-F2601-L530	44,00	
	Vesa Kit FUTRO S100	holder for TFT (15"-20") and PC (max 105x370x400mm)	x	x				x								S26361-F2601-L540	44,00	
	DVI cable for VESA Mounting Kit	holder for TFT (15"-20") and PC (max 105x370x400mm)	x	x												S26361-F2601-L541	24,00	
	VESA Kit w/o subadapter S4**/5**/7**/9**	VESA Kit for FUTRO S450-2, FUTRO S550-2, FUTRO S700 and FUTRO S900 w/o VESA subadapter. , , For FUTRO S100 please select S26361-F2601-L540.										x	x	x	x	S26361-F2601-L550	44,00	
	VESA Mounting Kit FUTRO C400					x										S26361-F2601-L560	23,00	
	VESA subadapter		x	x				x						x	x	S26361-F2601-L600	24,00	
	Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)			x					x	x					S26361-F2542-L35	123,00	
Cables																		
	Cable powercord (IND), 1.8m, black	black, 1.8m, suitable for: India, 3 wire												x	x	T26139-Y1752-L10	23,00	
	power cable EU	black, 2-pole, 1.8 m	x	x				x				x	x	x	x	T26139-Y2540-V113	9,00	
	power cable UK	black, 2-pole, 1,8 m	x	x				x				x	x	x	x	T26139-Y2540-V213	9,00	
	power cable US	black, 2-pole, 1,8 m	x	x				x				x	x	x	x	T26139-Y2540-V313	9,00	
	Cable Powercord (USA, Desktop),1.8m	grey or black, 1.8m, for USA/CAN (Desktops),3 wire												x	x	T26139-Y1741-V10	4,00	
	Cable Powercord (CH), 1.8m, black	black, 1.8m, Switch, 3 wire												x	x	T26139-Y1743-V10	4,00	
	Cable Powercord (UK), 1.8m, black	black, 1.8m, suitable for: Great Britain, 3 wire												x	x	T26139-Y1744-V10	4,00	
	Cable Powercord (I), 1.8m, black	black, 1.8m, suitable for: Italy, 3 wire												x	x	T26139-Y1745-V10	4,00	
	Cable FTP CAT 5e, 5m	Standard-LAN-cable, RJ45				x	x									T26139-Y2425-M5	9,00	
	Cable FTP CAT 5e, 10m	Standard-LAN-cable, RJ45				x	x									T26139-Y2425-M10	17,00	
Additional Software																		
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs									x	x	x			U10987-C501	1.225,00	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs									x	x	x			U10987-C513	1.225,00	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs									x	x	x			U10987-C525	500,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0									x	x	x			U10987-C500	36,00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions									x	x	x			U10987-C499	15,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options

Category	Description	Details	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code	EUP (€)	Comments
Options matrix									
Approvals/dependencies									
	China (CCC) approval				x	x	S26361-F2550-E150	3,00	
	Energy Star 5.0			x		x	S26361-F2600-E170	3,00	
Processor									
	AMD T56N Dual Core Upgrade FUTRO S900	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately				x	S26361-F4584-E100	36,00	Orderable from: 09/07/2012
	Heat sink S900 Dual Core Active	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately				x	S26361-F4584-E110	5,00	Orderable from: 09/07/2012
Memory									
	1 GB DDR3-1066 SODIMM				x	x	S26361-F4408-E1	25,00	
	2 GB DDR3-1066 SODIMM				x	x	S26361-F4408-E2	45,00	
	1 GB DDR2-667		x	x			S26361-F2879-E300	33,00	
Graphics									
	No Adapter for VGA/DVI/DP				x	x	S26361-F2391-E10	3,00	
	Y-cable for dual monitoring	Dual Monitoring support; Currently not available with eLux RL 3.x	x	x	x	x	S26361-F2421-E100	17,00	
	DVI-D Adapter for Dual DVI	Dual Monitoring	x	x			S26361-F2421-E110	13,00	
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately				x	S26361-F2748-E997	84,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor			x	x	S26361-F2391-E200	17,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector			x	x	S26361-F2391-E1	6,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors				x	S26361-F2391-E101	17,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors				x	S26361-F2391-E102	19,00	
Hard Disks									
	1 GB mSATA				x	x	S26361-F3666-E1	34,00	
	CF 1 GB (80x)	CF module IDE, 1 GB	x	x			S26361-F3616-E100	20,00	Phased out
	2 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.			x	x	S26361-F3666-E2	38,00	
	CF 2 GB (300x)	CF module IDE, 2 GB	x	x			S26361-F3617-E100	30,00	Phased out
	4 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.			x	x	S26361-F3666-E4	55,00	
	CF 4GB			x			S26361-F3520-E100	55,00	Phased out
	8 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.				x	S26361-F3666-E8	99,00	
	CF 16GB	300x		x			S26361-F3538-E100	199,00	Phased out
	16 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.				x	S26361-F3666-E16	177,00	
Communication/Network									
	Internal speaker				x	x	S26361-F2542-E13	22,00	
	PCI Riser					x	S26361-F2542-E19	22,00	
	PCIe Riser					x	S26361-F2542-E20	22,00	
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel		x			S26361-F3465-E2	28,00	Phased out
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel		x			S26361-F3465-E3	23,00	
	Dual serial card PCIe x1					x	S26361-F3465-E4	23,00	
	2nd LAN/PoE module				x	x	S26361-F3466-E1	36,00	
	WLAN 802.11g/Draft				x	x	S26361-F4525-E10	16,00	
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket.PCI Card not supported in the OS. Additional driver installation necessary		x		x	S26361-F3465-E1	16,00	
Country kits									
	Country kit FUTRO S-series INT/D/CH/I/DK		x	x			S26361-F2841-E100	8,00	
	Country kit FUTRO S-series (GB/IL)		x	x			S26361-F2841-E101	8,00	
	Country kit FUTRO S-series (US)		x	x			S26361-F2841-E106	8,00	
	LBP FUTRO S Serie (INT)				x	x	S26361-F2841-E200	8,00	
	Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value	x	x	x	x	S26391-F404-E911	2,00	
OS/Application-SW									
	Windows Embedded Standard_A	Windows Embedded Standard 2009 (WES 2009) incl. Altiris agent (additional software from Symantec is required)		x			S26361-F2009-E144	88,00	
	Windows Embedded Standard_SC	Windows Embedded Standard 2009 (WES 2009) incl. SCOUT agent (Scout Enterprise license S26361-F2727-L701 additionally required)		x			S26361-F2009-E145	73,00	
	Windows Embedded Standard_7_SC German	Windows Embedded Standard 7 with Scout EP agent. (The license for Scout EP is not included and has to be ordered additionally.)		x			S26361-F2009-E147	79,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options

Category	Description	Details	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code	EUP (€)	Comments
Options matrix									
OS/Application-SW (Continued)									
	Windows Embedded Standard_7 German	Windows Embedded Standard 7 without manageability agent.		x			S26361-F2009-E148	69,00	
	Windows Embedded Standard_7_SC English	Windows Embedded Standard 7 with Scout EP agent. (The license for Scout EP is not included and has to be ordered additionally.)		x			S26361-F2009-E193	79,00	
	Windows Embedded Standard_7 English	Windows Embedded Standard 7 without manageability agent.		x			S26361-F2009-E194	69,00	
	Rec.DVD eLux RL3	Recovery-DVD for eLux RL 3.x. No licenses for eLux or Scout EP are included.			x	x	S26361-F2727-E708	3,00	
	eLux RL w/o license	Image without a license	x	x			S26361-F2727-E701	5,00	
	eLux RL3 w/o license	Pre-installed eLux RL 3.x. No licenses for eLux or Scout EP are included., Licensing is possible with existing licenses (e.g. in case of exchanging Thin Clients) or with the optional eLux-License S26361-F2727-L702. (If no license is available, the Thin Client can be booted 40 times.)			x	x	S26361-F2727-E705	6,00	
	eLux RL with license	Scout Agent und Scout Workgroup, Scout Enterprise Version 10 can manage up to 25 Thin Clients without an additional license key. Therefore, the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients.Including 2 years software support	x	x			S26361-F2727-E702	36,00	
	eLux RL3 with license	Pre-installed eLux RL 3.x with license for eLux and including 2 years of software support. No client license for Scout EP is included., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.)			x	x	S26361-F2727-E706	38,00	
	eLux RL + Scout builtin license	Scout Agent and Scout Workgroup, Scout Enterprise V10 or higher can manage up to 25 Thin Clients and no extra license key is necessary., The license Scout EP S26361-F2727-L701 is only necessary if you install more than 25 Thin Clients. 2 years software support included.	x	x			S26361-F2727-E704	70,00	
	License eLux RL3 + Scout built-in	Pre-installed eLux RL 3.x with client licenses for eLux and Scout EP; including 2 years of software support.			x	x	S26361-F2727-E707	70,00	
	Win Embedded Standard_7 German	German version of Windows Embedded Standard 7 without manageability agent., Size on storage device ca. 3.6 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.			x	x	S26361-F2009-E208	69,00	
	Win Embedded Standard_7 English	English version of Windows Embedded Standard 7 without manageability agent., Size on storage device ca. 3.6 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.			x	x	S26361-F2009-E211	69,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options

Category	Description	Details	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code	EUP (€)	Comments
Options matrix									
OS/Application-SW (Continued)									
	Win Embedded Standard_7_SC German	German version of Windows Embedded Standard 7 with manageability agent for Scout EP. No client license for Scout EP is included., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.), Size on storage device ca. 3.8 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.			x	x	S26361-F2009-E207	79,00	
	Win Embedded Standard_7_SC English	English version of Windows Embedded Standard 7 with manageability agent for Scout EP. No client license for Scout EP is included., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.), Size on storage device ca. 3.8 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.			x	x	S26361-F2009-E210	79,00	
	Rec.DVD WES7 German	Recovery-DVD for the German version of Windows Embedded Standard 7. No license for Windows Embedded Standard is included.,			x	x	S26361-F2009-E802	3,00	
	Rec.DVD WES7 English	Recovery-DVD for the English version of Windows Embedded Standard 7. No license for Windows Embedded Standard is included.,			x	x	S26361-F2009-E805	3,00	
	Rec.DVD WES7 SC German	Recovery-DVD for the German version of Windows Embedded Standard 7 with manageability agent for Scout EP. No licenses for Windows Embedded Standard or Scout EP are included.,			x	x	S26361-F2009-E801	3,00	
	Rec.DVD WES7 SC English	Recovery-DVD for the English version of Windows Embedded Standard 7 with manageability agent for Scout EP. No licenses for Windows Embedded Standard or Scout EP are included.,			x	x	S26361-F2009-E804	3,00	
	No Recovery DVD				x	x	S26361-F2009-E807	2,00	
	No Operating System		x	x	x	x	S26361-F1818-E100	2,00	
UPS/Power supply									
	AC-Adapter 20V/40W				x	x	S26361-F2542-E14	10,00	
	Kein AC-Adapter				x	x	S26361-F2542-E18	2,00	
	Cable powercord (DE,..), 1.8m, black	black, 1.8m, suitable for: Germany, France, Austria, etc.			x	x	T26139-Y2540-E100	6,00	
	Cable powercord (GB), 1.8m, black	black, 1.8m, suitable for: Great Britain, Ireland			x	x	T26139-Y2540-E200	6,00	
	Cable powercord (US), 1.8m, black	black, 1.8m, suitable for: US, 2 wire			x	x	T26139-Y2540-E300	6,00	
	Cable powercord (IN), 1.8m, black	black, 1.8m, suitable for: India, 2 wire			x	x	T26139-Y2540-E600	6,00	
Security									
	SmartCard reader internal, USB 2.0	chipcard reader f. FUTRO S500 requires internal USB interface		x		x	S26361-F1260-E802	19,00	
	SmartCase Logon+	Authentication, Password Manager , SecureDrive, supports SmardCard / Fingerprint / TPM Win XP/Vista-32/Win7,no eLux support, Version 3.0.3		x			S26361-F2727-E730	23,00	
Mouse									
	No Mouse				x	x	S26361-F2542-E12	2,00	
	Optical USB mouse M510 grey		x	x	x	x	S26361-F2542-E223	6,00	
	ECO Mouse M440 black		x	x	x	x	S26361-F2542-E224	9,00	
	Optical tilt USB mouse M500T grey		x	x	x	x	S26361-F2542-E226	7,00	Phased out
	Optical tilt USB mouse M500T grey		x	x	x	x	S26361-F2542-E227	12,00	
	Optical USB mouse M510 black		x	x	x	x	S26361-F2542-E229	6,00	New product

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options

Category	Description	Details	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code	EUP (€)	Comments
Options matrix									
Mouse (Continued)									
	Mouse M480 black	optical mouse with 3 keys, black and anthrazit, 1000 dpi, new design with Fujitsu logo, usb cable 1,8m, white box packed	x	x	x	x	S26381-K431-E100	6,00	
	Mouse M510 Black	optical mouse with 3 keys, black, 1000 dpi, Fujitsu logo, USB cable 1,8m,	x	x	x	x	S26381-K457-E100	6,00	
Miscellaneous									
	Horizontal foot kit		x	x	x	x	S26361-F2542-E290	5,00	
	USB Security Cover				x	x	S26361-F2542-E291	5,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	x	x	x	S26361-F2542-E90	4,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning ESPRIMO

ESPRIMO C

The ESPRIMO C Green PC is your perfect partner for smallest space. The ultra small form factor PC combines latest technology with environmentally conscious product design to minimize impact on the environment. With its silent product concept and service friendly cabinet, the ESPRIMO C offers best working conditions.

ESPRIMO E

Put your performace on the desk. The ESPRIMO E Green PC is a small form factor PC setting new desktop standards. ESPRIMO E offers highly reliable computing power for every business demands.Due to latest technologies, highest ergonomic and silent product design the ESPRIMO E Green PC is for every costumer who requires high computing power. It can be positioned either horizontally or vertically.

ESPRIMO P

Your every day business performer. The ESPRIMO P Green PC microtower offers highest performance and best expandability. With various system modifications, the ESPRIMO P is tailored to every business use to reasonable value. Working with ESPRIMO P is stress free. It is ergonomic, silent and reliable.

ESPRIMO Q

The ESPRIMO Q Series opens a new chapter on performance, size and design.
With its extremely small and stylish design, the new Mini PC satisfies a so far unanswered business need: PC becomes fashionable.
Add an eye catcher to your desk.

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO C

Don't let yourself be fooled from the size of the ESPRIMO C. Although it's an ultra small form factor system presenting latest chipset and processor technologies and offers Multibay functionality like a notebook. Make profit from the small form factor design because you need less space.
ESPRIMO PCs are built with specially selected material to minimize impact on the environment. Production and selection of material are optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
Working with the ESPRIMO C is stress-free. It is small, ergonomic, silent and reliable. It is easy to administrate and secure. In short, this highly reliable premium PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ESPRIMO C700					
	Base unit, proprietary system board D3064, Intel iQ65 chipset with max. 32GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCIe x16 slot, 3x serial ATA II ports (3GB/s/NCQ), 225W wide range power supply (90% efficiency), optical USB tilt wheel mouse., DeskView license included., , Interfaces: 2x serial external (powered), 2x PS/2, 6x USB 2.0 rear, 1x USB 2.0 internal, 4x USB 2.0 in front, 1x DisplayPort, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45, 1x VGA (via DVI to VGA adapter, part of shipment), , optional:, Lock in front panel, Intrusion switch, SmartCard reader				
	ESP C700 /CORE I5-2400/4 GB/DVD SM/ (Promo)	ESP C700 /CORE I5-2400/4 GB/DVD SM/ 500GB SATA III/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/,	LKN:C_700S0002IT		
ESPRIMO C710					
	Base unit, proprietary system board D3164, Intel iQ75 chipset with max. 32GB address space, 4x DIMM slots DDR3 1600 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX 20642) / LAN (10/100/1000 Mbit/s Intel 82579V), 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCIe 3.0 x16 slot, 1x Serial ATA III (6GB/s/NCQ), 2x Serial ATA II ports (3GB/s/NCQ), 250W wide range power supply (90% efficiency), optical USB tilt wheel mouse., DeskView 10.x client management included., DVI to VGA adapter is part of shipment., , Interfaces: 2x serial external (powered), 2x PS/2, 2x USB 3.0 rear, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 3.0 front, 2x USB 2.0 front, 1x DisplayPort, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45 , , optional:, Lock in front panel, Intrusion switch, SmartCard Reader				
	ESP C710 /CORE I5-3470/4GB DDR3-1600/ (Promo)	ESP C710 /CORE I5-3470/4GB DDR3-1600/ DVD SM/500GB SATA III/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/,	LKN:C0710P0001IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO C700					
	ESPRIMO C700	Base unit, proprietary system board D3064, Intel iQ65 chipset with max. 32GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCIe x16 slot, 3x serial ATA II ports (3GB/s/NCQ), 225W wide range power supply (90% efficiency), optical USB tilt wheel mouse., DeskView license included., , Interfaces: 2x serial external (powered), 2x PS/2, 6x USB 2.0 rear, 1x USB 2.0 internal, 4x USB 2.0 in front, 1x DisplayPort, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45, 1x VGA (via DVI to VGA adapter, part of shipment), , optional:, Lock in front panel, Intrusion switch, SmartCard reader	S26361-K1014-V100	296,00	
ESPRIMO C710					
	ESPRIMO C710	Base unit, proprietary system board D3164, Intel iQ75 chipset with max. 32GB address space, 4x DIMM slots DDR3 1600 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX 20642) / LAN (10/100/1000 Mbit/s Intel 82579V), 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCIe 3.0 x16 slot, 1x Serial ATA III (6GB/s/NCQ), 2x Serial ATA II ports (3GB/s/NCQ), 250W wide range power supply (90% efficiency), optical USB tilt wheel mouse., DeskView 10.x client management included., DVI to VGA adapter is part of shipment., , Interfaces: 2x serial external (powered), 2x PS/2, 2x USB 3.0 rear, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 3.0 front, 2x USB 2.0 front, 1x DisplayPort, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45 , , optional:, Lock in front panel, Intrusion switch, SmartCard Reader	S26361-K1014-V200	302,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E

Put your performance on the desk. The ESPRIMO E is a small form factor PC that can either positioned vertical or horizontal. With its chipset diversity and a managed lifecycle up to 18 month, the ESPRIMO E is the right solution for customer requiring a high quality desktop.
ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
Working with the ESPRIMO E Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO E best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ESPRIMO E700					
	ESPRIMO E700 E90+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (optional) x DVI to VGA adapter, support of chipset) x VGA				
	ESP E700 E90+ /CORE I5-2400/4 GB/DVD SM/ (Promo)	ESP E700 E90+ /CORE I5-2400/4 GB/DVD SM/ 500GB SATA III/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/,	LKN:E0700P0001IT		
ESPRIMO E710					
	ESP E710 E90+ /CORE i5-3570/ (Promo)	ESP E710 E90+ /CORE i5-3570/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK I/KB410PS2IT/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDVD2 WIN7 MAIN/,	LKN:E0710P0001IT		
ESPRIMO E900					
	ESPRIMO E900 0-Watt Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (optional) x DVI to VGA adapter, support of chipset) x VGA				
	ESP E900 0-WATT /CORE I7-2600/4 GB/ (Promo)	ESP E900 0-WATT /CORE I7-2600/4 GB/ DVD SM/1000GB SATA III/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/,	LKN:E0900P0001IT		
ESPRIMO E910					
	ESP E910 0WATT /CORE i7-3770/ (Promo)	ESP E910 0WATT /CORE i7-3770/ 4GB DDR3-1600/DVD SM/1000GB SATA III/ UPGR USB 3.0 ESP E/CK I/KB410PS2IT/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:E0910P0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO E400					

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO E400 (Continued)					
	ESPRIMO E400 E85+	ESPRIMO E400 E85+ Base unit: ; Mainboard type D2990 ATX; Chipset Intel H61, max. 8 GB, 2 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules).; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) NCQ AHCI; 250 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DVI, optional x USB 3.0 total, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 1 x VGA,	S26361-K1180-V400	185,00	
ESPRIMO E500					
	ESPRIMO E500 E85+	ESPRIMO E500 E85+ Base unit: ; Mainboard type D2991 ATX; Chipset Intel B65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 10 x USB 2.0 total, 2 x USB front, 6 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 x	S26361-K1337-V310	228,00	
ESPRIMO E510					
	ESPRIMO E510 E85+	ESPRIMO E510 E85+ Base unit: ; Mainboard type D3171 ATX; Chipset Intel B75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 8 x USB 2.0 total, 2x 2.0 x USB front, 4x 2.0/ 2x 3.0 x USB rear, 2x 2.0/ 2x 3.0 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO	S26361-K1337-V320	234,00	
ESPRIMO E700					

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO E700 (Continued)					
	ESPRIMO E700 E90+	ESPRIMO E700 E90+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB	S26361-K1337-V210	262,00	
	ESPRIMO E700 E85+	ESPRIMO E700 E85+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB	S26361-K1337-V220	250,00	
ESPRIMO E705					
	ESPRIMO E705 E85+	ESPRIMO E705 E85+ Base unit: ; Mainboard type D3091 ATX; Chipset AMD 880G, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: ATI Radeon HD 4250; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Broadcom BCM57780; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA II NCQ and 3 GBit AHCI Raid 1/0; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (Dual link DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 12 x USB 2.0 total, 4 x USB front, 6 x USB rear, 2 x USB internal, 1 x	S26361-K1337-V520	245,00	
ESPRIMO E710					

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO E710 (Continued)					
	ESPRIMO E710 E90+	ESPRIMO E710 E90+ Base unit: ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 6x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ45), 1	S26361-K1337-V230	267,00	
	ESPRIMO E710 E85+	ESPRIMO E710 E85+ Base unit: ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16),1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 6x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ45), 1	S26361-K1337-V240	256,00	
ESPRIMO E900					
	ESPRIMO E900 0-Watt	ESPRIMO E900 0-Watt Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total	S26361-K1337-V100	440,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO E900 (Continued)					
	ESPRIMO E900 E90+	ESPRIMO E900 E90+ Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI-I (optional) x eSATA, optional x USB 3.0 total	S26361-K1337-V110	418,00	
	ESPRIMO E900 E85+	ESPRIMO E900 E85+ Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI-I (optional) x eSATA, optional x USB 3.0 total	S26361-K1337-V120	407,00	
ESPRIMO E910					
	ESPRIMO E910 0-Watt	Intel vPro Logo with Core i5 3xxx and Core i7 3xxx processor; ESPRIMO E910 0-Watt Base unit: ; Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID 0/1/5/10 (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort	S26361-K1337-V130	446,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO E910 (Continued)					
	ESPRIMO E910 E90+	Intel vPro Logo with Core i5 3xxx and Core i7 3xxx processor; ESPRIMO E910 E90+ Base unit: ; Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID 0/1/5/10 (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1	S26361-K1337-V140	424,00	
	ESPRIMO E910 E85+	Intel vPro Logo with Core i5 3xxx and Core i7 3xxx processor; ESPRIMO E910 E85+ Base unit: ; Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID 0/1/5/10 (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1	S26361-K1337-V150	413,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P

Combine high expandability with latest technology. With its expandability and its chipset diversity ESPRIMO P is the right solution for customer requiring a high quality microtower with a managed lifecycle up to 18 month
ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
Working with the ESPRIMO P Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO P best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ESPRIMO P510					
	ESPRIMO P510 E85+ Base unit: ; Mainboard type D3171 ATX; Chipset Intel B75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 8 x USB 2.0 total, 2x 2.0 x USB front, 4x 2.0/ 2x 3.0 x USB rear, 2x 2.0/ 2x 3.0 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 x VGA,				
	ESP P510 E85+ /CORE i5-3570/ (Promo)	ESP P510 E85+ /CORE i5-3570/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK I/KB400PS2I/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDVD2 WIN7 MAIN/,	LKN:P0510P0001IT		
ESPRIMO P700					
	ESPRIMO P700 E90+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550				
	ESP P700 E90+ /CORE I5-2500/4 GB/DVD SM/ (Promo)	ESP P700 E90+ /CORE I5-2500/4 GB/DVD SM/ 500GB SATA III/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ W7_PRO64_O1MULI_MA/RDVD2 WIN7 MAIN/,	LKN:P0700P0002IT		
ESPRIMO P710					
	ESP P710 E90+ /CORE I5-3470/ (Promo)	ESP P710 E90+ /CORE I5-3470/ 4GB DDR3-1600/GF605 DP 1GB FH/DVD SM/ 500GB SATA III/CK I/KB410PS2IT/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:P0710P0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P400					

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P400 (Continued)					
	ESPRIMO P400 E85+	ESPRIMO P400 E85+ Base unit: ; Mainboard type D2990 ATX; Chipset Intel H61, max. 8 GB, 2 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules).; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) NCQ AHCI; 330 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, optional x USB 3.0 total, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 1 x VGA,	S26361-K1017-V300	185,00	
ESPRIMO P500					
	ESPRIMO P500 E85+	ESPRIMO P500 E85+ Base unit: ; Mainboard type D2991 ATX; Chipset Intel B65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 10 x USB 2.0 total, 2 x USB front, 6 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 x VGA	S26361-K1017-V120	228,00	
ESPRIMO P510					
	ESPRIMO P510 E85+	ESPRIMO P510 E85+ Base unit: ; Mainboard type D3171 ATX; Chipset Intel B75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 8 x USB 2.0 total, 2x 2.0 x USB front, 4x 2.0/ 2x 3.0 x USB rear, 2x 2.0/ 2x 3.0 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO	S26361-K1017-V400	234,00	
ESPRIMO P700					

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P700 (Continued)					
	ESPRIMO P700 E90+	ESPRIMO P700 E90+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB	S26361-K1015-V210	262,00	
	ESPRIMO P700 E85+	ESPRIMO P700 E85+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB	S26361-K1015-V220	250,00	
ESPRIMO P705					
	ESPRIMO P705 E85+	ESPRIMO P705 E85+ Base unit: ; Mainboard type D3091 ATX; Chipset AMD 880G, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: ATI Radeon HD 4250; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Broadcom BCM57780; Slots: 1 x (180 mm /) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 6 x Serial ATA II NCQ and 3 GBit AHCI Raid 1/0; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (Dual link DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 12 x USB 2.0 total, 4 x USB front, 6 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin	S26361-K1015-V520	245,00	
ESPRIMO P710					

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P710 (Continued)					
	ESPRIMO P710 E90+	ESPRIMO P710 E90+ Base unit: ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 6x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1	S26361-K1015-V230	267,00	
	ESPRIMO P710 E85+	ESPRIMO P710 E85+ Base unit: ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 6x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1	S26361-K1015-V240	256,00	
ESPRIMO P900					
	ESPRIMO P900 0-Watt	ESPRIMO P900 0-Watt Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total	S26361-K1015-V100	440,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P900 (Continued)					
	ESPRIMO P900 E90+	ESPRIMO P900 E90+ Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI-I (optional) x eSATA, optional x USB 3.0 total	S26361-K1015-V110	418,00	
	ESPRIMO P900 E85+	ESPRIMO P900 E85+ Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI-I (optional) x eSATA, optional x USB 3.0 total	S26361-K1015-V120	407,00	
ESPRIMO P910					
	ESPRIMO P910 0-Watt	Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO P910 0-Watt Base unit: Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 1 x 2.5-inch internal bay, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1	S26361-K1015-V130	446,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P910 (Continued)					
	ESPRIMO P910 E90+	Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO P910 E90+ Base unit: Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 1 x 2.5-inch internal bay, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1	S26361-K1015-V140	424,00	
	ESPRIMO P910 E85+	Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO P910 E85+ Base unit: Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 1 x 2.5-inch internal bay, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1	S26361-K1015-V150	413,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Q

The ESPRIMO Q Series opens a new chapter on performance, size and design.
With its extremely small and stylish design, the Mini PC satisfies a so far unanswered business need: PC becomes fashionable.
Powered by the latest Intel® Mobile Technology, the ESPRIMO Q Series fulfills the requirements of a fully-flegded PC.
Don't buy expandability you never use and gain more space on your desk. You'll profit from its low energy consumption, as well as from its whisper silent noise level.
Add an eye catcher to your desk.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO Q510					
	ESPRIMO Q510	Base unit, proprietary form factor, Intel iH61 chipset with max. 16GB memory, 2x SODIMM slot DDR3 1600 MHz, graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX20642) / LAN (10/100/1000 Mbit/s Intel 82579LM), 2 drive bays (1x 5.25" slim slot-in, externally accessible, 1x 2.5" internally), 70W integrated power supply, optical USB scroll mouse; keyboard only optional., DVI to VGA adapter part of shipment., Zero Noise for standard office applications (SSD needed)., VESA monitor mounting included in the housing., , Interfaces: 4x USB 2.0 rear, 2x USB 2.0 in front, 1x HDMI, 1x DVI, high definition audio, 1x LAN RJ45, 1x MultiCard Reader, , optional:, 1 Lock plate	S26361-K1011-V300	277,00	
ESPRIMO Q910					
	ESPRIMO Q910	Base unit, proprietary form factor, Intel iQ77 chipset with max. 16GB memory, 2x SODIMM slot DDR3 1600 MHz, graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX20642) / LAN (10/100/1000 Mbit/s Intel 82579LM), 2 drive bays (1x 5.25" slim slot-in, externally accessible, 1x 2.5" internally), 65 W integrated power supply, optical USB scroll mouse; keyboard only optional., , DVI to VGA adapter part of shipment., , Zero Noise for standard office applications (SSD needed)., , VESA monitor mounting included in the housing., , , , Interfaces: 2x USB 2.0 rear, 2x USB 3.0 rear, 2x USB 3.0 in front, 1x DP, 1x DVI, high definition audio, 1x LAN RJ45, 1x MultiCard Reader, , , , optional:, , 1 MiniCard for WLAN/Bluetooth module, 1 Intrusion switch, , 1 Lock plate,	S26361-K1011-V200	422,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Accessories

Category	Description	Details	ESPRIMO C5731	ESPRIMO C700	ESPRIMO C710	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E5545	ESPRIMO E5731	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E7936	ESPRIMO E900	ESPRIMO E910	ESPRIMO E9900	ESPRIMO P2560	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P400	ESPRIMO P500	ESPRIMO P510	ESPRIMO P5645	ESPRIMO P5731	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P7936	ESPRIMO P900	ESPRIMO P910	ESPRIMO P9900	ESPRIMO PH300	ESPRIMO Q1510	ESPRIMO Q510	ESPRIMO Q900	ESPRIMO Q9000	ESPRIMO Q910	Product Code	EUP (€)	Comments
Accessories & services matrix																																											
Memory																																											
	1GB DDR3-1333	1 module PC 1333, DIMM	x			x						x				x			x	x						x				x										S26361-F4401-L1	30,00	
	2GB DDR3-1333	1 module PC 1333, DIMM	x			x	x				x	x		x		x			x	x	x	x				x	x		x		x			x						S26361-F4401-L2	35,00	
	4GB DDR3-1333	1 module PC 1333, DIMM	x			x	x				x	x		x		x			x	x	x	x				x	x		x		x			x						S26361-F4401-L3	66,00	
	2GB DDR3-1333	1 module PC 1333, DIMM		x				x	x				x				x						x	x				x			x									S26361-F3378-L2	35,00	
	4GB DDR3-1333	1 module PC 1333, DIMM		x				x	x				x				x						x	x				x			x									S26361-F3378-L3	66,00	
	2GB DDR3-1600				x					x				x				x							x					x			x							S26361-F3384-L2	35,00	
	4GB DDR3-1600				x					x				x				x							x					x			x							S26361-F3384-L3	66,00	
	8GB DDR3-1600				x					x			x		x		x	x							x			x		x		x	x							S26361-F3384-L4	333,00	
	2GB DDR3-1066	1 module PC 1600 (PC2-8500), SO-DIMM																																		x			x		S26361-F4406-L2	35,00	
	2GB DDR3-1333	1 module PC 1333 (PC3-10600), SO-DIMM																																			x				S26361-F4407-L2	35,00	Phased out
	4GB DDR3-1333	1 module PC 1333 (PC3-10600), SO-DIMM																																			x				S26361-F4407-L3	66,00	Phased out
	2GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM,																																				x			x	S26361-F4553-L2	35,00	
	4GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM,																																				x			x	S26361-F4553-L3	66,00	
Graphics																																											
	DVI Extension Adapter	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible				x						x				x										x														S26361-F3305-L210	20,00	Phased out
	ATI Radeon HD5450 512 MB	PCIe, dual monitor (2 DVI-I/ VGA), HDCP, DirectX11, incl. 2 adapter DVI-VGA																		x	x	x	x	x		x	x	x			x	x		x						S26361-F3535-L545	55,00	
	ATI Radeon HD7350 1GB FH	Dual DVI-I, DDR3, full height,																					x		x					x			x							S26361-F3535-L736	57,00	
	NVIDIA GeForce 405 DisplayPort 512MB FH	PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3																		x	x	x	x	x		x	x	x			x	x		x						S26361-F3000-L407	62,00	
	NVIDIA GeForce 405 DisplayPort 512MB LP	Low Profile, PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3		x		x	x		x		x	x	x	x		x	x		x																				S26361-F3000-L405	62,00	
	NVIDIA GeForce 605 DisplayPort 1GB FH	PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3																					x		x					x			x							S26361-F3000-L607	62,00	
	NVIDIA GeForce 605 DisplayPort 1GB LP	PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3			x					x					x			x																						S26361-F3000-L605	62,00	
	NVIDIA GeForce GT420 DisplayPort 1GB FH	PCIe Gen2, DVI-I, VGA, HDCP, DirectX11, dual link, display port																			x	x		x		x	x	x	x		x	x		x						S26361-F3000-L422	92,00	
	NVIDIA GeForce GT420 DisplayPort 1GB LP	PCIe Gen2, DVI-I, HDCP, DirectX11, dual link, display port				x	x	x	x		x	x	x	x		x	x		x																						S26361-F3000-L420	92,00	
	NVIDIA GeForce GT630 DisplayPort 2GB FH	PCIe Gen3, DVI-I, dual link, display port, DDR3, full height, ,																							x					x			x							S26361-F3000-L633	97,00	
	NVIDIA GeForce GT630 DisplayPort 2GB LP	PCIe Gen3, DVI-I, dual link, display port, DDR3, low profile, ,			x			x		x					x			x																						S26361-F3000-L631	97,00	
	NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately																						x	x	x		x	x	x		x	x							S26361-F2748-L38	99,00	
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately		x	x			x	x	x	x		x	x	x		x	x																						S26361-F2748-L338	99,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x						x	x	x	x	x	x	x	x	x	x			x		x	S26361-F2391-L200	22,00	
	Short DVI/DVI cable for mounting kit	short cable (440mm), for mounting kit, ,																																			x			x	S26361-F2581-L11	32,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector		x	x			x	x	x	x		x	x	x		x	x						x	x	x		x	x	x		x	x						S26361-F2391-L1	19,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors		x	x			x	x	x	x		x	x	x		x	x						x	x	x		x	x	x		x	x						S26361-F2391-L101	32,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors		x	x			x	x	x	x		x	x	x		x	x						x	x	x		x	x	x		x	x						S26361-F2391-L102	34,00	
Removable Media Drives																																											
	MCR 20in1 + USB 3.0 front con., 3.5"	requires USB 3.0 PCIe x1 card; occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type					x	x	x	x		x	x	x	x		x	x		x		x	x	x	x		x	x		x	x		x								S26361-F3077-L15	30,00	Phased out
	MultiCard Reader 24in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,									x															x																S26361-F3077-L50	23,00	
	MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,							x	x				x	x			x						x	x				x	x			x			x					S26361-F3077-L51	30,00	
	MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,									x															x																S26361-F3077-L52	33,00	
	BD Triple Writer SATA slim (tray)			x	x			x	x	x			x	x	x		x	x						x	x	x		x	x	x		x	x						S26361-F3716-L100	212,00	
	DVD SATA	occupies accessible 5,25"- bay, without DVD-video playback software				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x						S26361-F3418-L510	32,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x						S26361-F3420-L510	40,00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write				x	x	x	x		x	x	x	x		x	x		x	x	x	x	x	x		x	x	x	x		x	x		x					S26361-F3523-L510	267,00	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type					x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x						S26361-F3077-L5	20,00	
	DVD SuperMulti SATA slim	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)	x	x	x																																				S26361-F3429-L510	57,00	
Communication/Network																																											
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0			x	x		x	x	x	x	x		x	x	x		x	x				x	x	x	x	x		x	x		x	x						S26361-F3067-L60	28,00	
	USB 3.0 PCIe x1				x		x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x						S26361-F3050-L10	33,00	
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, driver CD, PCI Express, full height/ low profile				x							x				x			x	x	x				x				x			x						S26361-F3067-L30	26,00	Phased out
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface; only EMEA			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x						S26361-F3108-L5	30,00	
	Parallel Interface LP	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot				x	x		x	x	x	x	x	x	x	x	x	x	x																						S26361-F2542-L30	13,00	
	Parallel Interace	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x	x	x																																				S26361-F2542-L60	13,00	
	Parallel Interface FH	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height											x	x	x		x	x		x	x	x		x	x	x	x	x	x	x	x	x	x						S26361-F2542-L34	13,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot; low profile	x	x	x		x		x	x	x	x	x	x	x	x	x	x								x	x			x			x						S26361-F2542-L40	13,00	
	eSATA Interface FH	for eSATA peripherals, occupies one internal SATA interface and one slot; full height											x	x	x		x	x			x			x	x			x	x	x		x	x						S26361-F2542-L70	19,00	
	Dual serial card PCIe x1	Dual Port RS232 via splitter cabel			x	x			x	x	x			x	x	x		x	x					x	x	x			x	x	x		x	x						S26361-F3316-L6	37,00	
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cabel			x	x			x	x	x			x	x	x		x	x					x	x	x			x	x	x		x	x						S26361-F3316-L7	42,00	
OS/Application-SW																																											

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Accessories

Category	Description	Details	ESPRIMO C5731	ESPRIMO C700	ESPRIMO C710	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E5645	ESPRIMO E5731	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E7936	ESPRIMO E900	ESPRIMO E910	ESPRIMO E9900	ESPRIMO P2560	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P400	ESPRIMO P500	ESPRIMO P510	ESPRIMO P5645	ESPRIMO P5731	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P7936	ESPRIMO P900	ESPRIMO P910	ESPRIMO P9900	ESPRIMO PH300	ESPRIMO Q1510	ESPRIMO Q510	ESPRIMO Q900	ESPRIMO Q9000	ESPRIMO Q910	Product Code	EUP (€)	Comments
Accessories & services matrix																																											
OS/Application SW (Continued)																																											
	License for Scout EP	Client license for Scout EP including 2 years of software support., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.)		x									x																												S26361-F2727-L701	45,00	
	License for eLux RL	License for eLux including 2 years of software support. (No client licenses for Scout EP are included.)		x									x																												S26361-F2727-L702	40,00	
	Subscription Key eLux/Scout	Subscription Key for eLux to prolong the software support for 12 months. (For the utilization of the Subscription Key, a valid client license for Scout EP is required.)		x									x																												S26361-F2727-L703	17,00	
	FLUENDO Codec Package	The FLUENDO Codec Package includes the licenses for using multimedia codecs in combination with eLux RL. The codecs itself are pre-installed on our eLux RL operating system. When ordering the FLUENDO Codec Package, you will receive a license key which allows to use the codecs on your Thin Client., , Following codecs are covered: MP3, WMA stereo, AAC stereo, AC3 stereo, WMV, H264, MPEG4 part2 and MPEG2. ,		x									x																												S26361-F2727-L704	10,00	
	Windows MPS 2011 CAL																											x												S26361-F2011-L170	67,00	
	Drivers&Utilities DVD (XP) ESPRIMO DT	incl. Nero Essentials S, Norton Internet Security	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				x		S26361-F2007-L910	16,00	
	Drivers&Utilities DVD (Win7) ESPRIMO	incl. Nero Essentials S, Norton Internet Security	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-L901	16,00	
Security																																											
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x						S26361-F1260-L521	26,00	
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x	x		x	x	x	x		x	x			x		x	x		x		x	x	x	x		x	x		x			x	x		S26361-F1571-L201	18,00	Phased out
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x	x		x	x	x	x		x	x			x		x	x		x		x	x	x	x		x	x		x			x	x		S26361-F1571-L210	118,00	Phased out
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium	x			x	x				x	x				x			x		x	x				x	x				x			x				x		S26361-F2727-L100	20,00	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3	x			x	x				x	x				x			x		x	x				x	x				x			x				x		S26361-F2727-L730	43,00	
	SmartCase Logon+ 3.2.2	Supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics		x	x				x				x	x	x		x	x						x				x	x	x		x	x				x			x	S26361-F2727-L740	42,00	
	SmartCard CARDOS V4.4. 1PCS	1 SmartCard CardOS 4.4, 68 KByte EEPROM		x									x				x											x				x									S26381-F305-L101	25,00	
	SmartCard CARDOS V4.4. 2PCS	2 SmartCard CardOS 4.4, 68 KByte EEPROM	x	x		x	x	x	x		x	x	x	x	x	x	x	x	x		x	x		x	x	x	x	x	x	x	x	x	x	x			x	x		S26381-F305-L102	45,00	
	SmartCard CARDOS V4.4. 10PCS	10 SmartCard CardOS 4.4, 68 KByte EEPROM	x	x		x	x	x	x		x	x	x	x	x	x	x	x	x		x	x		x	x	x	x	x	x	x	x	x	x	x			x	x		S26381-F305-L110	204,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	S26381-F331-L220	25,00	
Miscellaneous																																										
	Lock plate ESPRIMO Q																																				x			x	S26361-F2542-L338	12,00	
	4 Rubber feet for vertical position							x	x	x			x	x	x		x	x																							S26361-F2542-L480	13,00	
	ESPRIMO Q mounting kit	incl. VESA subadapter																																		x		x	x		S26361-F2542-L75	52,00	
	VESA subadapter																																				x			x	S26361-F2601-L200	22,00	
	Feet for vertical position (set)					x	x	x	x	x	x	x	x	x	x	x	x	x	x																						S26361-F2542-L200	16,00	
	Rear USB 2.0 connector	2x USB 2.0																								x	x				x			x							S26361-F2438-L215	16,00	
	Blanking Plate 5,25" drive bays, 10 pcs.					x	x	x	x										x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							S26361-F2542-L326	15,00	
	Blanking Plate 3,5" drive bays, 10 pcs.					x	x	x	x	x	x					x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							S26361-F2542-L327	17,00	
	Blanking Plate 5,25" drive bays, 3 pcs.	3x 5,25" covers & drive cage					x	x	x	x	x	x	x	x	x	x	x	x																							S26361-F2542-L328	17,00	
	Blanking Plate + cage 3,5" bay, 6 pcs.						x	x	x	x	x	x	x	x	x	x	x	x																							S26361-F2542-L329	17,00	
	Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)	x	x	x	x	x				x	x				x			x																						S26361-F2542-L35	123,00	
Cables																																										
	Power cord China												x				x											x				x									S26361-F2542-L51	10,00	
	Monitor outlet cable	necessary to contact monitor directly to the PC											x		x	x	x	x	x									x		x	x	x	x	x							S26361-F2542-L57	10,00	
	Cable for 2. USB device																											x		x		x	x							S26361-F2581-L10	22,00	
Additional Software																																										
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x		x	x	x	x		x	x		x		x	x	x	x	x	U11081-C301	######	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							x	x				x			x		x	x	x	x	U11081-C311	######	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							x	x				x			x		x	x	x	x	U11081-C321	500,00	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							x	x				x			x		x	x	x	x	U11081-C300	30,00	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							x	x				x			x		x	x	x	x	U11081-C299	15,00	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							x	x				x			x		x	x	x	x	U10987-C501	######	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							x	x				x			x		x	x	x	x	U10987-C513	######	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							x	x				x			x		x	x	x	x	U10987-C525	500,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							x	x				x			x		x	x	x	x	U10987-C500	36,00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							x	x				x			x		x	x	x	x	U10987-C499	15,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E900	ESPRIMO E910	ESPRIMO P400	ESPRIMO P500	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P900	ESPRIMO P910	ESPRIMO Q510	ESPRIMO Q910	Product Code	EUP (€)	Comments
Options matrix																									
Approvals/dependencies																									
	Housing for 2 full height PCI cards							x	x	x	x	x											S26361-F2542-E427	20,00	
	FastOn			x						x	x	x						x	x	x		x	S26361-F2550-E120	6,00	
	Energy Star approval	Limited configuration							x								x						S26361-F2550-E140	3,00	
	China (CCC) approval							x			x					x			x				S26361-F2550-E150	3,00	
	Green system																					x	S26361-F2550-E160	2,00	
	Thin Client Upgrade Kit eLux ESPRIMO		x					x															S26361-F2542-E510	3,00	
	Thin Client Upgrade Kit WES7 ESPRIMO		x					x															S26361-F2542-E520	3,00	
Multi Workplace Computing																									
	Host for MWC 2011 STD max. 10 seats	This order number provides a Host configuration guidance of RECOMMENDED system components for the named number of max. seats., , Don't select this number for a flexible components selection., , For more information please click on the PC-Architect "remarks" button., , Find additional information in our partners portal: , https://partners.ts.fujitsu.com/com/products/clients/thin_clients/Pages/mwc.aspx														x							S26361-F2011-E173	3,00	Phased out
Processor																									
	Celeron G530	incl. Intel HD Graphics, 2.40 GHz, 2 MB total cache, dual core/2 threads, LGA1155, technologies: VT-x,	x		x	x	x	x			x		x	x	x	x			x				S26361-F4020-E530	38,00	
	Celeron G540	incl. Intel HD Graphics, 2.50 GHz, 2 MB total cache, dual core/2 threads, LGA1155,		x	x		x			x		x	x		x			x		x			S26361-F4020-E540	38,00	
	Pentium G630	incl. Intel HD Graphics, 2.70 GHz, 3 MB total cache, dual core/2 threads, LGA1155	x		x	x	x	x			x		x	x	x	x			x				S26361-F4050-E630	72,00	
	Pentium G640	incl. Intel HD Graphics, 2.80 GHz, 3 MB total cache, dual core/2 threads, LGA1155,		x	x		x			x		x	x		x			x		x			S26361-F4050-E640	67,00	
	Pentium G850	incl. Intel HD Graphics, 2.90 GHz, 3 MB total cache, dual core/2 threads, LGA1155, technologies: VT-x,	x		x	x	x	x			x		x	x	x	x			x				S26361-F4050-E850	84,00	
	Pentium G860	incl. Intel HD Graphics, 3.00 GHz, 3 MB total cache, dual core/2 threads, LGA1155,		x	x		x			x		x	x		x			x		x			S26361-F4050-E860	84,00	
	Core i3-2100	incl. Intel HD Graphics 2000, 3.10 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x	x			x		x			x		x	x		x			x				S26361-F4493-E210	133,00	Phased out
	Core i3-2120	incl. Intel HD Graphics 2000, 3.30 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x,	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x			S26361-F4493-E212	133,00	
	Core i5-2320	incl. Intel HD Graphics 2000, 3.00 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x,			x								x										S26361-F4494-E232	226,00	
	Core i5-2400	incl. Intel HD Graphics 2000, 3.10 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x, TXT	x		x	x	x	x			x		x	x	x	x			x				S26361-F4494-E240	237,00	
	Core i5-2500	incl. Intel HD Graphics 2000, 3.30 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x, TXT	x		x	x		x			x		x	x		x			x				S26361-F4494-E250	264,00	
	Core i5-3470	Intel HD Graphics 2500, 3.20 GHz, up to 3.60 GHz, 6 MB Total Cache, Quad Core/4 Threads, LGA1155, VT-d, TXT		x	x		x			x		x	x		x			x		x			S26361-F4494-E348	237,00	
	Core i5-3570	Intel HD Graphics 2500, 3.40 GHz, up to 3.80 GHz, 6 MB Total Cache, Quad Core/4 Threads, LGA1155, VT-d, TXT		x			x			x		x			x			x		x			S26361-F4494-E357	264,00	
	Core i7-2600	incl. Intel HD Graphics 2000, 3.40 GHz, 8 MB total cache, quad core/8 threads, LGA1155, technologies: VT-x, TXT	x		x	x		x			x		x	x		x			x				S26361-F4495-E260	366,00	
	Core i7-3770	Intel HD Graphics 4000, 3.40 GHz, up to 3.90 GHz, 8 MB Total Cache, Quad Core/8 Threads, LGA1155, VT-d, TXT		x	x		x			x		x	x		x			x		x			S26361-F4495-E377	366,00	
	Celeron G530T	incl. Intel HD Graphics, 2.00 GHz, 2 MB total cache, dual core/2 threads,																			x		S26361-F4020-E531	40,00	
	Celeron G540T	incl. Intel HD Graphics, 2.10 GHz, 2 MB total cache, dual core/2 threads,																			x	x	S26361-F4020-E541	40,00	
	Pentium G630T	incl. Intel HD Graphics, 2.30 GHz, 3 MB total cache, dual core/2 threads,																			x		S26361-F4050-E631	76,00	
	Pentium G640T	incl. Intel HD Graphics, 2.40 GHz, 3 MB total cache, dual core/2 threads,																			x	x	S26361-F4050-E641	76,00	
	Core i3-2120T	incl. Intel HD Graphics 2000, 2.60 GHz, 3 MB total cache, dual core/4 threads,																			x	x	S26361-F4493-E213	142,00	
	Core i5-3470T	Intel HD Graphics 2500, 2.90 GHz, up to 3.60 GHz, 3 MB Total Cache, Dual Core/4 Threads, LGA1155, VT-d, TXT																			x	x	S26361-F4494-E347	237,00	
	Athlon II X2 220	2.8 GHz, 1 MB total cache, socket AM2, dual core, incl. heat sink, AMD-V							x								x						S26361-F3416-E220	44,00	
	Athlon II X2 265	3.3 GHz, 2 MB total cache, socket AM3, dual core, incl. heat sink, AMD-V							x								x						S26361-F3416-E265	55,00	
	Phenom II X2 560	3.3 GHz, 7 MB total cache, socket AM3, dual core, incl. heat sink, AMD-V							x								x						S26361-F3513-E560	94,00	
	FX-4100	3.6 GHz, 8 MB total cache, socket AM3+, quad core, incl. heat sink, AMD Turbo Core, ,							x								x						S26361-F4021-E410	133,00	
Memory																									
	2GB DDR3-1333	1 module PC 1333, DIMM							x								x						S26361-F4404-E2	20,00	
	4GB DDR3-1333	1 module PC 1333, DIMM							x								x						S26361-F4404-E3	38,00	
	2GB DDR3-1333	1 module PC 1333, DIMM	x		x	x		x			x		x	x		x			x				S26361-F3378-E2	20,00	
	4GB DDR3-1333	1 module PC 1333, DIMM	x		x	x		x			x		x	x		x			x				S26361-F3378-E3	38,00	
	2GB DDR3-1600	1 module PC 1600, DIMM,		x			x			x		x			x			x			x			S26361-F3384-E2	20,00	
	4GB DDR3-1600	1 module PC 1600, DIMM,		x			x			x		x			x			x			x			S26361-F3384-E3	38,00	
	8GB DDR3-1600	1 module PC 1600, DIMM,		x			x			x		x			x			x			x			S26361-F3384-E4	184,00	New product
	2GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM,																				x	x	S26361-F4553-E2	20,00	
	4GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM,																				x	x	S26361-F4553-E3	38,00	
Graphics																									
	ATI Radeon HD5450 512 MB	PCIe, dual monitor (2 DVI-I/ VGA),, HDCP, DirectX11, incl. 2 Adapter, DVI-VGA											x	x		x	x		x				S26361-F3535-E545	39,00	
	ATI Radeon HD7350 1GB FH	Dual DVI-I, DDR3, full height,											x		x			x		x			S26361-F3535-E736	42,00	
	NVIDIA GeForce GT630 DisplayPort 2GB FH	PCIe Gen3, DVI-I, dual link, display port, DDR3, full height,											x		x								S26361-F3000-E633	82,00	
	NVIDIA GeForce GT630 DisplayPort 2GB LP	PCIe Gen3, DVI-I, dual link, display port, DDR3, low profile,			x		x																S26361-F3000-E631	82,00	
	NVIDIA GeForce GT630 DP 2GB FH "0 Watt"	PCIe Gen3, DVI-I, dual link, display port, DDR3, full height,																x		x			S26361-F3000-E637	82,00	
	NVIDIA GeForce GT630 DP 2GB LP "0 Watt"	PCIe Gen3, DVI-I, dual link, display port, DDR3, low profile,		x					x		x												S26361-F3000-E635	82,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E900	ESPRIMO E910	ESPRIMO P400	ESPRIMO P500	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P900	ESPRIMO P910	ESPRIMO Q510	ESPRIMO Q910	Product Code	EUP (€)	Comments
Options matrix																									
Graphics (Continued)																									
	NVIDIA GeForce 405 DisplayPort 512MB FH	PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3											x	x		x	x		x				S26361-F3000-E407	44,00	
	NVIDIA GeForce 405 DisplayPort 512MB LP	Low Profile, PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3	x			x		x	x		x												S26361-F3000-E405	44,00	
	NVIDIA GeForce 605 DisplayPort 1GB FH	DVI-I, display port, DDR3, full height,											x		x			x		x			S26361-F3000-E607	44,00	
	NVIDIA GeForce 605 DisplayPort 1GB LP	DVI-I, display port, DDR3, low profile.		x			x			x		x											S26361-F3000-E605	44,00	
	NVIDIA GeForce GT420 DisplayPort 1GB FH	PCIe Gen2, DVI-I, VGA, HDCP, DirectX11, dual link, display port											x	x		x	x		x				S26361-F3000-E422	77,00	
	NVIDIA GeForce GT420 DisplayPort 1GB LP	PCIe Gen2, DVI-I, HDCP, DirectX11, dual link, display port			x	x		x	x		x												S26361-F3000-E420	77,00	
	NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately												x	x	x	x	x	x	x			S26361-F2748-E38	84,00	
	2nd NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately														x	x	x	x	x			S26361-F2748-E138	84,00	
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately	x	x		x	x	x	x	x	x	x											S26361-F2748-E338	77,00	
	2nd NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately						x	x	x	x	x											S26361-F2748-E438	77,00	
	No Energy Star + Blue Angel approval							x			x					x			x				S26361-F2550-E110	3,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	S26361-F2391-E200	17,00	
	DVI/DVI cable	short cable (440mm), for mounting kit,																			x	x	S26361-F2581-E11	12,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2391-E1	6,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors	x	x		x	x	x	x	x	x	x		x	x	x	x	x	x	x			S26361-F2391-E101	17,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors	x	x		x	x	x	x	x	x	x		x	x	x	x	x	x	x			S26361-F2391-E102	19,00	
Removable Media Drives																									
	ODD cover (dummy drive)	necessary when no ODD is configured																			x	x	S26361-F2542-E53	4,00	
	Cable for 2nd ODD												x	x	x	x		x	x	x			S26361-F2581-E23	4,00	
	MultiCard Reader 24in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,						x							x								S26361-F3077-E50	10,00	
	MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,			x	x		x	x		x		x	x		x	x		x				S26361-F3077-E51	13,00	
	MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC						x							x								S26361-F3077-E52	15,00	
	BD Triple Writer SATA Slot-in slim																				x	x	S26361-F3717-E200	122,00	
	DVD SuperMulti SATA Slot-in slim	occupies accessible 5.25"- bay, DVD software must be ordered separately,		x																	x	x	S26361-F3741-E200	37,00	
	DVD SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3418-E510	16,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay,DVD software must be ordered separately			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3420-E510	22,00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately			x	x		x	x		x		x	x		x	x		x				S26361-F3523-E510	166,00	
	BD Triple Writer SATA slim (tray)	occupies 5.25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3716-E100	110,00	
	Cable for 2nd ODD	necessary for the operation of the 2nd optical disc drive															x						S26361-F2581-E20	4,00	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type				x	x		x	x	x	x	x	x	x		x	x	x	x	x			S26361-F3077-E5	10,00	
	MCR 20in1 + USB 3.0 front con., 3.5"	requires USB 3.0 PCIe x1 card; occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type				x	x		x	x		x		x	x		x	x		x				S26361-F3077-E15	13,00	Phased out
	DVD SuperMulti SATA slim	occupies accessible 5,25"- bay,DVD software must be ordered separately	x	x																			S26361-F3429-E510	30,00	
	DVD SuperMulti SATA Slot-in slim	occupies accessible 5,25"- bay,DVD software must be ordered separately	x																				S26361-F3522-E510	37,00	
Hard Disks																									
	mSATA Adapter	Adapter does not contain mSATA modules. Those (and the eLux+Scout license) have to be ordered separately.	x					x															S26361-F2542-E530	17,00	
	1 GB mSATA		x					x															S26361-F3666-E1	34,00	
	2 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.	x					x															S26361-F3666-E2	38,00	
	SSD SATA III 128GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support																			x	x	S26361-F3679-E128	188,00	
	HDD SATA II 500GB 5.4k 2.5?	occupies 2.5"-bay (internal), Advanced Format (AF)																			x	x	S26361-F3658-E500	98,00	
	4 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.	x					x															S26361-F3666-E4	55,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E900	ESPRIMO E910	ESPRIMO P400	ESPRIMO P500	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P900	ESPRIMO P910	ESPRIMO Q510	ESPRIMO Q910	Product Code	EUP (€)	Comments
Options matrix																									
Hard Disks (Continued)																									
	8 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.	x					x															S26361-F3666-E8	99,00	
	16 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.	x					x															S26361-F3666-E16	177,00	
	SSD SATA III 64GB Smart Response cache	Very fast 2.5" SSD with SATA 6GB/s interface, incl. easy rail, no WinXP support. Installed as Smart Response cache, additional HDD necessary.,																		x			S26361-F3742-E64	110,00	
	SSD SATA III 64GB Smart Response cache											x											S26361-F3743-E64	110,00	
	SSD SATA III 128GB high speed	occupies 3.5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support	x	x	x	x	x	x	x	x	x	x	x	x	x								S26361-F3680-E128	188,00	
	SSD SATA III 128GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support														x	x	x	x	x			S26361-F3681-E128	188,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support	x	x	x	x	x	x	x	x	x	x	x	x	x								S26361-F3680-E256	333,00	
	SSD SATA III 256GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support,																			x	x	S26361-F3679-E256	333,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support														x	x	x	x	x			S26361-F3681-E256	333,00	
	SSD 128GB high speed	occupies 3,5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support	x		x	x		x	x		x		x	x									S26361-F3575-E100	222,00	
	SSD 128GB high speed FDE	very fast 2.5" solid state drive with SATA 3GB/s interface, incl. easy rail, no WinXP support														x	x		x				S26361-F3639-E100	222,00	
	HDD SATA III 250GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x	x	x	x	x	x	x	x	x	x	x	x	x								S26361-F3660-E250	57,00	
	HDD SATA III 250GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)														x	x	x	x	x			S26361-F3660-E251	57,00	
	HDD SATA III 320GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x		x	x		x	x		x		x	x									S26361-F3660-E320	63,00	Phased out
	HDD SATA III 320GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)														x	x		x				S26361-F3660-E321	63,00	Phased out
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x	x	x	x	x	x	x	x	x	x	x	x	x								S26361-F3660-E500	72,00	
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)														x	x	x	x	x			S26361-F3660-E501	72,00	
	HDD SATA III 1000GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3660-E100	112,00	
	HDD SATA III 2000GB 7.2k AF	occupies 3.5"-bay (internal), Advanced Format (AF)		x	x		x		x	x		x	x		x		x	x		x			S26361-F3660-E200	162,00	
	HDD SATA II 250GB 5.4k 2.5"	occupies 2.5"-bay (internal), Advanced Format (AF)																			x	x	S26361-F3745-E250	73,00	
	HDD SATA II 750GB 5.4k 2.5"	occupies 2.5"-bay (internal), Advanced Format (AF)																			x	x	S26361-F3658-E750	134,00	
	HDD SATA II 160GB 7.2k 2.5"	beleot 2,5"-Einbauplatz (intern)								x		x									x	x	S26361-F3560-E200	66,00	
	HDD SATA II 160GB 7.2k 2.5	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology														x	x	x	x	x			S26361-F3640-E100	66,00	
	HDD SATA II 160GB 7.2k 2.5" incl. frame	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology	x	x	x	x	x	x	x		x			x	x	x	x	x	x	x			S26361-F3661-E160	66,00	
	HDD SATA II 320GB 7.2k 2.5"	supports NCQ and 3GB/s, compatible to SATA technology,	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x	x	x	S26361-F3721-E320	77,00	
	HDD SATA II 1000GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)														x			x				S26361-F3568-E100	106,00	
	HDD SATA III 500GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x	x				x	x	x	x	x				x	x	x	x	x			S26361-F3497-E100	104,00	
	Cable for 2nd HDD/ SSD	necessary for the operation of the 2nd HDD or SSD			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2581-E30	3,00	
Communication/Network																									
	WLAN 802.11abgn (2x2)																				x		S26361-F3108-E11	14,00	
	USB 3.0 PCIe x1		x		x	x		x	x		x		x	x		x	x		x				S26361-F3050-E10	26,00	
	Upgrade USB 3.0 front connector ESP P																	x		x			S26361-F3050-E20	9,00	
	Upgrade USB 3.0 front connector ESP E									x		x											S26361-F3050-E30	9,00	
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0	x	x	x	x	x	x	x	x	x	x	x	x		x	x		x				S26361-F3067-E60	17,00	
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0											x	x	x	x	x	x	x	x			S26361-F3067-E90	17,00	
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface; only EMEA	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3108-E5	16,00	
	WLAN 802.11b/g/n (2x2) und Bluetooth	Intel Centrino Wireless-N 2230 (802.11b/g/n, 2x2, single band Wi-Fi + Bluetooth 4.0), delivers up to 300 Mbps speed in the 2.4 GHz band with multiple streams ,																			x	x	S26361-F3108-E12	14,00	
	Parallel Interface LP	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot				x	x	x	x	x	x	x											S26361-F2542-E30	3,00	
	Parallel Interface FH	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height						x	x	x	x	x		x	x	x	x	x	x	x			S26361-F2542-E34	3,00	
	Parallel Interace	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x	x																			S26361-F2542-E60	3,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot; low profile	x	x		x	x	x	x	x	x	x											S26361-F2542-E40	3,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot; full height						x	x	x	x	x		x	x	x	x	x	x	x			S26361-F2542-E70	4,00	
	Dual serial card PCIe x1	Dual Port RS232 via splitter cabel	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3316-E6	22,00	
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cabel	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3316-E7	23,00	
Country kits																									
	Country kit US-cable (INT)	incl. power cord (US), safety manuals (EU+, non EU)	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x			S26361-F2930-E100	8,00	
	Country kit (DE)	Germany; incl. power cord (Euro), safety manual (DE)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2930-E101	8,00	
	Country kit (IT)	incl. power cord (I),safety manual (I)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2930-E104	8,00	
	Country kit (GB)	incl. power cord (GB),safety manual (GB)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2930-E105	8,00	
	Country kit GB-cable (non EU)	incl. power cord (GB),safety manual (INT)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2930-E110	8,00	
	Country kit (TR)	Turkey; incl. power cord (Euro), safety manual (TR)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2930-E114	8,00	
	Country kit ESPRIMO Q Euro-cable (INT)	incl. power cord (Euro), safety manual (INT)																			x	x	S26361-F2930-E122	8,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E900	ESPRIMO E910	ESPRIMO P400	ESPRIMO P500	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P900	ESPRIMO P910	ESPRIMO Q510	ESPRIMO Q910	Product Code	EUP (€)	Comments
Options matrix																									
Country kits (Continued)																									
	Country kit ESPRIMO Q (IT)	incl. power cord (IT), safety manual (IT)																			x	x	S26361-F2930-E123	8,00	
	Country kit ESPRIMO Q GB-cable (INT)	incl. power cord (GB),safety manual (INT)																			x	x	S26361-F2930-E124	8,00	
	Country kit ESPRIMO Q US-cable (INT)	incl. power cord (US), safety manual (INT)																			x	x	S26361-F2930-E127	8,00	
	Country kit ESPRIMO Q (DE)	incl. power cord (Euro), safety manual (INT)																			x	x	S26361-F2930-E128	8,00	
	Country kit without power cord (INT)	without power cord, incl. safety manual (INT)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2930-E135	8,00	
	Country kit Euro-cable (EU+)	incl. power cord (Euro), safety manual (EU+)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2930-E141	8,00	
	Country kit Euro-cable (non EU))	incl. power cord (Euro), safety manual (non EU)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2930-E142	8,00	
	Country kit ESP O Euro cable PVC free																				x	x	S26361-F2950-E100	9,00	
	Made in Germany sticker	The „Made in Germany" sticker prominently displays this universally admired differentiating product value	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26391-F404-E911	2,00	
OneBox-Keyboards																									
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x			S26381-K341-E110	27,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x			S26381-K341-E120	27,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x			S26381-K341-E165	27,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x			S26381-K341-E185	27,00	
	KB410 USB BLACK US	KB410 USB, slim value keyboard with US layout on 105-key modul in black. Fixed USB cable 1.8 m.		x			x		x	x		x			x		x	x		x			S26381-K510-E402	13,00	
	KB410 USB BLACK DE	KB410 USB, slim value keyboard with german layout on 105-key modul in black. Fixed USB cable 1.8 m.		x			x		x	x		x			x		x	x		x			S26381-K510-E420	13,00	
	KB410 USB BLACK GB	KB410 USB, slim value keyboard with english layout on 105-key modul in black. Fixed USB cable 1.8 m.		x			x		x	x		x			x		x	x		x			S26381-K510-E465	13,00	
	KB410 USB BLACK IT	KB410 USB, slim value keyboard with italian layout on 105-key modul in black. Fixed USB cable 1.8 m.		x			x		x	x		x			x		x	x		x			S26381-K510-E485	13,00	
	KB410 PS2 BLACK US	KB410 PS2, slim value keyboard with US layout on 105-key modul in black. PS2 cable 1.8 m.		x			x		x	x		x			x		x	x		x			S26381-K515-E402	13,00	
	KB410 PS2 BLACK DE	KB410 PS2, slim value keyboard with german layout on 105-key modul in black. PS2 cable 1.8 m.		x			x		x	x		x			x		x	x		x			S26381-K515-E420	13,00	
	KB410 PS2 BLACK GB	KB410 PS2, slim value keyboard with english layout on 105-key modul in black. PS2 cable 1.8 m.		x			x		x	x		x			x		x	x		x			S26381-K515-E465	13,00	
	KB410 PS2 BLACK IT	KB410 PS2, slim value keyboard with italian layout on 105-key modul in black. PS2 cable 1.8 m.		x			x		x	x		x			x		x	x		x			S26381-K515-E485	13,00	
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26381-K520-E102	13,00	
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26381-K520-E120	13,00	
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26381-K520-E165	13,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26381-K520-E185	13,00	
	KB400 USB black US	KB400 USB INT USA, SLIM value keyboard black, international and USA layout, USB	x	x	x	x		x	x		x		x	x		x	x		x				S26381-K550-E402	10,00	
	KB400 USB black D	KB400 USB D, SLIM value keyboard black, german layout, USB	x	x	x	x		x	x		x		x	x		x	x		x				S26381-K550-E420	10,00	
	KB400 USB black GB	KB400 USB GB, SLIM value keyboard black, english layout, USB	x	x	x	x		x	x		x		x	x		x	x		x				S26381-K550-E465	10,00	
	KB400 USB black I	KB400 USB I, SLIM value keyboard black, italian layout, USB	x	x	x	x		x	x		x		x	x		x	x		x				S26381-K550-E485	10,00	
	KB400 PS2 US	KB400 PS2 US, SLIM value Keyboard black US english PS2	x	x	x	x	x	x	x		x		x	x	x	x	x		x				S26381-K551-E402	10,00	
	KB400 PS2 black D	KB400 PS2 D, SLIM value Keyboard black Germany PS2	x	x	x	x	x	x	x		x		x	x	x	x	x		x				S26381-K551-E420	10,00	
	KB400 PS2 black GB	KB400 PS2 GB, SLIM value Keyboard black UK PS2	x	x	x	x	x	x	x		x		x	x	x	x	x		x				S26381-K551-E465	10,00	
	KB400 PS2 black I	KB400 PS2 I, SLIM value Keyboard black Italien PS2	x	x	x	x	x	x	x		x		x	x	x	x	x		x				S26381-K551-E485	10,00	
	Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x			S26381-K560-E402	16,00	
	Keyboard KB900 USB RU US	KB900 USB RUS GB, russian and english layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x			S26381-K560-E419	16,00	
	Keyboard KB900 USB D	KB900 USB D, german layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x			S26381-K560-E420	16,00	
	Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x			S26381-K560-E465	16,00	
	Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x			S26381-K560-E485	16,00	
	Keyboard KB900 USB TR Q	KB900 USB TR Q, turkish Q layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x			S26381-K560-E489	16,00	
	PS2 Keyboard Cable 2,0m	Keyboardcable PS2 for KBPC PX ECO, ca. 2,0 m length	x	x				x	x	x	x	x				x	x	x	x	x			T26139-Y4530-E1	4,00	
OS/Application-SW																									
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback),, BackItUp/ on DVD	x		x	x		x	x		x		x	x		x	x		x				S26361-F1818-E893	10,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E900	ESPRIMO E910	ESPRIMO P400	ESPRIMO P500	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P900	ESPRIMO P910	ESPRIMO Q510	ESPRIMO Q910	Product Code	EUP (€)	Comments
Options matrix																									
OS/Application-SW (Continued)																									
	Nero 10 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp		x	x		x			x		x	x		x			x		x	x	x	S26361-F1818-E897	10,00	
	SAG CAT Client WIN7 Jul12	preloaded XP Prof., short documentation								x								x					S26361-F2109-E985	4,00	Orderable from: 29/06/2012
	Rec.DVD eLux RL3	Recovery-DVD for eLux RL 3.x. No licenses for eLux or Scout EP are included.	x					x															S26361-F2727-E708	3,00	
	Rec.DVD WES7 German		x					x															S26361-F2009-E811	3,00	
	Rec.DVD WES7 English		x					x															S26361-F2009-E812	3,00	
	Rec.DVD WES7 SC German		x					x															S26361-F2009-E813	3,00	
	Rec.DVD WES7 SC English		x					x															S26361-F2009-E814	3,00	
	License eLux RL3 + Scout built-in	Pre-installed eLux RL 3.x with client licenses for eLux and Scout EP; including 2 years of software support.	x					x															S26361-F2727-E707	70,00	
	Win Embedded Standard_7 German	German version of Windows Embedded Standard 7 without manageability agent., Size on storage device ca. 3.6 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	x					x															S26361-F2009-E208	69,00	
	Win Embedded Standard_7 English	English version of Windows Embedded Standard 7 without manageability agent., Size on storage device ca. 3.6 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	x					x															S26361-F2009-E211	69,00	
	Win Embedded Standard_7_SC German	German version of Windows Embedded Standard 7 with manageability agent for Scout EP. No client license for Scout EP is included., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.), Size on storage device ca. 3.8 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	x					x															S26361-F2009-E207	79,00	
	Win Embedded Standard_7_SC English	English version of Windows Embedded Standard 7 with manageability agent for Scout EP. No client license for Scout EP is included., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.), Size on storage device ca. 3.8 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	x					x															S26361-F2009-E210	79,00	
	Windows MultiPoint Server 2011 Standard															x							S26361-F2011-E160	239,00	
	Windows MultiPoint Server 2011 Premium	Languages: English, French, German, Chinese (Hong Kong), Hungarian, Italian, Japanese, Korean, Polish, Portuguese (Brazil), Portuguese (Iberain), Russian, Spanish, Chinese (simplified), Chinese (traditional), Turkish														x							S26361-F2011-E161	499,00	
	Windows MPS 2011 CAL															x							S26361-F2011-E170	62,00	Phased out
	Lizenz EU/MM - Windows 7 Ultimate	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.		x	x		x			x		x	x		x			x		x	x	x	S26361-F2210-E325	180,00	New product
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E243	95,00	
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E253	126,00	
	License RUS - Windows 7 Starter (EM)	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).			x	x	x						x	x	x								S26361-F2009-E212	33,00	Phased out
	License RUS - Windows 7 Home Basic	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E232	50,00	
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E242	82,00	
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E252	118,00	
	Linux	on DVD, open source	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-E894	3,00	
	License EM - Windows 7 Starter (EM)	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro			x	x	x						x	x	x								S26361-F2009-E214	33,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E900	ESPRIMO E910	ESPRIMO P400	ESPRIMO P500	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P900	ESPRIMO P910	ESPRIMO Q510	ESPRIMO Q910	Product Code	EUP (€)	Comments
Options matrix																									
OS/Application-SW (Continued)																									
	License EM - Windows 7 Home Basic	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	x	x	x	x	x	x	x			x	x	x	x	x	x			x	x	S26361-F2009-E234	64,00	
	License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E244	95,00	
	License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E254	126,00	
	License EM-MEA - Windows 7 Starter (EM)	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe			x	x	x						x	x	x								S26361-F2009-E215	33,00	Phased out
	License EM-MEA - Windows 7 Home Basic	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E235	64,00	
	License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E245	95,00	
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E255	126,00	
	License EM-SEA - Windows 7 Home Basic	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E236	64,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E900	ESPRIMO E910	ESPRIMO P400	ESPRIMO P500	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P900	ESPRIMO P910	ESPRIMO Q510	ESPRIMO Q910	Product Code	EUP (€)	Comments
Options matrix																									
OS/Application-SW (Continued)																									
	License EM-LATAM Windows 7 Starter (EM)	EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela			x	x	x						x	x	x								S26361-F2009-E217	33,00	Phased out
	License EM-LATAM Windows 7 Home Basic	EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela											x										S26361-F2009-E237	64,00	
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN,, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E271	106,00	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN,, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E272	183,00	
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN,, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E273	315,00	
	License EM-INDIA Windows 7 Home Basic	EM-INDIA. Select for shipments to: India			x	x	x						x	x	x								S26361-F2009-E238	64,00	
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E248	95,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E258	126,00	
	License EM-SEA - Windows 7 Professional	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam,						x		x						x		x				x	S26361-F2210-E121	126,00	
	LicenseChinTradTaiwan Win 7 Professional	License sticker (COA) MM-ChinTradTaiwan, Mature Markets ChinTrad, English, Shipment limited to Taiwan,						x		x						x		x				x	S26361-F2210-E122	126,00	
	License EM-ChinSimpl Win 7 Professional	License sticker (COA) EM-ChinSimpl PRC, Emerging Market PeoplesRepublicChina, Shipment limited to PRChina,						x		x						x		x				x	S26361-F2210-E123	84,00	
	LicenseChinTrad HK - Win7 Professional	License sticker (COA) MM-ChinTrad HK, Mature Markets ChinTradHongkong, English, Worldwide Shipment w/o PRChina + Japan,						x		x						x		x				x	S26361-F2210-E124	126,00	
	License MM-Japanese -Win 7 Professional	License sticker(COA)MM-Japanese,English, Mature Markets - Japanese, English, Worldwide shipment,						x		x						x		x				x	S26361-F2210-E125	126,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E900	ESPRIMO E910	ESPRIMO P400	ESPRIMO P500	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P900	ESPRIMO P910	ESPRIMO Q510	ESPRIMO Q910	Product Code	EUP (€)	Comments
Options matrix																									
OS/Application-SW (Continued)																									
	License MM-Thai - Windows 7 Professional	License sticker (COA) MM-Thai, English, Mature Markets - Thai, English, Worldwide shipment,						x		x						x		x				x	S26361-F2210-E126	126,00	
	License EM-SEA - Windows 7 Home Premium	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietna,						x		x						x		x				x	S26361-F2210-E221	95,00	
	LicenseChinTradTaiwan Win 7 Home Premium	License sticker (COA) MM-ChinTradTaiwan, Mature Markets ChinTrad, English, Shipment limited to Taiwan,						x		x						x		x				x	S26361-F2210-E222	95,00	
	License EM-ChinSimpl Win 7 Home Premium	License sticker (COA) EM-ChinSimpl PRC, Emerging Market PeoplesRepublicChina, Shipment limited to PRChina,						x		x						x		x				x	S26361-F2210-E223	82,00	
	License ChinTrad HK - Win 7 Home Premium	License sticker (COA) MM-ChinTrad HK, Mature Markets ChinTradHongkong, English, Worldwide Shipment w/o PRChina + Japan,						x		x						x		x				x	S26361-F2210-E224	95,00	
	License MM-Thai - Windows 7 Home Premium	License sticker (COA) MM-Thai, English, Mature Markets - Thai, English, Worldwide shipment,						x		x						x		x				x	S26361-F2210-E226	95,00	
	Blu-ray playback software	DVD-video and Blu-ray playback, on DVD. , Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics.			x	x	x	x	x		x		x	x	x	x	x		x		x		S26361-F2007-E420	33,00	
	Blue-ray playback software	DVD-video and Blu-ray playback, on DVD. , Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics.	x	x	x		x			x		x	x		x			x		x	x	x	S26361-F2007-E421	33,00	
	No Operating System		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E100	2,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E441	4,00	
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E442	4,00	
	Win7 HomePremium64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E443	4,00	
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E444	4,00	
	Win7 HomePremium64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E445	4,00	
	Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E446	4,00	
	Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E351	4,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E900	ESPRIMO E910	ESPRIMO P400	ESPRIMO P500	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P900	ESPRIMO P910	ESPRIMO Q510	ESPRIMO Q910	Product Code	EUP (€)	Comments
Options matrix																									
OS/Application-SW (Continued)																									
	Win7 Pro32 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E352	4,00	
	Win7 Pro32 EM+SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E353	4,00	
	Win7 Pro32 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E354	4,00	
	Win7 Pro32 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E355	4,00	
	Win7 Pro 32 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E356	4,00	
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E451	4,00	
	Win7 Pro64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E452	4,00	
	Win7 Pro64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E453	4,00	
	Win7 Pro64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E454	4,00	
	Win7 Pro64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E455	4,00	
	Win7 Pro 64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E456	4,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E900	ESPRIMO E910	ESPRIMO P400	ESPRIMO P500	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P900	ESPRIMO P910	ESPRIMO Q510	ESPRIMO Q910	Product Code	EUP (€)	Comments
Options matrix																									
OS/Application-SW (Continued)																									
	Win7 Starter32 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x						x	x	x								S26361-F2109-E316	3,00	Phased out
	Win7 Starter32 EM+SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x						x	x	x								S26361-F2109-E313	3,00	Phased out
	Win7 HomeBasic32 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E336	3,00	
	LoadWin7 Pro64 Thai+Office2010s	Languages: EN, TH (English, Thai), , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,						x		x						x		x				x	S26361-F2210-E101	3,00	
	LoadWin7Pro64 ChinTradTaiwan+Office2010s	Languages: EN, Chinese Traditional Taiwan, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,						x		x						x		x				x	S26361-F2210-E102	3,00	
	LoadWin7Pro64 ChinSimplified+Office2010s	Languages: Chinese Simplified PRC (People's Republic of China), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,						x		x						x		x				x	S26361-F2210-E103	3,00	
	LoadWin7Pro64 ChinTradHK+Office2010s	Languages: EN, Chinese Traditional Hongkong, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,						x		x						x		x				x	S26361-F2210-E104	3,00	
	LoadWin7 Pro64 Japanese+Office2010s	Languages: EN, JP (English, Japanese), , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,						x		x						x		x				x	S26361-F2210-E105	3,00	
	LoadWin7 HP64 Thai+Office2010s	Languages: EN, TH (English, Thai), , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,						x		x						x		x				x	S26361-F2210-E201	3,00	
	LoadWin7 HP64 ChinTradTaiwan+Office2010s	Languages: EN, Chinese Traditional Taiwan, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,						x		x						x		x				x	S26361-F2210-E202	3,00	
	LoadWin7 HP64 ChinSimplified+Office2010s	Languages: Chinese Simplified PRC (People's Republic China), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,						x		x						x		x				x	S26361-F2210-E203	3,00	
	LoadWin7 HP64 ChinTradHK+Office2010s	Languages: EN, Chinese Traditional Hongkong, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,						x		x						x		x				x	S26361-F2210-E204	3,00	
	Win7 HomeBasic32 EM+SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E333	3,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E900	ESPRIMO E910	ESPRIMO P400	ESPRIMO P500	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P900	ESPRIMO P910	ESPRIMO Q510	ESPRIMO Q910	Product Code	EUP (€)	Comments
Options matrix																									
OS/Application-SW (Continued)																									
	Win7 Ultimate64 + Office2010s	Preload: MuLi Ultimate DE/EN, Languages: DE, EN (German, English), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x		x			x		x	x		x			x		x	x	x	S26361-F2210-E305	4,00	New product
	Drivers&Utilities DVD (XP) ESPRIMO DT	incl. Nero Essentials S, Norton Internet Security Trial 90 days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-E910	3,00	
	Drivers&Utilities DVD (Win7) ESPRIMO	incl. Nero Essentials S, Norton Internet Security Trial 90 days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-E901	3,00	
	REC-DVD Win7 HomeBasic 32bit RUS	RU	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E532	3,00	
	REC-DVD Win7 Home Premium 64 RUS	RU	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E642	3,00	
	REC-DVD Win7 Professional 32 RUS	RU	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E552	3,00	
	REC-DVD Win7 Professional 64 RUS	RU	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E652	3,00	
	REC-DVD Win7 Starter (EM) 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR			x	x	x						x	x	x								S26361-F2009-E513	3,00	Phased out
	REC-DVD Win7 HomeBasic 32bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E533	3,00	
	REC-DVD Win 7 Starter (EM) 32 RUS	RUS			x	x	x						x	x	x								S26361-F2009-E512	3,00	Phased out
	REC-DVD Win7 Ultimate 64bit	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR		x	x		x			x		x	x		x			x		x	x	x	S26361-F2210-E315	3,00	New product
	REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E643	3,00	
	REC-DVD Win7 Professional 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E653	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E753	3,00	
	OS RDVD1 Win7 Pro 64, GB,Thai	Languages: English, Thai, Windows Operating System, Activation with valid license,						x		x						x		x				x	S26361-F2210-E111	3,00	
	OS RDVD1 Win7 Pro 64, GB, ChinTradTaiwan	Languages: English, ChineseTraditionalTW, Windows Operating System, Activation with valid license						x		x						x		x				x	S26361-F2210-E112	3,00	
	OS RDVD1 Win7 Pro 64, ChinSimplified	Languages: ChineseSimplifiedPRC, Windows Operating System, Activation with valid license						x		x						x		x				x	S26361-F2210-E113	3,00	
	OS RDVD1 Win7 Pro 64, GB, ChinTrad HK	Languages: English, ChinesesTraditional, Windows Operating System, Activation with valid license						x		x						x		x				x	S26361-F2210-E114	3,00	
	OS RDVD1 Win7 Pro 64 GB, Japanese	Languages: English, Japanese, Windows Operating System, Activation with valid license						x		x						x		x				x	S26361-F2210-E115	3,00	
	OS RDVD1 Win7 HP 64, GB,Thai	Languages: English, Thai, Windows Operating System, Activation with valid license						x		x						x		x				x	S26361-F2210-E211	3,00	
	OS RDVD1 Win7 HP 64, GB, ChinTradTaiwan	Languages: English, ChineseTraditionalTW, Windows Operating System, Activation with valid license						x		x						x		x				x	S26361-F2210-E212	3,00	
	OS RDVD1 Win7 HP 64, ChinSimplifiedPRC	Languages: ChineseSimplifiedPRC, Windows Operating System, Activation with valid license						x		x						x		x				x	S26361-F2210-E213	3,00	
	OS RDVD1 Win7 HP 64, GB, ChinTrad HK	Languages: English, ChineseTraditionalHK, Windows Operating System, Activation with valid license						x		x						x		x				x	S26361-F2210-E214	3,00	
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E751	3,00	
	REC-DVD 2 Win7 NORDIC+Office2010s	Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Office 2010 incl. Office Starter - 32bit, NORDICS (Nordic Region), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E752	3,00	
	REC-DVD 2 Win7 EM+SE+Office2010s	Sprachen: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 inkl. Office Starter - 32bit, EM-SE (Emerging Markets&Southern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E753	3,00	
	REC-DVD 2 Win7 IBER+NE+Office2010s	Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Office 2010 incl. Office Starter - 32bit, IBER-NE (Iberia and Northern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E754	3,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E900	ESPRIMO E910	ESPRIMO P400	ESPRIMO P500	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P900	ESPRIMO P910	ESPRIMO Q510	ESPRIMO Q910	Product Code	EUP (€)	Comments
Options matrix																									
OS/Application-SW (Continued)																									
	REC-DVD 2 Win7 SEE+Office2010s	Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Office 2010 incl. Office Starter - 32bit, SEE (South Eastern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E755	3,00	
	REC-DVD 2 Win7 RU+Office2010s	Languages: RU, Office 2010 incl. Office Starter - 32bit, RU (RU & CIS countries), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E756	3,00	
	OS RDVD2 Win7 Thai+Office2010s	Languages: EN, TH (English, Thai), Office 2010 incl. Office Starter - 32bit, For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x		x						x		x				x	S26361-F2210-E100	3,00	
	OS RDVD2 Win7 ChinTrad+Office2010s	Languages: EN, Chinese Traditional, Office 2010 incl. Office Starter - 32bit, For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x		x						x		x				x	S26361-F2210-E200	3,00	
	OS RDVD2 Win7 ChinSimplified+Office2010s	Languages: Chinese Simplified PRC (People's Republic of China), Office 2010 incl. Office Starter - 32bit, For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x		x						x		x				x	S26361-F2210-E300	3,00	
	OS RDVD2 Win7 GB, Japanese+WLE	Languages: EN, JP (English, Japanese), Office 2010 incl. Office Starter - 32bit, For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x		x						x		x				x	S26361-F2210-E400	3,00	
Security																									
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk, e.g. if the system will be sold. Please notice, that SSD (Solid State Disk) cannot be deleted in a secure method.	x	x				x	x	x	x	x				x	x	x	x			x	S26361-F2542-E435	30,00	
	SmartCase Logon+ 3.2.2	Supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics	x	x				x		x	x	x				x		x	x	x		x	S26361-F2727-E740	14,00	
	SystemLock3	SystemLock3 is a UEFI BIOS smartcard pre-boot authentication (PBA) feature.	x	x				x		x	x	x				x		x	x	x		x	S26361-F2727-E745	18,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface , black, USB cable	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26381-F331-E220	23,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F1260-E520	18,00	
Mouse																									
	Grey mouse instead of black USB			x			x			x		x			x			x		x			S26361-F2542-E221	6,00	
	Black Upgrade Mouse M440 ECO		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-E222	16,00	
	Laser Mouse GL9000							x	x	x	x	x				x	x	x	x	x	x	x	S26381-K438-E100	17,00	
	Grey mouse instead of black USB	upgrade mouse for system unit,USB 2.0 interface,allows horizontal scrolling	x		x	x		x	x		x		x	x		x	x		x				S26361-F2542-E216	6,00	Phased out
	Grey USB/PS2 laser mouse inst.of blk USB	upgrade mouse for system unit,Logitech, USB 2.0 interface incl.adapter to PS/2, allows horizontal scrolling	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2542-E217	9,00	
Miscellaneous																									
	Internal speaker						x	x						x	x								S26361-F2542-E21	6,00	
	Med-Kit ESPRIMO/CELSIUS	Manual and product compliant to IEC 60601-1-2. Preparation for further medical certifications and relevant for integration into medical products.	x					x		x						x		x	x				S26361-F2542-E250	26,00	
	Lock in front panel							x	x	x	x	x											S26361-F2542-E326	6,00	
	Lock plate ESPRIMO Q																				x	x	S26361-F2542-E338	6,00	
	Intrusion switch							x	x	x	x	x				x	x	x	x	x			S26361-F2542-E426	4,00	
	Intrusion switch ESPRIMO Q																					x	S26361-F2542-E428	4,00	New product.Orderable from: 23/07/2012
	Rubber feet for vertical position (4					x	x	x	x	x	x	x											S26361-F2542-E480	4,00	
	TPM Module						x								x								S26361-F3552-E3	10,00	
	Monitor outlet cable	necessary to contact monitor directly to the PC						x		x	x	x				x		x	x	x			S26361-F2542-E57	4,00	
	Power cord for monitor (CH)		x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x			S26361-F2542-E59	4,00	
	Cable for second internal USB device															x		x	x	x			S26361-F2581-E10	3,00	
	Lock in front panel C700		x	x																			S26361-F2542-E333	6,00	
	Intrusion switch		x	x																			S26361-F2542-E322	4,00	
	Key lock in side door	for lock of housing														x	x	x	x	x			S26361-F2542-E323	6,00	
	Feet for vertical position (set)				x	x	x	x	x	x	x	x											S26361-F2542-E200	7,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-E90	4,00	
	No TPM/ TLS	for countries with import regulations	x	x				x	x	x	x	x				x	x	x	x		x	x	S26361-F3436-E2	3,00	
Keyboard /Mouse																									
	Remote Control RC900	Remote Control RC900, micro receiver, manual, batteries																			x	x	S26381-K456-E100	15,00	
made4you Services																									
	Master Kev ESPRIMO P. CELSIUS W															x	x	x	x	x			S26361-F2542-E329	10,00	
Desk View																									
	DV Adv. Migration (DVD + 1 Lic.)	DeskView Advanced Migration DVD incl. 1 License, , Components: , - Data Migration (Migration of personalizations, settings, links, favorites, etc.), - System Migration (Virtualization of HDDs and full systems), - Secure Deletion (secure deletion of data on HDDs via multiple options of deletion algorithms), , Efficient tool that supports you migration your old system to a new system including the secure deletion of the data on your old HDD. Supports Windows XP, Windows Vista and Windows 7 (32 Bit and 64 Bit architectures).,	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F4040-E10	17,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning CELSIUS workstations

CELSIUS H Series

CELSIUS H Series. Powerful mobile workstation. If you run power-hungry 3D applications that demand no compromise on the graphics side, you'll appreciate the CELSIUS H. The system offers the power of a full-fledged workstation: Editing 3D OpenGL graphics in real time, running computer simulations and computing multimedia animations wherever you are.

CELSIUS W Series

CELSIUS W Series. High-End PC / Entry-Level workstation
If you need more power and more expandability than a desktop PC can offer, choose the entry-level workstation CELSIUS W Series. The CELSIUS W Series offers workstation performance - in combination with fastest generation of processors, chipsets and graphic cards.

CELSIUS M Series

CELSIUS M Series. Mid-range workstation.
Do you need more power, more memory, more data security, and more expandability than a conventional PC can offer? Then choose the mid-range workstation CELSIUS M Series. CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. CELSIUS are certified for a huge variety of software applications.

CELSIUS R Series

CELSIUS R Series. High-end workstation.
You need a powerful, dual-processor workstation and want to choose from a large range of graphics subsystems. The CELSIUS R Series is ready for all challenges. What is more, the CELSIUS R Series offers great expandability. Latest technology combined with top performance components makes this the optimum hardware choice for power hungry applications.

CELSIUS RemoteAccess

CELSIUS RemoteAccess
Do you want to access your workstation remotely? Then the CELSIUS RemoteAccess solution is the right choice for you. It enables you to separate your hardware from data input and output while keeping at the same time the real workstation user experience and performance.

(See Accessories page)

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS H710

The Fujitsu CELSIUS H710 delivers workstation power in a 39.6 cm (15.6-inch) notebook form factor. Featuring the 2nd generation Intel® Core™ processors and powerful NVIDIA® graphics, the CELSIUS H710 delivers uncompromising performance without tethering you to the office. Secure and reliable, it is ideal for business environments such as CAD and digital content creation.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
CELSIUS H710					
	CELS H710 /15.6" HD+ LED/I5-2520M/4GB/ (Promo)	CELS H710 /15.6" HD+ LED/I5-2520M/4GB/ DVD/500GB 7.2K/NO UMTS/NO MODEM/ WLAN INTEL 6205/BT V2.1/2X MIC + WEBCAM/ FINGERPRINT/TPM/CK INT/AC ADAP 19V/120W/,	LKN:H7100W0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS H710					
	CELSIUS H710	Base unit, Mobile Intel® QM67 Express Chipset (CougarPoint), supports vPro, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. NVidia Quadro 1000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM (w/ AMT 7.x), Intel High Definition Audio and 2 Microphones integrated, 1x PC Card slot type I/II, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 120W., , Modular bay concept for optical drives, second battery or second hard disk drive, , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that the Fingerprint sensor can be configured optionally., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module., If you configure	S26391-K323-V100	999,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS H910

The Fujitsu CELSIUS H910 delivers high-end workstation power in a 43.9 cm (17.3-inch) notebook form factor. Featuring the 2nd generation Intel® Core™ processors and high-end NVIDIA® graphics, the CELSIUS H910 delivers uncompromising performance without tethering you to the office. Secure and reliable, it is ideal for business environments such as high end CAD, digital content creation, virtualization and Virtual Reality.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS H910					
	CELSIUS H910 Dual Core	Base unit for Intel Dual Core processors, Mobile Intel® QM67 Express Chipset (CougarPoint), supports vPro, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Fixed optical drive internal 2nd hard disk optionally available. NVidia Quadro 3000M oder 4000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM (w/ AMT 7.x), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., , Front interfaces: 1 x wireless switch , , Left side interfaces: 1 x Kensington, 1 x AC adapter,	S26391-K324-V100	899,00	
	CELSIUS H910 Quad Core	Base unit for Intel Quad Core processors, Mobile Intel® QM67 Express Chipset (CougarPoint), supports vPro, supports Dual Channel DDR3 1333MHz PC10600 RAM (4 DIMM slots). Fixed optical drive internal 2nd hard disk optionally available. NVidia Quadro 3000M oder 4000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM (w/ AMT 7.x), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., , Front interfaces: 1 x wireless switch , , Left side interfaces: 1 x Kensington, 1 x AC adapter,	S26391-K324-V200	933,00	

CELSIUS W410
Your gateway to workstation power

CELSIUS W410

The CELSIUS W410 is an excellent system providing advanced performance for workstation applications. Powered by the 2nd generation Intel® Core™ processor family and available with a wide selection of professional graphics cards, this system offe rs you advanced power and productivity of workstation technology and is ideal for business environments such as entry-level 2D CAD.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W410					
	CELSIUS W410	Base unit, system board D3062, 300 W wide range power supply, optical USB tilt scroll mouse; Chipset: Intel Q67., , Slots: , 4 DIMM-sockets (max. 16 GB, DDR3-1333, dual channel), 4 slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 1x PCIe x1, 1x PCI (32-bit / 33 MHz)., , Onboard I/O-devices: , Intel HD Graphics or HD Graphics 2000 (depending on CPU), network controller Intel 82579LM, Serial ATA controller (6 Ports 2 thereof SATA III; RAID 0 or 1 for HDDs) und HD-audio Conexant CX20642., , Bays:, 6 (2x 5,25" and 2x 3,5" externally accessible, 2x 3,5" internal HDD-bays, 1x 2,5" internal HDD/SSD-bays)., , Front interfaces:, 4x USB 2.0, 1x audio out, 1x audio in., , , , Rear interfaces:, 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) or 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter), 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial;, , Internal interfaces:, 6x USB 2.0, , Embedded security (TPM 1.2), Disable / Hide TPM option	S26361-K1358-V115	403,00	

CELSIUS W420
Your gateway to workstation power

CELSIUS W420

The Gateway to Workstation Performance
If your application requirements have outgrown the performance of a standard PC, the Fujitsu CELSIUS W420 is designed for you. This attractively-priced, compact workstation is individually configurable and allows easy tool-less expansion for greater working flexibility. Unique low-noise emissions help you increase your productivity.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
CELSIUS W420					
	CELS W420 /CORE I5-3470/4GB DDR3-1600/ (Promo)	CELS W420 /CORE I5-3470/4GB DDR3-1600/ FIREPRO V3900/DVD SM/MCR/500GB SATA III/ HD CABLE/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:W4200W0001IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W420					
	CELSIUS W420	Base unit, system board D3162, 300 W wide range power supply, optical USB tilt scroll mouse; Chipset: Intel Q77., , Slots: , 4 DIMM-sockets (max. 32 GB, DDR3-1600, dual channel), 4 slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 1x PCIe x1, 1x PCI (32-bit / 33 MHz)., , Onboard I/O-devices: , Intel HD Graphics or HD Graphics 2500 (depending on CPU), network controller Intel 82579LM, Serial ATA controller (6 Ports 2 thereof SATA III; RAID 0, 1 or 5 for HDDs) und HD-audio Conexant CX20642., , Bays:, 7 (2x 5,25" and 2x 3,5" externally accessible, 2x 3,5" internal HDD-bays, 1x 2,5" internal HDD/SSD-bays)., , Front interfaces:, 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , , , Rear interfaces:, 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) or 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter), 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial., , Internal interfaces:, 2x USB 2.0, , Embedded security (TPM 1.2), Disable / Hide TPM option	S26361-K1358-V215	403,00	

CELSIUS W510
Your gateway to workstation power

CELSIUS W510

The CELSIUS W510 is a productivity workstation with the latest Intel® Xeon® processors and professional graphics that act together to deliver performance and flexibility. This system is the ideal choice for business environments such as 3D CAD, financial forecasting and digital content creation, giving you the performance to boost your productivity.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W510					
	CELSIUS W510	Base unit, system board D3067, 300 W wide range power supply, optical USB tilt scroll mouse; chipset: Intel C206;, , Slots: , 4 DIMM-sockets (max. 32 GB, DDR3-1333, ECC or non ECC, dual channel), 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 2x PCIe x1, 3x PCI (32-bit / 33 MHz)., , Onboard I/O-devices: , Intel® HD Graphics 2000 or HD Graphics P3000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports – 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642;, , Bays:, 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front)., , Front interfaces: , 4x USB 2.0, 1x audio out, 1x audio in., , Rear interfaces: , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial;, , Internal	S26361-K1359-V115	458,00	Phased out
CELSIUS W510power					
	CELSIUS W510power	Base unit, system board D3067, 500 W wide range power supply, optical USB tilt scroll mouse; chipset: Intel C206;, , Slots: , 4 DIMM-sockets (max. 32 GB, DDR3-1333, ECC or non ECC, dual channel), 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 2x PCIe x1, 3x PCI (32-bit / 33 MHz)., , Onboard I/O-devices: , Intel HD Graphics 2000 or HD Graphics P3000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642;, , Bays:, 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front)., , Front interfaces: , 4x USB 2.0, 1x audio out, 1x audio in., , Rear interfaces: , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial;, , Internal interfaces:, 4x USB 2.0, 1x	S26361-K1359-V215	492,00	Phased out

CELSIUS W520
Your gateway to workstation power

CELSIUS W520

Performance That Boosts Your Productivity
If you need a powerful entry-level workstation, Fujitsu's CELSIUS W520 is the ideal choice. Comprehensive ISV certifications ensure your professional applications run smoothly. Your workplace is silent and user-friendly thanks to best-in-class noise emissions. Plus, the cold plug access at the front of the workstation lets you expand your storage capacity or change drives for enhanced working

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
CELSIUS W520power					
	Base unit, system board D3167, 500 W wide range power supply, optical USB tilt scroll mouse, EraseDisk; chipset: Intel C216;, , , , Slots: , , 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non ECC, dual channel), 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 3x PCIe x1, 2x PCI (32-bit / 33 MHz)., , , , Onboard I/O-devices: , , Intel HD Graphics 2500 or HD Graphics P4000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642;, , , , Bays:, , 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front)., , , , Front interfaces: , , 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , , , Rear interfaces: , , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 2x USB 3.0, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial., , , Internal interfaces:, , 2x USB 2.0, 1x USB 2.0 with standard connector (switchable in BIOS)., , , , Embedded security (TPM 1.2) , , Disable / Hide TPM option			
	CELS W520POWER /XEON E3-1275V2/ (Promo)	CELS W520POWER /XEON E3-1275V2/ 4x4GB DDR3-1600/DVD SM/MCR/ 2000GB SATA III AF/ESATA/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:W5200W0001IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W520					
	CELSIUS W520	Base unit, system board D3167, 300 W wide range power supply, optical USB tilt scroll mouse, EraseDisk; chipset: Intel C216;, , , , Slots: , , 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non ECC, dual channel), 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 3x PCIe x1, 2x PCI (32-bit / 33 MHz)., , , , Onboard I/O-devices: , , Intel HD Graphics 2500 or HD Graphics P4000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642;, , , , Bays:, , 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front)., , , , Front interfaces: , , 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , , , Rear interfaces: , , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 2x USB 3.0, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x	S26361-K1359-V315	465,00	

CELSIUS W520
Your gateway to workstation power

CELSIUS W520

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W520 (Continued)					
	CELSIUS W520 SAG	Base unit, system board D3167, 300 W wide range power supply, optical USB tilt scroll mouse, EraseDisk; chipset: Intel C216;, , , , Slots: , , 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non ECC, dual channel), 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 3x PCIe x1, 2x PCI (32-bit / 33 MHz)., , , , Onboard I/O-devices: , , Intel HD Graphics 2500 or HD Graphics P4000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642;, , , , Bays:, , 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front)., , , , Front interfaces: , , 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , , , Rear interfaces: , , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 2x USB 3.0, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x	S26361-K1359-V389	465,00	New product
CELSIUS W520power					
	CELSIUS W520power	Base unit, system board D3167, 500 W wide range power supply, optical USB tilt scroll mouse, EraseDisk; chipset: Intel C216;, , , , Slots: , , 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non ECC, dual channel), 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 3x PCIe x1, 2x PCI (32-bit / 33 MHz)., , , , Onboard I/O-devices: , , Intel HD Graphics 2500 or HD Graphics P4000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642;, , , , Bays:, , 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front)., , , , Front interfaces: , , 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , , , Rear interfaces: , , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 2x USB 3.0, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x	S26361-K1359-V415	498,00	

CELSIUS M470
Your new "thoroughbred" workstation

CELSIUS M470

The CELSIUS M Series is the single-processor platform with a particularly well-balanced ratio between price and performance. The CELSIUS M470 incorporates the latest advances in performance technologies enabling you to meet increasingly demanding schedules using professional applications such as CAD/CAE, virtual reality and finance. To ensure that those tasks run with maximum system stability, the CELSIUS M470 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
CELSIUS M470-2					
	, Base unit, prepared for rack mounting (rack mount kit optionally available), ATX systemboard D2778, power supply 700W, optical USB tilt scroll mouse;, Chipset: Intel X58 Express, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 3 channels; , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical x8), 1x PCIe x4 Gen1 (mechanical x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, 1x network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), FireWire (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5.25“ FlexiBays externally accessible and 4 internal HDD-bays, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x FireWire (IEEE 1394a), , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,			
	CELS M470-2 POW /XEON W3550/4x2GB/ (Promo)	CELS M470-2 POW /XEON W3550/4x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:M4702W0004IT		Phased out
	CELS M470-2 POW /XEON W3565/4x2GB/ (Promo)	CELS M470-2 POW /XEON W3565/4x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:M4702W0006IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS M470-2					
	CELSIUS M470-2 SAG	Base unit, prepared for rack installation (rack mount kit optionally available), ATX systemboard D2778, power supply 500W, optical USB tilt scroll mouse;, Chipset: Intel x58 Express, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 3 channels; , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical x8), 1x PCIe x4 Gen1 (mechanical x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, 1x network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), FireWire (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5.25“ FlexiBays externally accessible and 4 internal HDD-bays, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x FireWire (IEEE 1394a), , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Pre-configured components: DVD SuperMulti drive, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,	S26361-K990-V889	583,00	Phased out

CELSIUS M470
Your new "thoroughbred" workstation

CELSIUS M470

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS M470-2 (Continued)					
	CELSIUS M470-2 power	, Base unit, prepared for rack mounting (rack mount kit optionally available), ATX systemboard D2778, power supply 700W, optical USB tilt scroll mouse;, Chipset: Intel X58 Express, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 3 channels; , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical x8), 1x PCIe x4 Gen1 (mechanical x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, 1x network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), FireWire (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5.25“ FlexiBays externally accessible and 4 internal HDD-bays, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x FireWire (IEEE 1394a), , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,	S26361-K990-V915	583,00	Phased out
	CELSIUS M470-2	Base unit, prepared for rack installation (rack mount kit optionally available), ATX systemboard D2778, power supply 500W, optical USB tilt scroll mouse;, Chipset: Intel x58 Express, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 3 channels; , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical x8), 1x PCIe x4 Gen1 (mechanical x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, 1x network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), FireWire (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5.25“ FlexiBays externally accessible and 4 internal HDD-bays, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x FireWire (IEEE 1394a), , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,	S26361-K990-V815	538,00	Phased out

CELSIUS R570
Your compact "powerhouse" workstation

CELSIUS R570

The CELSIUS R series is the dual-processor platform in the mid-range and high-end sector with a great selection of graphics subsystems. Energy efficiency and state-of-the-art microprocessor technology make this compact powerhouse the ideal solution for fields of activity, such as computer aided design, engineering, mechanical design, simulation, virtual reality, visualization, digital content creation and finance. To ensure that those tasks run with maximum system stability, the CELSIUS R570 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS R570-2					
	CELSIUS R570-2	Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2628, power supply 700 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCIe x4 Gen1 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in;, , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K994-V515	739,00	Phased out
	CELSIUS R570-2 power	Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2628, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus Systemmanagement, DeskView license included., , Slots: , 6 DIMM-slots, 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCIe x4 Gen1 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in;, , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K994-V615	784,00	Phased out

CELSIUS R670
The new uncompromising high-end workstation

CELSIUS R670

The CELSIUS R series is the dual-processor platform for the mid-range and high-end segment with a great selection of graphics subsystems. Through the combination of standard-setting microprocessor technology and energy efficiency, the generous CELSIUS R670 embodies with its numerous expansion options the ideal system for memory-consuming applications. The CELSIUS R670 is the ideal solution for business segments, such as computer aided design and engineering, mechanical design, simulation, virtu al reality, visualization, digital content creation and finance. To ensure that those tasks run with maximum system stability, t he CELSIUS R670 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
CELSIUS R670-2					
	, Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2618, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JB I/O Controller Hub (ICH10);, Premium Status-LCD, Syleus system management, LSI-SAS Controller 1068E, DeskView license included., , Slots: , 12 DIMM-slots (each CPU with 6), 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 3x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , Onboard I/O-devices: 2xnetwork controller Realtek 8111CP (2 Ports, GB-LAN, ASF 2.0), SAS Controller (8 ports, RAID 0 and 1E), Serial ATA Controller (4 Ports), FireWire controller (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5,25“ FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in. 1x FireWire (IEEE 1394a), , Rear interfaces: 2x LAN RJ45, 1x eSATA, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,			
	CELS R670-2 /XEON E5620/2x2GB/ (Promo)	CELS R670-2 /XEON E5620/2x2GB/ NO GRAPHICS/ODD CABLE/DVD SM/HD CABLE/ 500GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:R6702W0004IT		Phased out
	CELS R670-2 /XEON E5630/3x2GB/ (Promo)	CELS R670-2 /XEON E5630/3x2GB/ NO GRAPHICS/ODD CABLE/DVD SM/HD CABLE/ 1000GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:R6702W0005IT		Phased out
	CELS R670-2 /XEON E5640/4x2GB/ (Promo)	CELS R670-2 /XEON E5640/4x2GB/ NO GRAPHICS/ODD CABLE/DVD SM/HD CABLE/ 1000GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:R6702W0006IT		Phased out
	CELS R670-2 /XEON X5660/3x4GB/ (Promo)	CELS R670-2 /XEON X5660/3x4GB/ NO GRAPHICS/ODD CABLE/DVD SM/HD CABLE/ 1000GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:R6702W0007IT		Phased out
	CELS R670-2 /XEON E5645/3x2GB/ (Promo)	CELS R670-2 /XEON E5645/3x2GB/ NO GRAPHICS/ODD CABLE/DVD SM/HD CABLE/ 1000GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:R6702W0010IT		Phased out
	CELS R670-2 /XEON E5649/4x2GB/ (Promo)	CELS R670-2 /XEON E5649/4x2GB/ NO GRAPHICS/ODD CABLE/DVD SM/HD CABLE/ 1000GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:R6702W0011IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS R670-2					

CELSIUS R670
The new uncompromising high-end workstation

CELSIUS R670

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS R670-2 (Continued)					
	CELSIUS R670-2	, Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2618, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JB I/O Controller Hub (ICH10);, Premium Status-LCD, Syleus system management, LSI-SAS Controller 1068E, DeskView license included., , Slots: , 12 DIMM-slots (each CPU with 6), 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 3x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , Onboard I/O-devices: 2xnetwork controller Realtek 8111CP (2 Ports, GB-LAN, ASF 2.0), SAS Controller (8 ports, RAID 0 and 1E), Serial ATA Controller (4 Ports), FireWire controller (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5,25“ FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in. 1x FireWire (IEEE 1394a), , Rear interfaces: 2x LAN RJ45, 1x eSATA, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM	S26361-K991-V415	984,00	Phased out
	CELSIUS R670-2 SAG	Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2618, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JB I/O Controller Hub (ICH10);, Premium Status-LCD, Syleus system management, LSI-SAS Controller 1068E, DeskView license included., , Slots: , 12 DIMM-slots (each CPU with 6), 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 3x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , Onboard I/O-devices: 2xnetwork controller Realtek 8111CP (2 Ports, GB-LAN, ASF 2.0), SAS Controller (8 ports, RAID 0 and 1E), Serial ATA Controller (4 Ports), FireWire controller (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5,25“ FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in. 1x FireWire (IEEE 1394a), , Rear interfaces: 2x LAN RJ45, 1x eSATA, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Pre-configured	S26361-K991-V489	1.006,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS C620	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W280	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Accessories & services matrix																									
Processor																									
	Xeon E5645 2.40GHz 12MB Turbo Boost	2.40 GHz, 12 MB Turbo Boost, 6 cores/12 threads									x		x	x									S26361-F3612-L245	712,00	
	Xeon X5647 2.93GHz 12MB Turbo Boost	2.93 GHz, 12 MB Turbo Boost, 4 cores/8 threads									x		x	x									S26361-F3612-L247	1.000,00	
	Xeon E5649 2.53GHz 12MB Turbo Boost	2.53 GHz, 12 MB Turbo Boost, 6 cores/12 threads									x		x	x									S26361-F3612-L249	1.000,00	
	Xeon X5672 3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 4 cores/8 threads									x		x	x									S26361-F3612-L972	1.867,00	
	Xeon X5675 3.06GHz 12MB Turbo Boost	3.06 GHz, 12 MB Turbo Boost, 6 cores/12 threads									x		x	x									S26361-F3612-L975	1.867,00	
	Xeon X5687 3.60GHz 12MB Turbo Boost	3.60 GHz, 12 MB Turbo Boost, 4 cores/8 threads									x			x									S26361-F3612-L987	2.167,00	
	Xeon X5690 3.46GHz 12MB Turbo Boost	3.46 GHz, 12 MB Turbo Boost, 6 cores/12 threads									x			x									S26361-F3612-L990	2.167,00	
	Xeon E5-2603 1.80GHz 10MB	1.80 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores,										x			x								S26361-F4536-L603	328,00	
	Xeon E5-2609 2.40GHz 10MB	2.40 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores,										x			x								S26361-F4536-L609	466,00	
	Xeon E5-2620 2.0GHz 15MB Turbo Boost	2.00 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores,										x			x								S26361-F4536-L620	577,00	
	Xeon E5-2630 2.3GHz 15MB Turbo Boost	2.30 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores,										x			x								S26361-F4536-L630	1.010,00	
	Xeon E5-2630L 2.0GHz 15MB	2.00 GHz, 15 MB Cache, 6.4 GT/s QPI, 6 Cores,										x			x								S26361-F4535-L630	877,00	
	Xeon E5-2637 3.0GHz 5MB Turbo Boost	3.00 GHz, 5 MB Turbo Boost, 8.0 GT/s QPI, 2 Cores,										x			x								S26361-F4536-L637	1.288,00	
	Xeon E5-2640 2.5GHz 15MB Turbo Boost	2.50 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores,										x			x								S26361-F4536-L640	1.344,00	
	Xeon E5-2643 3.3GHz 10MB Turbo Boost	3.30 GHz, 10 MB Turbo Boost, 8.0 GT/s QPI, 4 Cores,										x			x								S26361-F4537-L643	1.333,00	
	Xeon E5-2650 2.0GHz 20MB Turbo Boost	2.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,										x			x								S26361-F4536-L650	1.666,00	
	Xeon E5-2650L 1.8GHz 20MB Turbo Boost	1.80 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 8 Cores,										x			x								S26361-F4535-L650	1.466,00	
	Xeon E5-2660 2.2GHz 20MB Turbo Boost	2.20 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,										x			x								S26361-F4536-L660	1.999,00	
	Xeon E5-2665 2.4GHz 20MB Turbo Boost	2.40 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,										x			x								S26361-F4537-L665	2.166,00	
	Xeon E5-2667 2.9GHz 15MB Turbo Boost	2.90 GHz, 15 MB Turbo Boost, 8.0 GT/s QPI, 6 Cores,										x			x								S26361-F4537-L667	2.344,00	
	Xeon E5-2670 2.6GHz 20MB Turbo Boost	2.60 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,										x			x								S26361-F4537-L670	2.344,00	
	Xeon E5-2680 2.7GHz 20MB Turbo Boost	2.70 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,										x			x								S26361-F4537-L680	2.599,00	
	Xeon E5-2687W 3.1GHz 20MB Turbo Boost	3.10 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,										x			x								S26361-F4537-L687	2.855,00	
	Xeon E5-2690 2.9GHz 20MB Turbo Boost	2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,										x			x								S26361-F4537-L690	3.077,00	
	Xeon L5609 1.86 GHz, 12 MB Turbo Boost,	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores											x	x									S26361-F3612-L309	633,00	
	Xeon L5630 2.13 GHz, 12 MB Turbo Boost,	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores											x	x									S26361-F3612-L330	712,00	
	Xeon L5640 2.40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores											x	x									S26361-F3612-L340	1.344,00	
	Xeon E5603 1.60GHz 8MB Turbo Boost	1.60 GHz, 8 MB cache, 4 cores/4 threads									x		x	x									S26361-F3539-L113	284,00	
	Xeon E5606 2.13GHz 8MB Turbo Boost	2.13 GHz, 8 MB cache, 4 cores/4 threads									x		x	x									S26361-F3539-L116	300,00	
	Xeon E5607 2.26GHz 8MB Turbo Boost	2.26 GHz, 8 MB cache, 4 cores/4 threads									x		x	x									S26361-F3539-L117	362,00	
	Xeon E5620 2,40 GHz, 12 MB Turbo Boost,	2,40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores											x	x									S26361-F3612-L220	666,00	
	Xeon E5630 2.53 GHz, 12 MB Turbo Boost,	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores											x	x									S26361-F3612-L230	884,00	
	Xeon E5640 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores											x	x									S26361-F3612-L240	1.278,00	
	Xeon X5650 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores											x	x									S26361-F3612-L950	1.645,00	
	Xeon X5660 2.80 GHz, 12 MB Turbo Boost,	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores											x	x									S26361-F3612-L960	2.000,00	
	Xeon X5667 3.06 GHz, 12 MB Turbo Boost,	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores											x	x									S26361-F3612-L967	2.334,00	
	Xeon X5670 2.93 GHz, 12 MB Turbo Boost,	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores											x	x									S26361-F3612-L970	2.334,00	
	Xeon X5677 3.46 GHz, 12 MB Turbo Boost,	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores												x									S26361-F3612-L977	2.612,00	
	Xeon X5680 3.33 GHz, 12 MB Turbo Boost,	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores												x									S26361-F3612-L980	2.612,00	
Memory																									
	8GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary									x								x	x			S26361-F3379-L4	433,00	
	2GB DDR3-1600 PC3-12800							x															S26391-F1162-L200	73,00	New product,Orderable from: 01/08/2012
	4GB DDR3-1600 PC3-12800							x															S26391-F1162-L400	123,00	New product,Orderable from: 01/08/2012
	8GB DDR3-1600 PC3-12800							x															S26391-F1162-L800	444,00	New product,Orderable from: 01/08/2012
	2GB DDR3-1600 PC3-12800									x													S26391-F1172-L200	73,00	New product,Orderable from: 01/08/2012
	4GB DDR3-1600 PC3-12800									x													S26391-F1172-L400	123,00	New product,Orderable from: 01/08/2012
	8GB DDR3-1600 PC3-12800									x													S26391-F1172-L800	444,00	New product,Orderable from: 01/08/2012
	2 GB DDR3 1066 MHz PC3-8500	1 Modul, PC3-8500 ub				x																	S26391-F504-L100	73,00	
	2GB DDR3-1333 PC3-10600					x																	S26391-F505-L200	73,00	
	4GB DDR3-1333 PC3-10600					x																	S26391-F505-L300	123,00	
	2GB DDR3-1333 PC3-10600						x		x														S26391-F892-L200	73,00	
	4GB DDR3-1333 PC3-10600						x		x														S26391-F892-L400	123,00	
	8GB DDR3-1333 PC3-10600						x		x														S26391-F892-L800	322,00	
	2GB DDR3-1333	1 module PC 1333, DIMM														x							S26361-F4401-L2	35,00	
	4GB DDR3-1333	1 module PC 1333, DIMM														x							S26361-F4401-L3	66,00	
	2GB DDR3-1333	1 module PC 1333, DIMM															x		x	x			S26361-F3378-L2	35,00	
	4GB DDR3-1333	1 module PC 1333, DIMM															x		x	x			S26361-F3378-L3	66,00	
	2GB DDR3-1600		x															x			x	x	S26361-F3384-L2	35,00	
	4GB DDR3-1600		x															x			x	x	S26361-F3384-L3	66,00	
	8GB DDR3-1600		x														x	x			x	x	S26361-F3384-L4	333,00	
	1GB DDR3-1333	1 module									x		x	x									S26361-F3375-L403	33,00	
	2GB DDR3-1600											x											S26361-F3383-L404	40,00	
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary									x		x	x									S26361-F3377-L413	52,00	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary									x		x	x									S26361-F3377-L414	66,00	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary									x		x	x									S26361-F3377-L415	117,00	
	2GB DDR3-1600 ECC											x			x								S26361-F3383-L414	73,00	
	4GB DDR3-1600 ECC											x			x								S26361-F3383-L415	122,00	
	8GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary,										x											S26361-F3383-L416	433,00	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary																	x	x			S26361-F3379-L2	66,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS C620	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W280	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Accessories & services matrix																									
Memory (Continued)																									
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary																	x	x			S26361-F3379-L3	117,00	
	2GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary, ,	x																		x	x	S26361-F3385-L2	73,00	
	4GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary, ,	x																		x	x	S26361-F3385-L3	122,00	
	8GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary, ,	x																		x	x	S26361-F3385-L4	433,00	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary											x	x									S26361-F3377-L424	95,00	
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary											x	x									S26361-F3377-L425	128,00	
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary											x	x									S26361-F3377-L426	222,00	
	16GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary											x	x									S26361-F3374-L427	377,00	
	16GB DDR3-1600 rg ECC														x								S26361-F3383-L427	444,00	
	32GB DDR3-1333 rg LR ECC	1 module, same number of modules for each processor necessary, ,													x								S26361-F3382-L438	2.688,00	
	4GB DDR3-1600 rg ECC														x								S26361-F3383-L425	133,00	
	8GB DDR3-1600 rg ECC														x								S26361-F3383-L426	273,00	
Graphics																									
	NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately	x								x	x	x	x	x		x	x	x	x	x	x	S26361-F2748-L38	99,00	
	NVIDIA Quadro NVS 295 256MB PCIe x1	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters									x		x	x									S26361-F2748-L235	106,00	
	NVIDIA Quadro NVS 295 256MB PCIe x16	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters									x		x	x		x							S26361-F2748-L236	106,00	
	NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: 4x DP or up to 4x DVI-D via optional DP/DVI adapter cable, PCIe x16, w/o adapters	x								x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2748-L245	410,00	
	NVIDIA Quadro 400 512MB	Connectors: 1x DVI-I and 1x DP, PCIe x16, w/o adapters									x		x	x			x		x	x			S26361-F2856-L41	110,00	
	NVIDIA Quadro 410 512MB	Connectors: 1x DVI-I and 1x DP, PCIe x16, w/o adapters,	x									x			x			x			x	x	S26361-F2856-L941	110,00	Orderable from: 27/07/2012
	NVIDIA Quadro 600 1GB	Connectors: 1x DVI-I dual link and 1x DP; PCIe x16; w/o adapters	x								x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2856-L61	178,00	
	NVIDIA Quadro FX 1800 768MB	Connectors: 1x DVI-I dual link, 2x DP, PCIe x16, w/o adapters									x		x	x									S26361-F2856-L219	488,00	
	NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,	x								x	x	x	x	x		x	x	x	x	x	x	S26361-F2856-L203	467,00	
	NVIDIA Quadro 2000D 1GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o adapters,	x								x	x	x	x	x		x	x	x	x	x	x	S26361-F2856-L996	473,00	
	NVIDIA Quadro FX 3800 1GB	Connectors: 1x DVI-I dual link, 2x DP, PCIe x16, w/o adapters									x		x	x									S26361-F2856-L239	744,00	
	NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters	x								x	x	x	x	x				x				S26361-F2856-L402	823,00	
	NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; 1x DVI/VGA-adapter; PCIe x16	x								x	x	x	x	x				x				S26361-F2856-L502	2.212,00	
	NVIDIA Quadro FX 5800 4GB	Connectors: 1x DVI-I dual link, 2x DP, PCIe x16, w/o adapters									x		x	x									S26361-F2856-L259	2.888,00	
	NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo, 2x DVI/VGA-adapter, PCIe x16	x								x	x	x	x	x								S26361-F2856-L602	4.145,00	
	ATI FirePro V3800 512 MB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters									x	x	x	x	x	x	x		x	x			S26361-F2530-L380	106,00	
	AMD FirePro V3900 1 GB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters, ,	x									x			x			x			x	x	S26361-F2530-L390	122,00	
	AMD FirePro V4900 1 GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16, w/o adapters, ,	x								x		x	x		x	x	x	x	x	x	x	S26361-F2530-L490	233,00	
	AMD FirePro V5900 2 GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16, w/o adapters, ,	x								x	x	x	x	x	x	x		x	x	x	x	S26361-F2530-L590	444,00	
	AMD FirePro V7900 2 GB	Connectors: 4x DP, PCIe x16, w/o adapters, .									x	x	x	x	x					x		x	S26361-F2530-L790	745,00	
	CELSIUS RemoteAccess Card x1	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1	x								x	x	x	x	x				x	x	x	x	S26361-F3565-L1	299,00	
	CELSIUS RemoteAccess Portal	PCoIP, 2x DVI-I,10/100/1000 Mbps LAN, 4x USB, audio	x								x	x	x	x	x		x	x	x	x	x	x	S26361-K1322-V1	295,00	
	NVIDIA Tesla C1060 Computing Processor	Connectors: 1x VGA; PCIe x16									x		x	x									S26361-F2856-L107	1.766,00	
	NVIDIA Tesla C2075 Computing Processor	Connectors: 1x DVI-I, PCIe x16, .	x								x		x	x	x								S26361-F2856-L208	2.277,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor					x				x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2391-L200	22,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector	x								x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2391-L1	19,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors	x								x	x	x	x	x		x	x	x	x	x	x	S26361-F2391-L101	32,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors	x								x	x	x	x	x		x	x	x	x	x	x	S26361-F2391-L102	34,00	
	SLI bridge for NVIDIA graphics	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card											x	x	x								S26361-F2542-L95	78,00	
	Power cable for graphics card	for NVIDIA Q4000, Q5000, Q6000, Tesla C2075 and ATI FirePro V7900; 6pin and 8pin connector,										x			x								S26361-F2407-L11	28,00	
Removable Media Drives																									
	MCR 20in1 + USB 3.0 front con., 5.25"	occupies accessible 5.25"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type										x		x	x								S26361-F3077-L14	40,00	Phased out
	MCR 20in1 + USB 3.0 front con., 3.5"	requires USB 3.0 PCIe x1 card; occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type														x	x		x	x			S26361-F3077-L15	30,00	Phased out
	MultiCard Reader 24in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,										x			x								S26361-F3077-L50	23,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS C620	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W280	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Accessories & services matrix																									
Removable Media Drives (Continued)																									
	MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,										x			x				x	x			S26361-F3077-L51	30,00	
	BD Triple Writer SATA slim (trav)																	x					S26361-F3716-L100	212,00	
	DVD-RW Dual Double Layer Super Multi							x															S26391-F1164-L200	77,00	New product.Orderable from: 01/08/2012
	Weight saver for modular bay						x																S26391-F777-L300	17,00	
	Blu-ray burner								x														S26391-F894-L200	133,00	
	DVD Super multi (reader/writer)						x																S26391-F984-L100	77,00	
	Blu-ray Disc Triple Writer SATA						x																S26391-F984-L200	133,00	
	2nd HDD bay module (without HDD)						x																S26391-F984-L600	33,00	
	DVD SATA	occupies accessible 5,25"- bay, without DVD-video playback software									x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3418-L510	32,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)									x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3420-L510	40,00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write									x	x	x	x	x	x	x		x	x	x	x	S26361-F3523-L510	267,00	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type														x	x	x	x	x	x	S26361-F3077-L5	20,00	
	MultiCard Reader 20in1 USB 2.0 5.25"	occupies accessible 5.25"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type									x		x	x									S26361-F3077-L4	30,00	
	DVD SuperMulti SATA slim	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)	x																				S26361-F3429-L510	57,00	
SCSI/RAID/SAS controller																									
	SAS Controller D2507 (LSI1064e)x4	4 ports incl. cables, PCIe x4									x		x										S26361-F3976-L1	133,00	
	SAS/SATA cable for RAID controller	for RAID controller D2616, plugs for 4x HDD,									x			x									S26361-F2581-L47	18,00	
	SAS/SATA RAID Controller based on LSI	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports, RAID Levels 0, 1, and 10 , ,	x									x			x								S26361-F3976-L2	188,00	
	SAS/SATA RAID Controller based on LSI	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports, RAID levels 0, 1, 5 and 6 ,	x									x			x								S26361-F3976-L3	310,00	
	RAID controller battery-backup-unit	RAID controller battery-backup-unit, ,	x												x								S26361-F3976-L99	128,00	
	4-Port SAS-UpgradeRom	upgrade of 4x onboard SATA to 4x onboard SAS (incl. RAID 0,1,10 license), ,										x											S26361-F2581-L49	55,00	
	8-Port SAS-UpgradeRom	upgrade of 4x onboard SATA to 8x onboard SAS (incl. RAID 0,1,10 license), ,													x								S26361-F2581-L43	77,00	
Communication/Network																									
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0	x									x			x		x	x	x	x	x	x	S26361-F3067-L60	28,00	
	Dual 1 Gigabit Ethernet PCIe x4		x								x	x	x	x	x								S26361-F3067-L80	144,00	
	UMTS Sierra Wireless Gobi 3000							x															S26391-F1165-L520	110,00	New product.Orderable from: 01/08/2012
	LTE module Sierra Wireless							x															S26391-F1165-L530	199,00	New product.Orderable from: 01/08/2012
	UMTS Sierra Wireless Gobi 3000								x														S26391-F1175-L520	110,00	New product.Orderable from: 01/08/2012
	LTE module Sierra Wireless								x														S26391-F1175-L530	199,00	New product.Orderable from: 01/08/2012
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu, Based on Intel® LAN controller chip 82580EB, Usable with original Intel® driver kit	x																				S26361-F3611-L501	375,00	
	IB HCA 40GB 1 Kanal QDR	InfiniBand HCA 40GB/s, 1-port, QDR	x												x								S26361-F4475-L102	620,00	
	IB HCA 40GB 2 Kanal QDR	InfiniBand HCA 40GB/s, 2-port, QDR	x												x								S26361-F4475-L202	850,00	
	IB HCA 56GB 1 port FDR	InfiniBand HCA 56GB/s, 1-port, FDR													x								S26361-F4533-L102	1.030,00	
	USB 3.0 PCIe x1										x	x	x			x	x		x	x			S26361-F3050-L10	33,00	
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, driver CD, PCI Express, full height/ low profile									x	x	x	x	x	x							S26361-F3067-L30	26,00	Phased out
	Dual 10 Gigabit Ethernet PCIe x8	FTS D2755, without SFP+ modules	x								x	x	x	x	x								S26361-F3067-L70	377,00	
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface; only EMEA									x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3108-L5	30,00	
	Parallel Interface FH	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height									x					x	x	x	x	x	x	x	S26361-F2542-L34	13,00	
	eSATA Interface FH	for eSATA peripherals, occupies one internal SATA interface and one slot; full height									x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-L70	19,00	
	Dual serial card PCIe x1	Dual Port RS232 via splitter cabel									x	x	x	x	x		x	x	x	x	x	x	S26361-F3316-L6	37,00	
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cabel									x	x	x	x	x		x	x	x	x	x	x	S26361-F3316-L7	42,00	
Rack-Infrastructure																									
	Rack mounting kit CELSIUS	for CELSIUS W510, W520, M470-2, M720, R570-2, R670-2 and R920,									x		x	x	x				x	x			S26361-F2581-L101	245,00	
	RMK-F1 DI CMA ORL		x																				S26361-F2735-L145	95,00	
OS/Application-SW																									
	Drivers&Utilities DVD (XP) CELSIUS		x								x	x	x	x	x		x	x	x	x	x	x	S26361-F2007-L912	22,00	Orderable from: 02/07/2012
	Drivers&Utilities DVD Mobile H	incl. Nero Essentials S, Norton Internet Security Trial 90 days					x		x														S26361-F2010-L199	28,00	
	Drivers&Utilities DVD Mobile H		x					x		x													S26361-F2012-L103	28,00	New product.Orderable from: 01/08/2012
	Drivers&Utilities DVD (WIN7)	incl. Nero Essentials S, Norton Internet Security	x								x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-L909	22,00	
UPS/Power supply																									
	Battery 6cell 6700mAh							x															S26391-F1166-L100	122,00	New product.Orderable from: 01/08/2012
	2nd battery						x																S26391-F777-L200	144,00	
	2pin AC Adapter 19V/120W						x																S26391-F886-L700	66,00	
	AC Adapter 19V/210W								x														S26391-F896-L500	88,00	
	Battery 8cell 5800mAh						x		x														S26391-F896-L700	133,00	
Security																									
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard														x	x	x	x	x	x	x	S26361-F1260-L521	26,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard, CELSIUS M, R, V only									x	x	x	x	x								S26361-F1260-L522	28,00	
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM		x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L201	18,00	Phased out
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM		x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L210	118,00	Phased out
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x		x														S26361-F2009-L101	19,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS C620	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W280	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Accessories & services matrix																									
Security (Continued)																									
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x		x														S26361-F2009-L102	29,00	
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x		x														S26361-F2009-L103	37,00	
	Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x		x														S26361-F2009-L104	30,00	
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x		x														S26361-F2009-L105	46,00	
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x		x														S26361-F2009-L106	57,00	
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x		x														S26361-F2009-L107	35,00	
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x		x														S26361-F2009-L108	56,00	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x		x														S26361-F2009-L109	78,00	
	ATP, Data Protection, PE, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x		x														S26361-F2009-L113	48,00	
	ATP, Data Protection, PE, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x		x														S26361-F2009-L114	77,00	
	ATP, Data Protection, PE, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x		x														S26361-F2009-L115	94,00	
	ATP, ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x		x														S26361-F2009-L116	54,00	
	ATP, ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x		x														S26361-F2009-L117	88,00	
	ATP, ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x		x														S26361-F2009-L118	116,00	
	ATP, ComputraceOne, Abo. 5J.					x																	S26361-F2009-L119	166,00	
	Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		x														S26361-F2009-L201	19,00	
	Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		x														S26361-F2009-L202	29,00	
	Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		x														S26361-F2009-L203	37,00	
	Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		x														S26361-F2009-L204	30,00	
	Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		x														S26361-F2009-L205	46,00	
	Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		x														S26361-F2009-L206	57,00	
	ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		x														S26361-F2009-L207	35,00	
	ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		x														S26361-F2009-L208	56,00	
	ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		x														S26361-F2009-L209	78,00	
	ATP, Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description				x																	S26361-F2009-L210	45,00	
	ATP, Data Protection,PE, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description				x																	S26361-F2009-L213	48,00	
	ATP, Data Protection,PE, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		x														S26361-F2009-L214	77,00	
	ATP, Data Protection,PE, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		x														S26361-F2009-L215	94,00	
	ATP, ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		x														S26361-F2009-L217	88,00	
	ATP, ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x		x														S26361-F2009-L218	116,00	
	ATP, Data Protection,PE, Abo. 5Y.					x																	S26361-F2011-L10	133,00	
	ATP, Data Protection,PE,Abo. 5y. Master						x		x														S26361-F2011-L11	133,00	
	SCA Express	ExpressCard SmartCard adapter, Model Fujitsu, Bios support; SmartLogon plus support				x																	S26361-F2432-L720	44,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium				x					x	x	x	x	x	x							S26361-F2727-L100	20,00	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3				x					x	x	x	x	x	x							S26361-F2727-L730	43,00	
	SmartCase Logon+ 3.2.2	Supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics									x	x		x	x		x	x	x	x	x	x	S26361-F2727-L740	42,00	
	RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing				x	x		x														S26381-F11-L100	38,00	
	SmartCard CARDOS V4.4. 1PCS	1 SmartCard CardOS 4.4, 68 KByte EEPROM															x		x	x			S26381-F305-L101	25,00	
	SmartCard CARDOS V4.4. 2PCS	2 SmartCard CardOS 4.4, 68 KByte EEPROM	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	S26381-F305-L102	45,00	
	SmartCard CARDOS V4.4. 10PCS	10 SmartCard CardOS 4.4, 68 KByte EEPROM	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	S26381-F305-L110	204,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface		x	x	x	x		x		x	x	x	x	x	x	x	x	x	x	x	x	S26381-F331-L220	25,00	
	PalmSecure Mouse Login Kit	PalmSecure Login Kit enclosed optical USB Mouse with integrated vein sensor for biometric authentication. USB 2.0 bus powered, 3 buttons incl. scroll-wheel. Set contains also the palm guide,quick start guide, manual and OmniPass login software CD. 1.5 m USB cable, brown box.				x	x		x														S26381-K435-L100	310,00	
	PalmSecure Login Kit	PalmSecure Login Kit enclosed external USB vein sensor for biometric authentication. USB 2.0 bus poweredl. Set contains also the palm guide,quick start guide, manual and OmniPass login software CD. Brown box.				x	x		x														S26381-K436-L100	335,00	
Miscellaneous																									
	Locking HDD cage																x		x	x	x	x	S26361-F2542-L332	20,00	
	UMTS upgrade kit	only usable if system was ordered with UMTS Ready Kit					x																S26391-F985-L120	110,00	
	iButton for RAID 5 support	incl. license for RAID 5													x								S26361-F2581-L44	44,00	
	Casters for CELSIUS M, R & V	Available in systems serial no. higher than YBSJ001400 (CELSUS V830) and YBWM004000 (CELSIUS M440).									x		x	x									S26361-F2581-L200	84,00	
	Rear USB 2.0 connector	2x USB 2.0														x	x						S26361-F2438-L215	16,00	
	Blanking Plate 5.25" drive bays, 10 pcs.															x	x	x					S26361-F2542-L326	15,00	
	Blanking Plate 3.5" drive bays, 10 pcs.															x	x	x					S26361-F2542-L327	17,00	
	Blanking Plate 5.25" drive bays, 10 pcs.																		x	x	x	x	S26361-F2542-L325	28,00	
Cables																									
	Power cord China								x														S26361-F2542-L51	10,00	
	power cable EU	black, 2-pole, 1.8 m				x	x																T26139-Y2540-V113	9,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS C620	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W280	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Accessories & services matrix																									
Cables (Continued)																									
	power cable UK	black, 2-pole, 1,8 m				x	x																T26139-Y2540-V213	9,00	
	power cable US	black, 2-pole, 1,8 m				x	x																T26139-Y2540-V313	9,00	
	Cable for 2. USB device										x	x	x	x	x	x		x			x	x	S26361-F2581-L10	22,00	
	Cable Powercord (D), 1.8m	grey, 1,8m, suitable for: Germany, Austria, Belgium, Netherlands, Finland, France, Italy, Spain, Portugal, Russian, Turkey,3 wire							x														T26139-Y1740-V10	4,00	
	Cable Powercord (USA, Desktop),1.8m	grey or black, 1.8m, for USA/CAN (Desktops),3 wire							x														T26139-Y1741-V10	4,00	
	Cable Powercord (UK), 1.8m, black	black, 1.8m, suitable for: Great Britain, 3 wire							x														T26139-Y1744-V10	4,00	
	Power cord three-wire EU	Power cord three-wire EU		x	x		x																S26361-F2581-L310	10,00	
Input Devices																									
	Presenter IV Air	Presenter IV Air 2.4 GHz presener with laser pointer, 2D air mous and gamepad function, manual, 2 x AAA batteries, 2.4 GHz presener with laser pointer, 2D air mous and gamepad function, manual, 2 x AAA batteries		x	x	x																	BDL:TOP-PRESENTER4	47,00	
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function		x	x	x																	S26381-K440-L100	47,00	
Additional Software																									
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x	x	x	x		x		x	x	x	x	x	x	x		x	x			U11081-C301	1.225,00	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x	x	x					x	x	x	x	x	x							U11081-C311	1.225,00	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x	x	x					x	x	x	x	x	x							U11081-C321	500,00	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0		x	x	x					x	x	x	x	x	x							U11081-C300	30,00	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions		x	x	x					x	x	x	x	x	x							U11081-C299	15,00	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x	x						x	x	x	x	x	x							U10987-C501	1.225,00	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x	x						x	x	x	x	x	x							U10987-C513	1.225,00	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x	x						x	x	x	x	x	x							U10987-C525	500,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0		x	x						x	x	x	x	x	x							U10987-C500	36,00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions		x	x						x	x	x	x	x	x							U10987-C499	15,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS W470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
Approvals/dependencies																					
	China (CCC) approval							x			x		x			x	x		S26361-F2550-E150	3,00	
	China (CCC) approval				x		x												S26391-F1100-E900	3,00	Orderable from: 20/07/2012
	US (FCC) approval				x		x												S26391-F1100-E910	3,00	
	GS approval	non glossy front bezel to fulfill GS approval						x	x	x	x	x							S26361-F2555-E200	3,00	
	Energy Star compliance	ENERGY Star compliance allows configurations which do not violate the EPA regulations for workstations.						x											S26361-F2600-E110	3,00	
	Energy Star compliance	ENERGY Star compliance allows configurations which do not violate the EPA regulations for workstations.								x									S26361-F2600-E120	3,00	
	Energy Star compliance	ENERGY Star compliance allows configurations which do not violate the EPA regulations for workstations.									x								S26361-F2600-E130	3,00	
LCD-Display																					
	39.6 cm (15.6") HD+ magnesium LED	1600 x 900 pixels, ,			x														S26391-F1160-E100	78.00	New product,Orderable from: 01/08/2012
	39.6 cm (15.6") FHD magnesium LED	1920 x 1080 pixels, ,			x														S26391-F1160-E200	134.00	New product,Orderable from: 01/08/2012
	43.9 cm (17.3") FHD LED	1920 x 1080 pixels,					x												S26391-F1170-E100	150.00	New product,Orderable from: 01/08/2012
	39.6 cm (15.6") HD+ magnesium LED			x															S26391-F890-E100	78.00	
	39.6 cm (15.6") FHD magnesium LED			x															S26391-F890-E200	134.00	
	43.9 cm (17.3") FHD LED					x													S26391-F890-E500	150.00	
Processor																					
	Intel Core i7-3610QM 2.3GHz 6MB	2.30 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x,			x		x												S26391-F1161-E361	277,00	New product,Orderable from: 01/08/2012
	Intel Core i7-3720QM 2.6GHz 6MB	2.60 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, VT-d, TXT,			x		x												S26391-F1161-E372	410,00	New product,Orderable from: 01/08/2012
	Intel Core i7-3820QM 2.8GHz 8MB	2.70 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, VT-d, TXT,			x		x												S26391-F1161-E382	557,00	New product,Orderable from: 01/08/2012
	Intel Core i7-3920XM 2.9GHz 8MB	2.90 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, VT-d, TXT,			x		x												S26391-F1161-E392	967,00	New product,Orderable from: 01/08/2012
	Intel Core i7-2640M 2.8GHz 4MB			x		x													S26391-F981-E264	400.00	
	Intel Core i5-2540M 2.6GHz 3MB	2.60 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT		x		x													S26391-F981-E254	287,00	
	Intel Core i5-2520M 2.5GHz 3MB	2.50 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT		x		x													S26391-F981-E252	262,00	
	Intel Core i7-3520M up to 3.6GHz 4MB				x		x												S26391-F1121-E352	400.00	
	Intel Core i5-3360M up to 3.5GHz 3MB				x		x												S26391-F1121-E336	287.00	
	Intel Core i5-3320M up to 3.3GHz 3MB				x		x												S26391-F1121-E332	262.00	
	Intel Core i7-2720QM 2.2GHz 6MB	2.20 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, TXT		x		x													S26391-F981-E272	410,00	
	Intel Core i7-2760QM 2.4GHz 6MB	2.40 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, TXT,		x		x													S26391-F981-E276	410,00	
	Intel Core i7-2820QM 2.3GHz 8MB	2.30 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT		x		x													S26391-F981-E282	557,00	
	Intel Core i7-2860QM 2.5GHz 8MB	2.50 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT,		x		x													S26391-F981-E286	557,00	
	Intel Core i7-2920XM 2.5GHz 8MB	2.50 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT				x													S26391-F981-E292	967,00	
	Intel Core i7-2960XM 2.7GHz 8MB	2.70 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT,				x													S26391-F981-E296	967,00	
	Xeon E5-1603 2.80GHz 10MB	2.80 GHz, 10 MB Cache, 4 Cores,							x										S26361-F4537-E603	287,00	
	Xeon E5-1607 3.00GHz 10MB	3.00 GHz, 10 MB Cache, 4 Cores,							x										S26361-F4537-E607	333.00	
	Xeon E5-1620 3.60GHz 10MB Turbo Boost	3.60 GHz, 10 MB Turbo Boost, 4 Cores,							x										S26361-F4537-E620	404.00	
	Xeon E5-1650 3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 6 Cores,							x										S26361-F4537-E650	877.00	
	Xeon E5-1660 3.30GHz 15MB Turbo Boost	3.30 GHz, 15 MB Turbo Boost, 6 Cores,							x										S26361-F4537-E660	1.595,00	
	Xeon E5-2603 1.80GHz 10MB	1.80 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores,							x			x							S26361-F4536-E603	287,00	
	2nd Xeon E5-2603	1.80 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores, ,										x							S26361-F4539-E603	287,00	
	Xeon E5-2609 2.40GHz 10MB	2.40 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores, ,							x			x							S26361-F4536-E609	404,00	
	2nd Xeon E5-2609	2.40 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores, ,										x							S26361-F4539-E609	404,00	
	Xeon E5-2620 2.0GHz 15MB Turbo Boost	2.00 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, ,							x			x							S26361-F4536-E620	517,00	
	2nd Xeon E5-2620	2.00 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, ,										x							S26361-F4539-E620	517,00	
	Xeon E5-2630 2.3GHz 15MB Turbo Boost	2.30 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, ,							x			x							S26361-F4536-E630	806,00	
	2nd Xeon E5-2630	2.30 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, ,										x							S26361-F4539-E630	806,00	
	Xeon E5-2630L 2.0GHz 15MB	2.00 GHz, 15 MB Cache, 6.4 GT/s QPI, 6 Cores,							x			x							S26361-F4535-E630	794,00	
	2nd Xeon E5-2630L	2.00 GHz, 15 MB Cache, 6.4 GT/s QPI, 6 Cores, ,										x							S26361-F4538-E630	794,00	
	Xeon E5-2637 3.0GHz 5MB Turbo Boost	3.00 GHz, 5 MB Turbo Boost, 8.0 GT/s QPI, 2 Cores,							x			x							S26361-F4536-E637	1.148,00	
	2nd Xeon E5-2637	3.00 GHz, 5 MB Turbo Boost, 8.0 GT/s QPI, 2 Cores,										x							S26361-F4539-E637	1.148,00	
	Xeon E5-2640 2.5GHz 15MB Turbo Boost	2.50 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, ,							x			x							S26361-F4536-E640	1.153,00	
	2nd Xeon E5-2640	2.50 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, ,										x							S26361-F4539-E640	1.153,00	
	Xeon E5-2643 3.3GHz 10MB Turbo Boost	3.30 GHz, 10 MB Turbo Boost, 8.0 GT/s QPI, 4 Cores,							x			x							S26361-F4537-E643	1.153,00	
	2nd Xeon E5-2643	3.30 GHz, 10 MB Turbo Boost, 8.0 GT/s QPI, 4 Cores, ,										x							S26361-F4540-E643	1.153,00	
	Xeon E5-2650 2.0GHz 20MB Turbo Boost	2.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,							x			x							S26361-F4536-E650	1.436,00	
	2nd Xeon E5-2650	2.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,										x							S26361-F4539-E650	1.436,00	
	Xeon E5-2650L 1.8GHz 20MB Turbo Boost	1.80 GHz, 20 MB Turbo Boost, 7.2 GT/s QPI, 8 Cores							x			x							S26361-F4535-E650	1.370,00	
	2nd Xeon E5-2650L	1.80 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 8 Cores,										x							S26361-F4538-E650	1.370,00	
	Xeon E5-2660 2.2GHz 20MB Turbo Boost	2.20 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,							x			x							S26361-F4536-E660	1.706,00	
	2nd Xeon E5-2660	2.20 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,										x							S26361-F4539-E660	1.706,00	
	Xeon E5-2665 2.4GHz 20MB Turbo Boost	2.40 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,							x			x							S26361-F4537-E665	1.866,00	
	2nd Xeon E5-2665	2.40 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,										x							S26361-F4540-E665	1.866,00	
	Xeon E5-2667 2.9GHz 15MB Turbo Boost	2.90 GHz, 15 MB Turbo Boost, 8.0 GT/s QPI, 6 Cores							x			x							S26361-F4537-E667	1.998,00	
	2nd Xeon E5-2667	2.90 GHz, 15 MB Turbo Boost, 8.0 GT/s QPI, 6 Cores,										x							S26361-F4540-E667	1.998,00	
	Xeon E5-2670 2.6GHz 20MB Turbo Boost	2.60 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,							x			x							S26361-F4537-E670	1.998,00	
	2nd Xeon E5-2670	2.60 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,										x							S26361-F4540-E670	1.998,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
Processor (Continued)																					
	Xeon E5-2680 2.7GHz 20MB Turbo Boost	2.70 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,							x			x							S26361-F4537-E680	2.244,00	
	2nd Xeon E5-2680	2.70 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,										x							S26361-F4540-E680	2.244,00	
	Xeon E5-2687W 3.1GHz 20MB Turbo Boost	3.10 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,							x			x							S26361-F4537-E687	2.450,00	
	2nd Xeon E5-2687W	3.10 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,										x							S26361-F4540-E687	2.450,00	
	Xeon E5-2690 2.9GHz 20MB Turbo Boost	2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,							x			x							S26361-F4537-E690	2.666,00	
	2nd Xeon E5-2690	2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,										x							S26361-F4540-E690	2.666,00	
	Celeron G530	incl. Intel HD Graphics, 2.40 GHz, 2 MB total cache, dual core/2 threads, LGA1155, technologies: VT-x,											x						S26361-F4020-E530	38,00	
	Celeron G540	incl. Intel HD Graphics, 2.50 GHz, 2 MB total cache, dual core/2 threads, LGA1155,												x					S26361-F4020-E540	38,00	
	Pentium G630	incl. Intel HD Graphics, 2.70 GHz, 3 MB total cache, dual core/2 threads, LGA1155											x						S26361-F4050-E630	72,00	
	Pentium G640	incl. Intel HD Graphics, 2.80 GHz, 3 MB total cache, dual core/2 threads, LGA1155,												x					S26361-F4050-E640	67,00	
	Pentium G850	incl. Intel HD Graphics, 2.90 GHz, 3 MB total cache, dual core/2 threads, LGA1155, technologies: VT-x,											x						S26361-F4050-E850	84,00	
	Pentium G860	incl. Intel HD Graphics, 3.00 GHz, 3 MB total cache, dual core/2 threads, LGA1155,												x					S26361-F4050-E860	84,00	
	Core i3-2100	incl. Intel HD Graphics 2000, 3.10 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x											x		x	x			S26361-F4493-E210	133,00	Phased out
	Core i3-2120	incl. Intel HD Graphics 2000, 3.30 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x,	x										x	x	x	x	x	x	S26361-F4493-E212	133,00	
	Core i5-2400	incl. Intel HD Graphics 2000, 3.10 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x, TXT											x						S26361-F4494-E240	237,00	
	Core i5-2500	incl. Intel HD Graphics 2000, 3.30 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x, TXT											x						S26361-F4494-E250	264,00	
	Core i5-3470	Intel HD Graphics 2500, 3.20 GHz, up to 3.60 GHz, 6 MB Total Cache, Quad Core/4 Threads, LGA1155, VT-d, TXT												x					S26361-F4494-E348	237,00	
	Core i5-3570	Intel HD Graphics 2500, 3.40 GHz, up to 3.80 GHz, 6 MB Total Cache, Quad Core/4 Threads, LGA1155, VT-d, TXT												x					S26361-F4494-E357	264,00	
	Core i7-2600	incl. Intel HD Graphics 2000, 3.40 GHz, 8 MB total cache, quad core/8 threads, LGA1155, technologies: VT-x, TXT											x						S26361-F4495-E260	366,00	
	Core i7-3770	Intel HD Graphics 4000, 3.40 GHz, up to 3.90 GHz, 8 MB Total Cache, Quad Core/8 Threads, LGA1155, VT-d, TXT												x					S26361-F4495-E377	366,00	
	Xeon E3-1220 3.10GHz 8MB Turbo Boost	3.10 GHz, 8 MB Turbo Boost, 4 cores/4 threads, technologies: VT-x, TXT													x	x			S26361-F4498-E220	250,00	
	Xeon E3-1225 3.10GHz 6MB Turbo Boost	incl. Intel HD Graphics P3000, 3.10 GHz, 6 MB Turbo Boost, 4 cores/4 threads, technologies: VT-x, TXT													x	x			S26361-F4497-E225	258,00	
	Xeon E3-1230 3.20GHz 8MB Turbo Boost	3.20 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT													x	x			S26361-F4498-E230	286,00	
	Xeon E3-1235 3.20GHz 8MB Turbo Boost	incl. Intel HD Graphics P3000, 3.20 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT													x	x			S26361-F4497-E235	299,00	
	Xeon E3-1240 3.30GHz 8MB Turbo Boost	3.30 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT													x	x			S26361-F4498-E240	310,00	
	Xeon E3-1245 3.30GHz 8MB Turbo Boost	incl. Intel HD Graphics P3000, 3.30 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT													x	x			S26361-F4497-E245	325,00	
	Xeon E3-1270 3.40GHz 8MB Turbo Boost	3.40 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT													x	x			S26361-F4498-E270	403,00	
	Xeon E3-1275 3.40GHz 8MB Turbo Boost	incl. Intel HD Graphics P3000, 3.40 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT													x	x			S26361-F4497-E275	412,00	
	Xeon E3-1280 3.50GHz 8MB Turbo Boost	3.50 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT													x	x			S26361-F4498-E280	740,00	
	Xeon E3-1220v2 3.10GHz 8MB Turbo Boost	3.10/3.50 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x														x	x	S26361-F4573-E220	262,00	
	Xeon E3-1225v2 3.20GHz 8MB Turbo Boost	incl. Intel HD Graphics P4000, 3.20/3.60 GHz, 8 MB Turbo Boost, 4 cores/4 threads, technologies: VT-x, TXT,	x														x	x	S26361-F4573-E225	269,00	
	Xeon E3-1230v2 3.30GHz 8MB Turbo Boost	3.30/3.70 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x														x	x	S26361-F4573-E230	297,00	
	Xeon E3-1240v2 3.40GHz 8MB Turbo Boost	3.40/3.80 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x														x	x	S26361-F4573-E240	322,00	
	Xeon E3-1245v2 3.40GHz 8MB Turbo Boost	incl. Intel HD Graphics P4000, 3.40/3.80 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x														x	x	S26361-F4573-E245	336,00	
	Xeon E3-1270v2 3.50GHz 8MB Turbo Boost	3.50/3.90 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x														x	x	S26361-F4573-E270	414,00	
	Xeon E3-1275v2 3.50GHz 8MB Turbo Boost	incl. Intel HD Graphics P4000, 3.50/3.90 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x														x	x	S26361-F4573-E275	423,00	
	Xeon E3-1290v2 3.70GHz 8MB Turbo Boost	3.70/4.10 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,															x	x	S26361-F4498-E291	1.074,00	New product,Deliverable from: 17/07/2012,Orderable from: 09/08/2012
	Xeon E3-1280v2 3.60GHz 8MB Turbo Boost	3.60/4.00 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x														x	x	S26361-F4573-E280	752,00	
	Xeon L5609 1.86 GHz, 12 MB Turbo Boost,	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores						x		x	x								S26361-F3612-E309	522,00	
	2nd Xeon L5609	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores								x	x								S26361-F3613-E309	539,00	
	Xeon L5630 2.13 GHz, 12 MB Turbo Boost,	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores						x		x	x								S26361-F3612-E330	655,00	
	2nd Xeon L5630	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores								x	x								S26361-F3613-E330	673,00	
	Xeon L5640 2.26 GHz, 12 MB Turbo Boost,	2.26 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores						x		x	x								S26361-F3612-E340	1.178,00	
	2nd Xeon L5640	2.26 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores								x	x								S26361-F3613-E340	1.196,00	
	Xeon E5603 1.60GHz 8MB	1.60 GHz, 8 MB cache, 4 cores/4 threads						x		x	x								S26361-F3539-E113	247,00	
	2nd Xeon E5603	1.60 GHz, 8 MB cache, 4 cores/4 threads								x	x								S26361-F3540-E113	265,00	
	Xeon E5606 2.13GHz 8MB	2.13 GHz, 8 MB cache, 4 cores/4 threads						x		x	x								S26361-F3539-E116	288,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
Processor (Continued)																					
	2nd Xeon E5606	2.13 GHz, 8 MB cache, 4 cores/4 threads								x	x								S26361-F3540-E116	306,00	
	Xeon E5607 2.26GHz 8MB	2.26 GHz, 8 MB cache, 4 cores/4 threads						x		x	x								S26361-F3539-E117	355,00	
	2nd Xeon E5607	2.26 GHz, 8 MB cache, 4 cores/4 threads								x	x								S26361-F3540-E117	373,00	
	Xeon E5620 2,40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores						x		x	x								S26361-F3612-E220	466,00	
	2nd Xeon E5620	2,40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores								x	x								S26361-F3613-E220	484,00	
	Xeon E5630 2.53 GHz, 12 MB Turbo Boost,	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores						x		x	x								S26361-F3612-E230	699,00	
	2nd Xeon E5630	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores								x	x								S26361-F3613-E230	717,00	
	Xeon E5640 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores						x		x	x								S26361-F3612-E240	982,00	
	2nd Xeon E5640	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores								x	x								S26361-F3613-E240	999,00	
	Xeon E5645 2.40GHz 12MB Turbo Boost	2.40 GHz, 12 MB Turbo Boost, 6 cores/12 threads						x		x	x								S26361-F3612-E245	699,00	
	2nd Xeon E5645	2.40 GHz, 12 MB Turbo Boost, 6 cores/12 threads								x	x								S26361-F3613-E245	717,00	
	Xeon X5647 2.93GHz 12MB Turbo Boost	2.93 GHz, 12 MB Turbo Boost, 4 cores/8 threads						x			x								S26361-F3612-E247	964,00	
	2nd Xeon X5647	2.93 GHz, 12 MB Turbo Boost, 4 cores/8 threads									x								S26361-F3613-E247	982,00	
	Xeon E5649 2.53GHz 12MB Turbo Boost	2.53 GHz, 12 MB Turbo Boost, 6 cores/12 threads						x		x	x								S26361-F3612-E249	976,00	
	2nd Xeon E5649	2.53 GHz, 12 MB Turbo Boost, 6 cores/12 threads								x	x								S26361-F3613-E249	994,00	
	Xeon X5650 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores						x		x	x								S26361-F3612-E950	1.180,00	
	2nd Xeon X5650	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores								x	x								S26361-F3613-E950	1.198,00	
	Xeon X5660 2.80 GHz, 12 MB Turbo Boost,	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores						x		x	x								S26361-F3612-E960	1.422,00	
	2nd Xeon X5660	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores								x	x								S26361-F3613-E960	1.439,00	
	Xeon X5667 3.06 GHz, 12 MB Turbo Boost,	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores						x		x	x								S26361-F3612-E967	1.679,00	
	2nd Xeon X5667	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores								x	x								S26361-F3613-E967	1.697,00	
	Xeon X5670 2.93 GHz, 12 MB Turbo Boost,	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores						x		x	x								S26361-F3612-E970	1.688,00	
	2nd Xeon X5670	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores								x	x								S26361-F3613-E970	1.706,00	
	Xeon X5672 3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 4 cores/8 threads						x		x	x								S26361-F3612-E972	1.695,00	
	2nd Xeon X5672	3.20 GHz, 12 MB Turbo Boost, 4 cores/8 threads								x	x								S26361-F3613-E972	1.713,00	
	Xeon X5675 3.06GHz 12MB Turbo Boost	3.06 GHz, 12 MB Turbo Boost, 6 cores/12 threads						x		x	x								S26361-F3612-E975	1.710,00	
	2nd Xeon X5675	3.06 GHz, 12 MB Turbo Boost, 6 cores/12 threads								x	x								S26361-F3613-E975	1.730,00	
	Xeon X5677 3.46 GHz, 12 MB Turbo Boost,	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores						x			x								S26361-F3612-E977	2.106,00	
	2nd Xeon X5677	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores									x								S26361-F3613-E977	2.124,00	
	Xeon X5680 3.33 GHz, 12 MB Turbo Boost,	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores						x			x								S26361-F3612-E980	2.106,00	
	2nd Xeon X5680	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores									x								S26361-F3613-E980	2.124,00	
	Xeon X5687 3.60GHz 12MB Turbo Boost	3.60 GHz, 12 MB Turbo Boost, 4 cores/8 threads						x			x								S26361-F3612-E987	2.106,00	
	2nd Xeon X5687	3.60 GHz, 12 MB Turbo Boost, 4 cores/8 threads									x								S26361-F3613-E987	2.124,00	
	Xeon X5690 3.46GHz 12MB Turbo Boost	3.46 GHz, 12 MB Turbo Boost, 6 cores/12 threads						x			x								S26361-F3612-E990	2.106,00	
	2nd Xeon X5690	3.46 GHz, 12 MB Turbo Boost, 6 cores/12 threads									x								S26361-F3613-E990	2.124,00	
	Xeon W3503 2.40GHz 4MB	4.8 GT/s QPI, 2 cores						x											S26361-F3541-E103	264,00	
	Xeon W3505 2.53GHz 4MB	4.8 GT/s QPI, 2 cores						x											S26361-F3541-E105	296,00	
	XEON W3520 2.66GHz 8MB Turbo Boost	4.8 GT/s QPI, 4 cores						x											S26361-F3541-E320	384,00	
	Xeon W3530 2.80 GHz, 8 MB Turbo Boost,	2.80 GHz, 8 MB Turbo Boost, 4.8 GT/s QPI, 4 cores						x											S26361-F3541-E330	384,00	
	Xeon W3550 3.06GHz 8MB Turbo Boost	4.8 GT/s QPI, 4 cores						x											S26361-F3541-E350	387,00	
	Xeon W3565 3.20 GHz, 8 MB Turbo Boost,	3.20 GHz, 8 MB Turbo Boost, 4.8 GT/s QPI, 4 cores						x											S26361-F3541-E365	387,00	
	Xeon W3670 3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 4.8 GT/s QPI, 6 cores						x											S26361-F3614-E570	744,00	
	Xeon W3690 3.46GHz 12MB Turbo Boost	3.46 GHz, 12 MB Turbo Boost, 6 cores/12 threads						x											S26361-F3614-E590	1.275,00	
Memory																					
	8GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary						x							x	x			S26361-F3379-E4	355,00	
	2GB DDR3-1600 PC3-12800				x														S26391-F1162-E200	23,00	New product,Orderable from: 01/08/2012
	2GB DDR3-1600 PC3-12800				x														S26391-F1162-E210	23,00	New product,Orderable from: 01/08/2012
	4GB DDR3-1600 PC3-12800				x														S26391-F1162-E400	43,00	New product,Orderable from: 01/08/2012
	4GB DDR3-1600 PC3-12800				x														S26391-F1162-E410	43,00	New product,Orderable from: 01/08/2012
	8GB DDR3-1600 PC3-12800				x														S26391-F1162-E800	209,00	New product,Orderable from: 01/08/2012
	8GB DDR3-1600 PC3-12800				x														S26391-F1162-E810	209,00	New product,Orderable from: 01/08/2012
	2GB DDR3-1600 PC3-12800					x													S26391-F1172-E200	23,00	New product,Orderable from: 01/08/2012
	2GB DDR3-1600 PC3-12800					x													S26391-F1172-E210	23,00	New product,Orderable from: 01/08/2012
	4GB DDR3-1600 PC3-12800					x													S26391-F1172-E400	43,00	New product,Orderable from: 01/08/2012
	4GB DDR3-1600 PC3-12800					x													S26391-F1172-E410	43,00	New product,Orderable from: 01/08/2012
	8GB DDR3-1600 PC3-12800					x													S26391-F1172-E800	209,00	New product,Orderable from: 01/08/2012
	8GB DDR3-1600 PC3-12800					x													S26391-F1172-E810	209,00	New product,Orderable from: 01/08/2012
	2GB DDR3-1333 PC3-10600		x		x														S26391-F892-E200	23,00	
	2GB DDR3-1333 PC3-10600				x														S26391-F892-E210	23,00	
	4GB DDR3-1333 PC3-10600		x		x														S26391-F892-E400	43,00	
	4GB DDR3-1333 PC3-10600				x														S26391-F892-E410	43,00	
	8GB DDR3-1333 PC3-10600		x		x														S26391-F892-E800	209,00	
	8GB DDR3-1333 PC3-10600				x														S26391-F892-E810	209,00	
	2GB DDR3-1333	1 module PC 1333, DIMM											x		x	x			S26361-F3378-E2	20,00	
	4GB DDR3-1333	1 module PC 1333, DIMM											x		x	x			S26361-F3378-E3	38,00	
	2GB DDR3-1600	1 module PC 1600, DIMM,	x											x			x	x	S26361-F3384-E2	20,00	
	4GB DDR3-1600	1 module PC 1600, DIMM,	x											x			x	x	S26361-F3384-E3	38,00	
	8GB DDR3-1600	1 module PC 1600, DIMM,	x											x			x	x	S26361-F3384-E4	184,00	New product
	2GB DDR3-1600								x										S26361-F3383-E404	23,00	
	1GB DDR3-1333	1 module						x		x	x								S26361-F3375-E403	23,00	
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary						x		x	x								S26361-F3377-E413	38,00	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary						x		x	x								S26361-F3377-E414	47,00	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary						x		x	x								S26361-F3377-E415	92,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
Memory (Continued)																					
	2GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary,							x			x							S26361-F3383-E414	52,00	
	4GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary,							x			x							S26361-F3383-E415	96,00	
	8GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary,							x										S26361-F3383-E416	377,00	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary													x	x			S26361-F3379-E2	47,00	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary													x	x			S26361-F3379-E3	92,00	
	2GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary,	x														x	x	S26361-F3385-E2	52,00	
	4GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary, ,	x														x	x	S26361-F3385-E3	96,00	
	8GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary, ,	x														x	x	S26361-F3385-E4	377,00	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary								x	x								S26361-F3377-E424	68,00	
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary								x	x								S26361-F3377-E425	96,00	
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary								x	x								S26361-F3377-E426	188,00	
	16GB DDR3-1066 rg ECC	1 module, same number of modules for each processor necessary								x	x								S26361-F3374-E427	322,00	
	4GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary										x							S26361-F3383-E425	107,00	
	8GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary										x							S26361-F3383-E426	210,00	
	16GB DDR3-1600 rg ECC											x							S26361-F3383-E427	399,00	
	32GB DDR3-1333 rg LR ECC	1 module, same number of modules for each processor necessary, only in combination with LRDIMM modules										x							S26361-F3382-E438	2.388,00	
Graphics																					
	NVIDIA Quadro K3000M						x												S26391-F1170-E730	599,00	New product,Orderable from: 01/08/2012
	NVIDIA Quadro K4000M						x												S26391-F1170-E740	1.088,00	New product,Orderable from: 01/08/2012
	NVIDIA Quadro 3000M					x													S26391-F891-E300	599,00	
	NVIDIA Quadro 4000M					x													S26391-F891-E400	1.088,00	
	NVIDIA Quadro 5010M					x													S26391-F891-E500	2.222,00	
	NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately						x	x	x	x	x	x	x	x	x	x	x	S26361-F2748-E38	84,00	
	NVIDIA Quadro NVS 295 256MB PCIe x1	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters						x		x	x								S26361-F2748-E235	84,00	
	2nd NVIDIA Quadro NVS 295 256MB PCIe x1	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters						x		x	x								S26361-F2748-E135	84,00	
	NVIDIA Quadro NVS 295 256MB PCIe x16	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters						x		x	x								S26361-F2748-E236	84,00	
	NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: 4x DP or up to 4x DVI-D via optional DP/DVI adapter cable, PCIe x16, w/o adapters						x	x	x	x	x	x	x	x	x	x	x	S26361-F2748-E245	388,00	
	No Energy Star + Blue Angel approval												x	x	x	x	x	x	S26361-F2550-E110	3,00	
	NVIDIA Quadro 400 512MB	Connectors: 1x DVI-I and 1x DP, PCIe x16, w/o adapters	x					x		x	x		x		x	x			S26361-F2856-E41	92,00	
	NVIDIA Quadro 410 512MB	Connectors: 1x DVI-I and 1x DP, PCIe x16, w/o adapters,	x						x			x		x			x	x	S26361-F2856-E941	92,00	Orderable from: 27/07/2012
	NVIDIA Quadro 600 1GB	Connectors: 1x DVI-I dual link and 1x DP; PCIe x16; w/o adapters	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2856-E61	155,00	
	NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2856-E201	455,00	
	2nd NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,						x	x	x	x	x							S26361-F2856-E203	455,00	
	3rd NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,										x							S26361-F2856-E992	455,00	New product,Orderable from: 09/07/2012
	4th NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,										x							S26361-F2856-E993	455,00	New product,Orderable from: 09/07/2012
	NVIDIA Quadro 2000D 1GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o adapters,	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2856-E202	459,00	
	2nd NVIDIA Quadro 2000D 1GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o adapters,						x	x		x	x							S26361-F2856-E204	459,00	
	NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters	x					x	x	x	x	x				x		x	S26361-F2856-E401	727,00	
	2nd NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,						x	x	x	x	x							S26361-F2856-E402	727,00	
	3rd NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,										x							S26361-F2856-E994	727,00	New product,Orderable from: 09/07/2012
	4th NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,										x							S26361-F2856-E991	727,00	New product,Orderable from: 09/07/2012
	NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; 1x DVI/VGA-adapter; PCIe x16	x					x	x	x	x	x				x		x	S26361-F2856-E501	1.644,00	
	2nd NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; 1x DVI/VGA-adapter; PCIe x16						x	x	x	x	x							S26361-F2856-E502	1.644,00	
	NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo, 2x DVI/VGA-adapter, PCIe x16	x					x	x	x	x	x							S26361-F2856-E601	3.610,00	
	2nd NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo, 2x DVI/VGA-adapter, PCIe x16						x	x	x	x	x							S26361-F2856-E602	3.610,00	
	3rd NVIDIA Quadro 6000 2GB	Connectors: 1x DVI-I dual link and 2x DP, stereo, 2x DVI/VGA-adapter, PCIe x16										x							S26361-F2856-E995	3.610,00	New product,Orderable from: 09/07/2012
	ATI FirePro V3800 512 MB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters						x		x	x		x		x	x			S26361-F2530-E380	84,00	
	AMD FirePro V3900 1 GB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters,	x						x			x		x			x	x	S26361-F2530-E390	96,00	
	AMD FirePro V4900 1 GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16, w/o adapters,	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2530-E490	199,00	
	AMD FirePro V5900 2 GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16, w/o adapters,	x					x	x	x	x	x	x		x	x	x	x	S26361-F2530-E590	422,00	
	AMD FirePro V7900 2 GB	Connectors: 4 x DP, PCIe x16, w/o adapters,	x					x	x	x	x	x				x		x	S26361-F2530-E790	722,00	
	CELSIUS RemoteAccess Card x1	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1	x					x	x	x	x	x			x	x	x	x	S26361-F3565-E1	295,00	
	NVIDIA Tesla C2075 Computing-Processor	Connectors: 1x DVI-I, PCIe x16,	x					x	x	x	x	x							S26361-F2856-E209	2.155,00	
	2nd NVIDIA Tesla C2075	Computing-Processor, Connectors: 1x DVI-I, PCIe x16, ,						x	x	x	x	x							S26361-F2856-E998	2.155,00	
	3rd NVIDIA Tesla C2075	Computing-Processor, Connectors: 1x DVI-I, PCIe x16,										x							S26361-F2856-E996	2.155,00	New product
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2391-E200	17,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2391-E1	6,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2391-E101	17,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2391-E102	19,00	
	SLI bridge for NVIDIA graphics									x	x	x							S26361-F2542-E95	44,00	
	No graphics	Attention: System has got no functional graphics.						x		x	x								S26361-F2748-E999	39,00	
	No graphics in system								x			x			x	x	x	x	S26361-F2748-E998	10,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
Graphics (Continued)																					
Removable Media Drives																					
	Cable for 2nd ODD												x	x					S26361-F2581-E23	4,00	
	Cable for 2nd ODD								x			x			x	x	x	x	S26361-F2581-E24	4,00	
	MultiCard Reader 24in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,							x			x							S26361-F3077-E50	10,00	
	MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), xD-Picture Card, MD, SMC ,							x			x	x		x	x			S26361-F3077-E51	13,00	
	DVD-RW Dual Double Layer Super Multi						x												S26391-F1174-E200	39,00	New product.Orderable from: 01/08/2012
	Blu-ray burner						x												S26391-F1174-E400	217,00	New product.Orderable from: 01/08/2012
	DVD-RW Dual Double Layer Super Multi				x														S26391-F894-E100	39,00	
	Blu-ray burner /w Playback Software				x														S26391-F894-E200	217,00	
	DVD-RW Dual Double Layer Super Multi			x															S26391-F1164-E200	39,00	New product.Orderable from: 01/08/2012
	Blu-ray burner			x															S26391-F1164-E400	217,00	New product.Orderable from: 01/08/2012
	Weight saver for modular bay		x	x															S26391-F984-E400	4,00	
	DVD Super Multi (reader/writer)	Nero on driver DVD	x																S26391-F984-E100	39,00	
	Blu-ray Triple Writer incl. Playback SW	Blu-ray read/write + DVD read/write + CD read/write; with playback software	x																S26391-F984-E200	217,00	
	2nd Battery 6cell 41Wh (3.800mAh)		x	x															S26391-F984-E500	122,00	
	DVD SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately											x	x	x	x	x	x	S26361-F3418-E510	16,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay,DVD software must be ordered separately											x	x	x	x	x	x	S26361-F3420-E510	22,00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately											x		x	x	x	x	S26361-F3523-E510	166,00	
	BD Triple Writer SATA slim (tray)	occupies 5.25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately												x					S26361-F3716-E100	110,00	
	DVD SATA	occupies accessible 5,25"- bay,DVD software must be ordered separately						x	x	x	x	x							S26361-F3418-E530	17,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately						x	x	x	x	x							S26361-F3420-E530	23,00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately						x	x	x	x	x							S26361-F3523-E530	166,00	
	Cable for ODD							x		x									S26361-F2581-E21	4,00	
	Cable for ODD										x								S26361-F2581-E22	4,00	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type											x	x	x	x	x	x	S26361-F3077-E5	10,00	
	MCR 20in1 + USB 3.0 front con., 3.5"	requires USB 3.0 PCIe x1 card; occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type											x		x	x			S26361-F3077-E15	13,00	Phased out
	MultiCard Reader 20in1 USB 2.0 5.25"	occupies accessible 5.25"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type						x		x	x								S26361-F3077-E4	15,00	
	MCR 20in1 + USB 3.0 front con., 5.25"	occupies accessible 5.25"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type						x		x	x								S26361-F3077-E14	17,00	Phased out
	DVD SuperMulti SATA slim	occupies accessible 5,25"- bay,DVD software must be ordered separately	x																S26361-F3429-E510	30,00	
Hard Disks																					
	No Raid						x												S26391-F1177-E500	2,00	New product.Orderable from: 01/08/2012
	RAID0 - HDD SATA 2x 500GB 7.2k striping						x												S26391-F1177-E501	222,00	New product.Orderable from: 01/08/2012
	RAID0 - HDD SATA 2x 640GB 7.2k striping						x												S26391-F1177-E502	329,00	New product.Orderable from: 01/08/2012
	RAID0 - SSD SATA III 2x 128GB striping						x												S26391-F1177-E511	455,00	New product.Orderable from: 01/08/2012
	RAID0 - SSD SATA III 2x 256GB striping						x												S26391-F1177-E512	899,00	New product.Orderable from: 01/08/2012
	RAID1 - HDD SATA 2x 500GB 7.2k mirroring						x												S26391-F1177-E601	222,00	New product.Orderable from: 01/08/2012
	RAID1 - SSD SATA III 2x 128GB mirroring						x												S26391-F1177-E611	455,00	New product.Orderable from: 01/08/2012
	RAID1 - SSD SATA III 2x 256GB mirroring						x												S26391-F1177-E612	899,00	New product.Orderable from: 01/08/2012
	Bracket for mounting of 8x 2.5" HDD								x			x							S26361-F4030-E8	4,00	
	SSD SATA III 64GB Smart Response cache	Very fast 2.5" SSD with SATA 6GB/s interface, incl. easy rail, no WinXP support. Installed as Smart Response cache, additional HDD necessary.,												x					S26361-F3742-E64	110,00	
	SSD SATA III 64GB Smart Response cache																x	x	S26361-F3744-E64	110,00	
	SSD SATA III 128GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support											x	x					S26361-F3681-E128	188,00	
	SSD SATA III 128GB high speed							x		x	x								S26361-F3722-E128	188,00	
	SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support	x						x						x	x	x	x	S26361-F3682-E128	188,00	
	2nd SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support													x	x	x	x	S26361-F3683-E128	188,00	
	SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support							x			x							S26361-F3758-E128	188,00	New product

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
Hard Disks (Continued)																					
	2nd SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support							x			x							S26361-F3759-E128	188,00	New product
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support											x	x					S26361-F3681-E256	333,00	
	SSD SATA III 256GB high speed							x		x	x								S26361-F3722-E256	333,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support	x									x			x	x	x	x	S26361-F3682-E256	333,00	
	2nd SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support													x	x	x	x	S26361-F3683-E256	333,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support							x			x							S26361-F3758-E256	333,00	New product
	SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support						x		x	x								S26361-F3680-E512	777,00	
	SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support											x	x					S26361-F3681-E512	777,00	
	SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support	x												x	x	x	x	S26361-F3682-E512	777,00	
	SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support							x			x							S26361-F3758-E512	777,00	New product
	2nd SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support													x	x	x	x	S26361-F3683-E512	777,00	
	SSD 128GB high speed	occupies 3,5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support						x		x	x								S26361-F3575-E100	222,00	
	SSD 128GB high speed FDE	very fast 2.5" solid state drive with SATA 3GB/s interface, incl. easy rail, no WinXP support											x						S26361-F3639-E100	222,00	
	SSD 128GB high speed FDE	occupies 2.5"-bay (internal), very fast solid state drive with SATA 3GB/s interface and Full Disk Encryption, no WinXP support	x						x			x			x	x			S26361-F3662-E128	222,00	
	2nd SSD 128GB high speed FDE	occupies 2.5"-bay (internal), very fast solid state drive with SATA 3GB/s interface and Full Disk Encryption, no WinXP support							x			x			x	x			S26361-F3663-E128	222,00	
	SSD 256GB high speed FDE	occupies 3,5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support						x		x	x								S26361-F3576-E100	455,00	
	SSD 256GB high speed FDE	occupies 3,5"-bay (internal), incl. easy rail, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support											x						S26361-F3642-E100	455,00	
	SSD 256GB high speed FDE	occupies 2.5"-bay (internal), very fast solid state drive with SATA 3GB/s interface and Full Disk Encryption, no WinXP support	x						x			x			x	x			S26361-F3662-E256	455,00	
	2nd SSD 256GB high speed FDE	occupies 2.5"-bay (internal), very fast solid state drive with SATA 3GB/s interface and Full Disk Encryption, no WinXP support							x			x			x	x			S26361-F3663-E256	455,00	
	HDD SATA III 250GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)							x			x	x	x	x	x	x	x	S26361-F3660-E250	57,00	
	HDD SATA III 320GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x										x		x	x			S26361-F3660-E320	63,00	Phased out
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x						x			x	x	x	x	x	x	x	S26361-F3660-E500	72,00	
	HDD SATA III 1000GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x						x			x	x	x	x	x	x	x	S26361-F3660-E100	112,00	
	HDD SATA III 2000GB 7.2k AF	occupies 3.5"-bay (internal), Advanced Format (AF)	x						x			x	x	x	x	x	x	x	S26361-F3660-E200	162,00	
	HDD SATA 320GB 5.4k	HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		x		x													S26391-F893-E320	144,00	
	HDD SATA 320GB 5.4k XP optimized	HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T., XP optimized		x		x													S26391-F893-E321	178,00	
	HDD SATA 320GB 5.4k FDE	Not for China!, HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T., full disk encryption		x		x													S26391-F893-E328	204,00	
	HDD SATA II 160GB 7.2k 2.5	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology											x	x					S26361-F3640-E100	66,00	
	HDD SATA II 160GB 7.2k 2.5" incl. frame	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology											x	x					S26361-F3661-E160	66,00	
	HDD SATA II 160GB 7.2k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology													x	x	x	x	S26361-F3664-E160	70,00	
	2nd HDD SATA II 160GB 7.2k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology													x	x	x	x	S26361-F3665-E160	70,00	
	HDD SATA II 320GB 7.2k 2.5"	supports NCQ and 3GB/s, compatible to SATA technology,											x	x					S26361-F3721-E320	77,00	
	HDD SATA II 500GB 7.2k	HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.					x												S26391-F1173-E507	252,00	New product,Orderable from: 01/08/2012
	HDD SATA II 500GB 7.2k	HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.			x														S26391-F1163-E507	227,00	New product,Orderable from: 01/08/2012
	HDD SATA 500GB 7.2k	HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.		x		x													S26391-F893-E507	227,00	
	2x HDD SATA 500GB 7.2k	2 x HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.				x													S26391-F893-E509	350,00	
	HDD SATA II 640GB 7.2k	HDD SATA, 7200 rpm, 640 GB, 2.5-inch, S.M.A.R.T.			x														S26391-F1163-E647	284,00	New product,Orderable from: 01/08/2012
	HDD SATA II 640GB 7.2k	HDD SATA, 7200 rpm, 640 GB, 2.5-inch, S.M.A.R.T.					x												S26391-F1173-E647	255,00	New product,Orderable from: 01/08/2012
	HDD SATA 750GB 7.2k	HDD SATA, 7200 rpm, 750 GB, 2.5-inch, S.M.A.R.T.		x		x													S26391-F893-E757	270,00	
	2x HDD SATA 750GB 7.2k	2 x HDD SATA, 7200 rpm, 750 GB, 2.5-inch, S.M.A.R.T.,				x													S26391-F893-E759	406,00	
	SSD SATA III 128GB	SSD SATA III, 128 GB, 2.5-inch			x														S26391-F1163-E820	299,00	New product,Orderable from: 01/08/2012
	SSD SATA III 128GB FDE	SSD SATA III FDE, 128 GB, 2.5-inch			x														S26391-F1163-E825	266,00	New product,Orderable from: 01/08/2012
	SSD SATA III 256GB	SSD SATA III, 256 GB, 2.5-inch			x														S26391-F1163-E835	346,00	New product,Orderable from: 01/08/2012
	SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch			x														S26391-F1163-E845	955,00	New product,Orderable from: 01/08/2012
	mSATA SSD	Cache module mSATA 32GB for IRST & Express Cache			x														S26391-F1163-E890	84,00	New product,Orderable from: 01/08/2012
	HDD SATA II 320GB 7.2k	occupies 3.5"-bay (internal)						x		x									S26361-F3570-E100	63,00	Phased out
	HDD SATA II 500GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)						x		x									S26361-F3435-E100	76,00	
	HDD SATA II 1000GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)						x		x									S26361-F3568-E100	106,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
Hard Disks (Continued)																					
	HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology						x		x	x								S26361-F3212-E30	63,00	Phased out
	HDD SATA III 500GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F3497-E100	104,00	
	HDD SATA II 320GB 7.2k	occupies 3,5"-bay (internal)									x								S26361-F3705-E320	65.00	Phased out
	HDD SATA II 500GB 7.2k	occupies 3,5"-bay (internal)									x								S26361-F3705-E500	76.00	Phased out
	HDD SATAIII 1000GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F3521-E100	176,00	
	HDD SATA II 1000GB 7.2k	occupies 3,5"-bay (internal)									x								S26361-F3705-E100	113.00	Phased out
	HDD SATAII 2000GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F3590-E100	290,00	
	HDD SATA III 300GB 10k	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F3527-E10	226,00	
	HDD SATA III 600GB 10k	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F3632-E100	406,00	
	HDD SAS 300GB 15k	occupies 3,5"-bay (internal)						x		x	x								S26361-F3414-E20	237.00	
	HDD SAS 450GB 15k	occupies 3,5"-bay (internal)						x		x	x								S26361-F3518-E20	288.00	
	HDD SAS 600GB 15k	occupies 3,5"-bay (internal)						x		x	x								S26361-F3591-E100	344.00	
	HDD SAS 300GB 15k 6G 2.5"	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, 2.5-inch,	x						x			x							S26361-F3738-E300	366,00	
	2nd HDD SAS 300GB 15k 6G 2.5"	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, 2.5-inch,							x			x							S26361-F3738-E302	366,00	
	HDD SAS 300GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, 2.5-inch, ,	x						x			x							S26361-F3737-E300	226,00	
	2nd HDD SAS 300GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, 2.5-inch, ,							x			x							S26361-F3737-E302	226,00	
	HDD SAS 450GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, 2.5-inch, ,	x						x			x							S26361-F3737-E450	277,00	Orderable from: 16/07/2012
	2nd HDD SAS 450GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, 2.5-inch, ,							x			x							S26361-F3737-E452	277,00	Orderable from: 16/07/2012
	HDD SAS 600GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, 2.5-inch, ,	x						x			x							S26361-F3737-E600	333,00	
	2nd HDD SAS 600GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, 2.5-inch, ,							x			x							S26361-F3737-E602	333,00	
	SSD SATA III 128GB	SSD SATA III, 128 GB, 2.5-inch					x												S26391-F1173-E820	299.00	New product,Orderable from: 01/08/2012
	SSD SATA 128GB FDE	Not for China!, SSD SATA, 128 GB, 2.5-inch, full disk encryption		x		x													S26391-F893-E820	299,00	
	SSD SATA III 128GB 2.5"	SSD SATA III, 128 GB, 2.5-inch		x		x													S26391-F893-E821	266.00	
	SSD 128GB + HDD 750 GB	1x SSD SATA, 128 GB / 1x HDD SATA, 7200 rpm 750 GB, S.M.A.R.T.				x													S26391-F893-E823	610,00	
	SSD SATA III 128GB FDE	SSD SATA III FDE, 128 GB, 2.5-inch					x												S26391-F1173-E825	266.00	New product,Orderable from: 01/08/2012
	SSD 128/HDD 500GB	1x SSD SATA, 128 GB / 1x HDD SATA, 7200 rpm 500 GB, S.M.A.R.T.				x													S26391-F893-E825	555,00	
	SSD highspeed 128/HDD 500GB	1x SSD SATA III, 128 GB / 1x HDD SATA, 7200 rpm 500 GB, S.M.A.R.T.				x													S26391-F893-E826	555,00	
	SSD SATA 256GB FDE	Not for China!, , , SSD SATA, 256 GB, 2.5-inch, full disk encryption		x		x													S26391-F893-E830	877,00	
	SSD SATA III 256GB 2.5"	SSD SATA III, 256 GB, 2.5-inch		x		x													S26391-F893-E831	346.00	
	SSD 256GB + HDD 500 GB	1x SSD SATA, 256 GB / 1x HDD SATA, 7200 rpm 500 GB, S.M.A.R.T.				x													S26391-F893-E832	533,00	
	SSD 256GB + HDD 750 GB	1x SSD SATA, 256 GB / 1x HDD SATA, 7200 rpm 750 GB, S.M.A.R.T.				x													S26391-F893-E833	566,00	
	SSD SATA III 256GB	SSD SATA III, 256 GB, 2.5-inch					x												S26391-F1173-E835	346.00	New product,Orderable from: 01/08/2012
	SSD SATA 512GB (FDE)	Not for China!, , , SSD SATA 512 GB, 2.5-inch, full disk encryption		x		x													S26391-F893-E840	1.322,00	
	SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch					x												S26391-F1173-E845	955.00	New product,Orderable from: 01/08/2012
	2x SSD SATA 512GB (FDE)	2 x SSD SATA, 512 GB, 2.5-inch, full disk encryption,				x													S26391-F893-E849	2.755,00	
	2nd HDD SATA II 500GB 7.2k						x												S26391-F1173-E957	227.00	New product,Orderable from: 01/08/2012
	2nd HDD SATA II 640GB 7.2k	HDD SATA, 7200 rpm, 640 GB, 2.5-inch, S.M.A.R.T.					x												S26391-F1173-E967	255,00	New product,Orderable from: 01/08/2012
	2nd SSD SATA III 128GB FDE	SSD SATA III FDE, 128 GB, 2.5-inch					x												S26391-F1173-E980	299.00	New product,Orderable from: 01/08/2012
	2nd SSD SATA III 128GB	SSD SATA III, 128 GB, 2.5-inch					x												S26391-F1173-E981	266.00	New product,Orderable from: 01/08/2012
	2nd SSD SATA III 256GB	SSD SATA III, 256 GB, 2.5-inch					x												S26391-F1173-E982	346.00	New product,Orderable from: 01/08/2012
	2nd SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch					x												S26391-F1173-E985	955.00	New product,Orderable from: 01/08/2012
	Cable for SATA HDD	necessary for each S-ATA hard disk drive						x		x	x								S26361-F2581-E31	3.00	
	Cable for SATA HDD												x	x					S26361-F2581-E35	3.00	
	Cable for SAS HDD										x								S26361-F2581-E41	3.00	
	Cable for SSD HDD										x								S26361-F2581-E42	3.00	
	Cable for 4x SAS HDD								x			x							S26361-F4030-E23	7.00	
	Kabel für 2x HDD														x	x			S26361-F4030-E2	7.00	
	Rails for 2x HDD 3.5"								x			x			x	x	x	x	S26361-F4030-E20	4.00	
	Rails for 2x HDD 2.5"								x			x			x	x	x	x	S26361-F4030-E40	4.00	
	2.5" Drive Slot Cover		x																S26361-F4030-E50	4.00	Orderable from: 04/07/2012
	2.5" HDD Carrier		x																S26361-F4030-E51	7.00	Orderable from: 04/07/2012
	3.5" Drive Slot Cover		x																S26361-F4030-E60	4.00	Orderable from: 04/07/2012
	3.5" HDD Carrier		x																S26361-F4030-E61	7.00	Orderable from: 04/07/2012
SCSI/RAID/SAS controller																					
	SAS Controller D2507 (LSI1064e)x4	4 ports incl. cables, PCIe x4						x		x									S26361-F3976-E1	95.00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports, RAID Levels 0, 1, and 10 ,	x						x			x							S26361-F3976-E2	139,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports, RAID levels 0, 1, 5 and 6	x						x			x							S26361-F3976-E3	236,00	
	RAID Contr BBU Upgrade RAID 5/6	RAID controller batterv-backup-unit	x									x							S26361-F3976-E99	106.00	
	4-Port SAS-UpgradeRom	upgrade of 4x onboard SATA to 4x onboard SAS (incl. RAID 0,1,10 license),							x										S26361-F2581-E49	29,00	
	8-Port SAS-UpgradeRom	upgrade of 4x onboard SATA to 8x onboard SAS (incl. RAID 0,1,10 license)										x							S26361-F2581-E43	50,00	
Communication/Network																					
	Dual 1 Gigabit Ethernet PCIe x4		x					x	x	x	x	x							S26361-F3067-E80	110.00	
	USB 3.0 PCIe x1							x	x	x	x	x	x		x	x			S26361-F3050-E10	26.00	
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0	x						x			x	x	x	x	x	x	x	S26361-F3067-E60	17,00	
	No UMTS + No UMTS Antenna			x															S26391-F895-E110	2.00	
	No UMTS + UMTS Antenna	Not for China!,		x															S26391-F895-E120	12.00	
	UMTS Sierra Wireless Gobi 3000	Not for China!,		x															S26391-F895-E125	88.00	
	Modem module (NOT for China)	for China please use S26391-F895-E135 No Modem		x															S26391-F895-E130	10,00	
	No Modem			x															S26391-F895-E135	2.00	
	No WLAN			x	x	x													S26391-F955-E210	2.00	
	WLAN Advanced Intel Centrino 6205 a/b/g/				x														S26391-F1165-E200	18.00	New product,Orderable from: 01/08/2012
	WLAN Advanced Intel Centrino 6205 a/b/g/						x												S26391-F1175-E200	18.00	New product,Orderable from: 01/08/2012
	WLAN Intel Centrino 2200 b/g/n				x														S26391-F1165-E210	12.00	New product,Orderable from: 01/08/2012
	WLAN Intel Centrino 2200 b/g/n						x												S26391-F1175-E210	12.00	New product,Orderable from: 01/08/2012
	WLAN Atheros 802.11b\g\n (WW)			x		x													S26391-F955-E230	10.00	
	Intel Centrino 6205 802.11a\b\g\n (WW)			x		x													S26391-F955-E240	22.00	
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express						x	x	x	x	x							S26361-F3067-E40	16,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
Communication/Network (Continued)																					
	No Bluetooth						x												S26391-F1175-E310	2.00	New product,Orderable from: 01/08/2012
	No Bluetooth			x															S26391-F895-E310	2.00	
	No Bluetooth				x														S26391-F955-E310	2.00	
	Bluetooth Module V4.0				x														S26391-F1165-E320	23.00	New product,Orderable from: 01/08/2012
	Bluetooth Module V4.0						x												S26391-F1175-E320	23.00	New product,Orderable from: 01/08/2012
	Bluetooth Module V2.1			x															S26391-F895-E320	23.00	
	Dual 10 Gigabit Ethernet PCIe x8	FTS D2755, without SFP+ modules	x					x	x	x	x	x							S26361-F3067-E70	344.00	
	InfiniBand HCA 40GB/s, 1-Port, ODR		x									x							S26361-F3067-E100	466.00	
	No UMTS/No LTE	no antennas = no upgrade,			x														S26391-F1165-E500	2.00	New product,Orderable from: 01/08/2012
	No UMTS/No LTE						x												S26391-F1175-E500	2.00	New product,Orderable from: 01/08/2012
	UMTS/LTE ready kit				x														S26391-F1165-E510	12.00	New product,Orderable from: 01/08/2012
	UMTS/LTE ready kit						x												S26391-F1175-E510	12.00	New product,Orderable from: 01/08/2012
	No UMTS + No UMTS Antenna					x													S26391-F895-E510	2.00	
	InfiniBand HCA 40GB/s, 2-Port, ODR		x									x							S26361-F3067-E110	633.00	
	UMTS Sierra Wireless Gobi 3000				x														S26391-F1165-E520	88.00	New product,Orderable from: 01/08/2012
	UMTS Sierra Wireless Gobi 3000						x												S26391-F1175-E520	88.00	New product,Orderable from: 01/08/2012
	UMTS Sierra Wireless Gobi 3000	Not for China!,				x													S26391-F895-E525	88.00	
	LTE module Sierra Wireless				x														S26391-F1165-E530	144.00	New product,Orderable from: 01/08/2012
	LTE module Sierra Wireless						x												S26391-F1175-E530	144.00	New product,Orderable from: 01/08/2012
	No Bluetooth					x													S26391-F895-E610	2.00	
	Bluetooth Module V3.0					x													S26391-F895-E620	23.00	
	Modem adapter kit (EU) w\ modem cable	includes all adapter for EU		x															S26391-F646-E100	33.00	
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface; only EMEA						x	x	x	x	x	x	x	x	x	x	x	S26361-F3108-E5	16,00	
	Parallel Interface FH	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height						x					x	x	x	x	x	x	S26361-F2542-E34	3,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot; full height						x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-E70	4,00	
	Dual serial card PCIe x1	Dual Port RS232 via splitter cabel						x	x	x	x	x	x	x	x	x	x	x	S26361-F3316-E6	22.00	
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cabel						x	x	x	x	x	x	x	x	x	x	x	S26361-F3316-E7	23.00	
Multimedia Module																					
	2x Digital array microphones				x														S26391-F1160-E500	8.00	New product,Orderable from: 01/08/2012
	2x Digital array mics + 2Mpix Webcam				x														S26391-F1160-E510	26.00	New product,Orderable from: 01/08/2012
	Digital microphone						x												S26391-F1170-E500	8.00	New product,Orderable from: 01/08/2012
	Digital mic + Webcam						x												S26391-F1170-E510	26.00	New product,Orderable from: 01/08/2012
	2x Digital array microphones			x															S26391-F890-E710	8.00	
	2x Digital array mics + 2Mpix Webcam			x															S26391-F890-E720	26.00	
	Digital microphone					x													S26391-F890-E810	8.00	
	Digital mic + Webcam					x													S26391-F890-E820	26.00	
Mobile Security																					
	TPM module						x												S26391-F1179-E100	8.00	New product,Orderable from: 01/08/2012
	TPM module				x														S26391-F1169-E100	8.00	New product,Orderable from: 01/08/2012
	No Fingerprint Module			x															S26391-F899-E100	4.00	
	Fingerprint Module incl. Smart Access			x															S26391-F899-E200	26.00	
	TPM module	Not for China!,		x		x													S26391-F989-E300	8.00	
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk		x	x	x	x												S26391-F993-E100	23,00	
	SystemLock3	SystemLock3 Smartcard BIOS Pre-Boot Authentification			x		x												S26391-F993-E200	18,00	
	Kensington Lock cable			x	x	x	x												S26391-F959-E400	55.00	
Rack-Infrastructure																					
	RMK-F1_DI_CMA_QRL	Telescopic drop-in rails, full extraction with vario-carrier, pre-assembled with centre screw;, Rack installation depth (19" pillar distance) between 714mm and 785mm	x																S26361-F2735-E145	95,00	
Country kits																					
	Country kit US-cable (INT)	incl. power cord (US), safety manuals (EU+, non EU)	x										x	x	x	x	x	x	S26361-F2930-E100	8,00	
	Country kit (DE)	Germany; incl. power cord (Euro), safety manual (DE)	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2930-E101	8,00	
	Country kit (IT)	incl. power cord (I).safety manual (I)	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2930-E104	8.00	
	Country kit (GB)	incl. power cord (GB).safety manual (GB)	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2930-E105	8.00	
	Country kit GB-cable (non EU)	incl. power cord (GB).safety manual (INT)	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2930-E110	8.00	
	Country kit (TR)	Turkey; incl. power cord (Euro), safety manual (TR)	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2930-E114	8,00	
	Country kit without power cord (INT)	without power cord, incl. safety manual (INT)	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2930-E135	8.00	
	Country kit Euro-cable (EU+)	incl. power cord (Euro), safety manual (EU+)	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2930-E141	8.00	
	Country kit Euro-cable (non EU))	incl. power cord (Euro), safety manual (non EU)	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2930-E142	8,00	
	Country kit (DE)				x														S26391-F1168-E100	8.00	New product,Orderable from: 01/08/2012
	Country kit (INT)				x														S26391-F1168-E200	8.00	New product,Orderable from: 01/08/2012
	Country kit (GB)				x														S26391-F1168-E300	8.00	New product,Orderable from: 01/08/2012
	Country kit (DE)						x												S26391-F1178-E100	8.00	New product,Orderable from: 01/08/2012
	Country kit (INT)						x												S26391-F1178-E200	8.00	New product,Orderable from: 01/08/2012
	Country kit (GB)						x												S26391-F1178-E300	8.00	New product,Orderable from: 01/08/2012
	Country kit (D)					x													S26391-F898-E500	8.00	
	Country kit (GB)					x													S26391-F898-E600	8.00	
	Country Kit (INT)					x													S26391-F898-E700	8.00	
	Country kit (D)			x															S26391-F898-E100	8.00	
	Country Kit (INT)			x															S26391-F898-E200	8.00	
	Country kit (GB)			x															S26391-F898-E300	8.00	
	Warranty Card Poland			x	x	x	x												S26391-F781-E500	2.00	
	Made in Germany sticker	The „Made in Germany" sticker prominently displays this universally admired differentiating product value	x					x	x	x	x	x	x	x	x	x	x	x	S26391-F404-E911	2,00	
Power supply																					
	Battery 6cell 6700mAh	Lithium-Ion, 10.8V, 72Wh,			x														S26391-F1166-E100	58.00	New product,Orderable from: 01/08/2012
	3pin AC Adapter 19V/210W	3pin AC Adapter 19V/210W for use with H920 notebook system and/or Portreplicator, Desktop PC (DT) connector type,			x														S26391-F1166-E210	66,00	New product,Orderable from: 01/08/2012
	3pin AC Adapter 19V/150W	3pin AC Adapter 19V/150W for use with H720 notebook system, Mickey Mouse (MM) connector type,			x														S26391-F1166-E220	55,00	New product,Orderable from: 01/08/2012
	Battery 8cell 5800mAh	Lithium-Ion, 14.4V, 83Wh, .					x												S26391-F1176-E100	77.00	New product,Orderable from: 01/08/2012
	3pin AC Adapter 19V/210W						x												S26391-F1176-E210	66.00	New product,Orderable from: 01/08/2012
	AC Adapter 19V/210W					x													S26391-F896-E500	66.00	
	Battery 8cell 5800mAh			x		x													S26391-F896-E700	77.00	
	Power cable EU			x															S26391-F878-E210	5.00	
	Power cable US			x															S26391-F878-E220	5.00	
	Power cable GB			x															S26391-F878-E230	5.00	
	AC cable for 2-pin China			x															S26391-F878-E240	6.00	
	3-pin Power cable EU			x	x														S26391-F878-E310	6.00	
	3-pin Power Cable US				x														S26391-F878-E320	7.00	
	3-pin Power Cable GB				x														S26391-F878-E330	7.00	
	AC cable for 3-pin China				x														S26391-F878-E340	7.00	New product,Orderable from: 01/08/2012
	AC cable for 3-pin Switzerland				x														S26391-F878-E380	7.00	New product,Orderable from: 01/08/2012
	3pin AC Adapter 19V/120W	for Russia/GOST		x															S26391-F886-E400	33.00	
	AC cable for 3-pin EU				x	x	x												S26391-F878-E410	7.00	
	AC cable for 3-pin US				x	x	x												S26391-F878-E420	7.00	
	AC cable for 3-pin GB				x	x	x												S26391-F878-E430	7.00	
	AC cable for 3-pin China				x	x	x												S26391-F878-E440	7.00	
	AC cable for 3-pin Switzerland				x	x	x												S26391-F878-E450	7.00	
	2pin AC Adapter 19V/120W			x															S26391-F886-E700	28.00	
Port Replicator																					
	Port Replicator				x														S26391-F1167-E100	77.00	New product,Orderable from: 01/08/2012

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
Port Replicator (Continued)																					
	No Port Replicator				x														S26391-F1167-E200	4,00	New product.Orderable from: 01/08/2012
	Port Replicator						x												S26391-F1177-E100	77,00	New product.Orderable from: 01/08/2012
	Portreplicator					x													S26391-F897-E100	77,00	
	Port Replicator			x															S26391-F987-E100	77,00	
OneBox-Keyboards																					
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K341-E110	27,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K341-E120	27,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K341-E165	27,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K341-E185	27,00	
	KB410 USB BLACK US	KB410 USB, slim value keyboard with US layout on 105-key modul in black. Fixed USB cable 1.8 m.	x						x			x		x			x	x	S26381-K510-E402	13,00	
	KB410 USB BLACK DE	KB410 USB, slim value keyboard with german layout on 105-key modul in black. Fixed USB cable 1.8 m.	x						x			x		x			x	x	S26381-K510-E420	13,00	
	KB410 USB BLACK GB	KB410 USB, slim value keyboard with english layout on 105-key modul in black. Fixed USB cable 1.8 m.	x						x			x		x			x	x	S26381-K510-E465	13,00	
	KB410 USB BLACK IT	KB410 USB, slim value keyboard with italian layout on 105-key modul in black. Fixed USB cable 1.8 m.	x						x			x		x			x	x	S26381-K510-E485	13,00	
	KB410 PS2 BLACK US	KB410 PS2, slim value keyboard with US layout on 105-key modul in black. PS2 cable 1.8 m.	x						x			x		x			x	x	S26381-K515-E402	13,00	
	KB410 PS2 BLACK DE	KB410 PS2, slim value keyboard with german layout on 105-key modul in black. PS2 cable 1.8 m.	x						x			x		x			x	x	S26381-K515-E420	13,00	
	KB410 PS2 BLACK GB	KB410 PS2, slim value keyboard with english layout on 105-key modul in black. PS2 cable 1.8 m.	x						x			x		x			x	x	S26381-K515-E465	13,00	
	KB410 PS2 BLACK IT	KB410 PS2, slim value keyboard with italian layout on 105-key modul in black. PS2 cable 1.8 m.	x						x			x		x			x	x	S26381-K515-E485	13,00	
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K520-E102	13,00	
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K520-E120	13,00	
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K520-E165	13,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K520-E185	13,00	
	KB400 USB black US	KB400 USB INT USA, SLIM value keyboard black, international and USA layout, USB	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K550-E402	10,00	
	KB400 USB black D	KB400 USB D, SLIM value keyboard black, german layout, USB	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K550-E420	10,00	
	KB400 USB black GB	KB400 USB GB, SLIM value keyboard black, english layout, USB	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K550-E465	10,00	
	KB400 USB black I	KB400 USB I, SLIM value keyboard black, italian layout, USB	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K550-E485	10,00	
	KB400 PS2 US	KB400 PS2 US, SLIM value Keyboard black US english PS2	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K551-E402	10,00	
	KB400 PS2 black D	KB400 PS2 D, SLIM value Keyboard black Germany PS2	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K551-E420	10,00	
	KB400 PS2 black GB	KB400 PS2 GB, SLIM value Keyboard black UK PS2	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K551-E465	10,00	
	KB400 PS2 black I	KB400 PS2 I, SLIM value Keyboard black Italien PS2	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K551-E485	10,00	
	Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K560-E402	16,00	
	Keyboard KB900 USB RU US	KB900 USB RUS GB, russian and english layout, spill-proof, black, 1.8 m USB cable	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K560-E419	16,00	
	Keyboard KB900 USB D	KB900 USB D, german layout, spill-proof, black, 1.8 m USB cable	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K560-E420	16,00	
	Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof, black, 1.8 m USB cable	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K560-E465	16,00	
	Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K560-E485	16,00	
	Keyboard KB900 USB TR Q	KB900 USB TR Q, turkish Q layout, spill-proof, black, 1.8 m USB cable	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K560-E489	16,00	
	Black Keyboard w/o TS Spillproof D	Germany		x															S26391-F626-E121	12,00	
	Black Keyboard w/o TS Spillproof I	Italy		x															S26391-F626-E123	12,00	
	Black Keyboard w/o TS Spillproof GB	Great Britain		x															S26391-F626-E125	12,00	
	Black Keyboard w/o TS Spillproof US	US English		x															S26391-F626-E134	12,00	
	Keyboard w/ TS 10key DE					x													S26391-F669-E121	39,00	
	Keyboard w/ TS 10key IT					x													S26391-F669-E123	39,00	
	Keyboard w/ TS 10key GB					x													S26391-F669-E125	39,00	
	Keyboard w/ TS 10key US					x													S26391-F669-E134	39,00	
	Keyboard w/ TS DE			x															S26391-F678-E121	23,00	
	Keyboard w/ TS IT			x															S26391-F678-E123	23,00	
	Keyboard w/ TS GB			x															S26391-F678-E125	23,00	
	Keyboard w/ TS US			x															S26391-F678-E134	23,00	
	Keyboard w/o TS DE			x															S26391-F678-E221	12,00	
	Keyboard w/o TS IT			x															S26391-F678-E223	12,00	
	Keyboard w/o TS GB			x															S26391-F678-E225	12,00	
	Keyboard w/o TS US			x															S26391-F678-E234	12,00	
	Keyboard black w/ TS 10key DE				x		x												S26391-F901-E221	34,00	New product.Orderable from: 01/08/2012
	Keyboard black w/ TS 10key IT				x		x												S26391-F901-E223	34,00	New product.Orderable from: 01/08/2012
	Keyboard black w/ TS 10key GB				x		x												S26391-F901-E225	34,00	New product.Orderable from: 01/08/2012
	Keyboard black w/ TS 10key US				x		x												S26391-F901-E234	34,00	New product.Orderable from: 01/08/2012
	PS2 Keyboard Cable 2,0m	Keyboardcable PS2 for KBPC PX ECO, ca. 2,0 m length	x					x	x	x	x	x	x	x	x	x	x	x	T26139-Y4530-E1	4,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
OneBox-Keyboards (Continued) OS/Application-SW																					
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback),, BackItUp/ on DVD						x		x	x		x			x	x			S26361-F1818-E893	10,00	
	Nero 10 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp	x						x			x		x			x	x	S26361-F1818-E897	10,00	
	Drivers&Utilities DVD (XP) CELSIUS		x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-E912	3,00	Orderable from: 02/07/2012
	No Operating System			x	x	x	x												S26361-F2008-E100	4,00	
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback),, BackItUp/ on DVD		x		x													S26361-F2008-E893	10,00	
	Nero 10 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp			x		x												S26361-F2008-E897	10,00	
	SAG CAT Client XP/ WIN7 Apr10	preloaded XP Prof., short documentation						x			x								S26361-F2009-E985	4,00	
	Drivers&Utilities DVD Mobile H			x	x	x	x												S26361-F2012-E103	3,00	New product.Orderable from: 01/08/2012
	SAG CAT Client WIN7 Jul12	preloaded XP Prof., short documentation							x			x		x					S26361-F2109-E985	4,00	Orderable from: 29/06/2012
	OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.		x	x	x	x												S26361-F2110-E177	115,00	
	Lizenz EU/MM - Windows 7 Ultimate	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x						x			x		x			x	x	S26361-F2210-E325	180,00	New product
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.						x	x				x	x	x	x	x	x	S26361-F2009-E243	95,00	
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E253	126,00	
	OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.		x	x	x	x												S26361-F2110-E180	115,00	
	OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.		x	x	x	x												S26361-F2110-E181	115,00	
	OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.		x	x	x	x												S26361-F2110-E182	199,00	
	License RUS - Windows 7 Home Basic	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).											x	x					S26361-F2009-E232	50,00	
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).						x	x				x	x	x	x	x	x	S26361-F2009-E242	82,00	
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E252	118,00	
	OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.		x	x	x	x												S26361-F2110-E185	199,00	
	OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.		x	x	x	x												S26361-F2110-E186	199,00	
	Drivers&Utilities DVD Mobile H	incl. Nero Essentials S, Norton Internet Security Trial 90 days		x		x													S26361-F2010-E199	3,00	
	OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.		x	x	x	x												S26361-F2110-E187	343,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
OneBox-Keyboards (Continued)																					
	OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.		x	x	x	x												S26361-F2110-E190	343,00	
	License EM - Windows 7 Home Basic	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro												x					S26361-F2009-E234	64,00	
	License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro						x	x				x	x	x	x	x	x	S26361-F2009-E244	95,00	
	License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E254	126,00	
	License EM-MEA - Windows 7 Home Basic	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe											x	x					S26361-F2009-E235	64,00	
	OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.		x	x	x	x												S26361-F2110-E191	343,00	
	License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe						x	x				x	x	x	x	x	x	S26361-F2009-E245	95,00	
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN,, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.		x	x	x	x												S26361-F2010-E281	115,00	
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E255	126,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
OneBox-Keyboards (Continued)																					
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN,, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.		x	x	x	x											S26361-F2010-E282	199,00	
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License		x	x	x	x												S26361-F2010-E283	343,00	
	License EM-SEA - Windows 7 Home Basic	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam											x	x					S26361-F2009-E236	64,00	
	License EM-SEA - Windows 7 Home Premium	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam						x	x				x	x	x	x	x	x	S26361-F2009-E246	95,00	
	License EM-SEA - Windows 7 Professional	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E256	126,00	
	OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.						x		x	x								S26361-F2009-E177	106,00	Phased out
	OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.						x		x	x								S26361-F2009-E180	106,00	Phased out
	OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.						x		x	x								S26361-F2009-E181	106,00	Phased out
	OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.						x		x	x								S26361-F2009-E182	183,00	Phased out
	OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.						x		x	x								S26361-F2009-E185	183,00	Phased out
	OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.						x		x	x								S26361-F2009-E186	183,00	Phased out
	OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.						x		x	x								S26361-F2009-E187	315,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
OneBox-Keyboards (Continued)																					
	OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.						x		x	x								S26361-F2009-E190	315,00	Phased out
	OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.						x		x	x								S26361-F2009-E191	315,00	Phased out
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E271	106,00	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN,, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E272	183,00	
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E273	315,00	
	License EM-INDIA Windows 7 Home Basic	EM-INDIA. Select for shipments to: India												x					S26361-F2009-E238	64,00	
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India						x	x				x	x	x	x	x	x	S26361-F2009-E248	95,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E258	126,00	
	LicenseChinTradTaiwan Win 7 Professional	License sticker (COA) MM-ChinTradTaiwan, Mature Markets ChinTrad, English, Shipment limited to Taiwan,	x					x	x				x	x	x	x	x	x	S26361-F2210-E122	126,00	
	License EM-ChinSimpl Win 7 Professional	License sticker (COA) EM-ChinSimpl PRC, Emerging Market PeoplesRepublicChina, Shipment limited to PRChina,	x					x	x				x	x	x	x	x	x	S26361-F2210-E123	84,00	
	LicenseChinTrad HK - Win7 Professional	License sticker (COA) MM-ChinTrad HK, Mature Markets ChinTradHongkong, English, Worldwide Shipment w/o PRChina + Japan,	x					x	x				x	x	x	x	x	x	S26361-F2210-E124	126,00	
	LicenseChinTradTaiwan Win 7 Home Premium	License sticker (COA) MM-ChinTradTaiwan, Mature Markets ChinTrad, English, Shipment limited to Taiwan,											x	x	x	x	x	x	S26361-F2210-E222	95,00	
	License EM-ChinSimpl Win 7 Home Premium	License sticker (COA) EM-ChinSimpl PRC, Emerging Market PeoplesRepublicChina, Shipment limited to PRChina,											x	x	x	x	x	x	S26361-F2210-E223	82,00	
	License ChinTrad HK - Win 7 Home Premium	License sticker (COA) MM-ChinTrad HK, Mature Markets ChinTradHongkong, English, Worldwide Shipment w/o PRChina + Japan,											x	x	x	x	x	x	S26361-F2210-E224	95,00	
	Blu-ray playback software	DVD-video and Blu-ray playback, on DVD. , Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics.						x	x	x	x	x	x		x	x			S26361-F2007-E420	33,00	
	Blue-ray playback software	DVD-video and Blu-ray playback, on DVD. , Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics.	x						x			x		x			x	x	S26361-F2007-E421	33,00	
	No Operating System		x					x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E100	2,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x				x	x	x	x	x	x	S26361-F2109-E441	4,00	
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x				x	x	x	x	x	x	S26361-F2109-E442	4,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
OneBox-Keyboards (Continued)																					
	Win7 HomePremium64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x				x	x	x	x	x	x	S26361-F2109-E443	4,00	
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x				x	x	x	x	x	x	S26361-F2109-E444	4,00	
	Win7 HomePremium64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x				x	x	x	x	x	x	S26361-F2109-E445	4,00	
	Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x				x	x	x	x	x	x	S26361-F2109-E446	4,00	
	Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x		x	x		x	x	x	x	x	x	S26361-F2109-E351	4,00	
	Win7 Pro32 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x		x	x		x	x	x	x	x	x	S26361-F2109-E352	4,00	
	Win7 Pro32 EM+SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x		x	x		x	x	x	x	x	x	S26361-F2109-E353	4,00	
	Win7 Pro32 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x		x	x		x	x	x	x	x	x	S26361-F2109-E354	4,00	
	Win7 Pro32 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x		x	x		x	x	x	x	x	x	S26361-F2109-E355	4,00	
	Win7 Pro 32 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x		x	x		x	x	x	x	x	x	S26361-F2109-E356	4,00	
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E451	4,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
OneBox-Keyboards (Continued)																					
	Win7 Pro64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E452	4,00	
	Win7 Pro64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E453	4,00	
	Win7 Pro64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E454	4,00	
	Win7 Pro64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E455	4,00	
	Win7 Pro 64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E456	4,00	
	Win7 HomeBasic32 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.											x	x					S26361-F2109-E336	3,00	
	Win7 HomeBasic32 EM+SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.											x	x					S26361-F2109-E333	3,00	
	Win7 Ultimate64 + Office2010s	Preload: MuLi Ultimate DE/EN, Languages: DE, EN (German, English), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x						x			x		x			x	x	S26361-F2210-E305	4,00	New product
	Drivers&Utilities DVD (WIN7)	incl. Nero Essentials S, Norton Internet Security Trial 90 days	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-E909	3,00	
	REC-DVD Win7 HomeBasic 32bit RUS	RU											x	x					S26361-F2009-E532	3,00	
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.		x	x	x	x												S26361-F2010-E243	104,00	
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.		x	x	x	x												S26361-F2010-E253	133,00	
	REC-DVD Win7 Home Premium 64 RUS	RU						x	x				x	x	x	x	x	x	S26361-F2009-E642	3,00	
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)		x	x	x	x												S26361-F2010-E242	94,00	
	REC-DVD Win7 Professional 32 RUS	RU	x					x		x	x		x	x	x	x	x	x	S26361-F2009-E552	3,00	
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)		x	x	x	x												S26361-F2010-E252	126,00	
	REC-DVD Win7 Professional 64 RUS	RU	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E652	3,00	
	License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro		x	x	x	x												S26361-F2010-E244	104,00	
	REC-DVD Win7 HomeBasic 32bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR											x	x					S26361-F2009-E533	3,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
OneBox-Keyboards (Continued)																					
	License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro		x	x	x	x												S26361-F2010-E254	133,00	
	REC-DVD Win7 Ultimate 64bit	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x						x			x		x			x	x	S26361-F2210-E315	3,00	New product
	License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, , Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe		x	x	x	x												S26361-F2010-E245	104,00	
	REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR						x	x				x	x	x	x	x	x	S26361-F2009-E643	3,00	
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, , Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe		x	x	x	x												S26361-F2010-E255	133,00	
	REC-DVD Win7 Professional 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E653	3,00	
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India		x	x	x	x												S26361-F2010-E248	104,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India		x	x	x	x												S26361-F2010-E258	133,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E753	3,00	
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E751	3,00	
	REC-DVD 2 Win7 NORDIC+Office2010s	Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Office 2010 incl. Office Starter - 32bit, NORDICS (Nordic Region), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E752	3,00	
	REC-DVD 2 Win7 EM+SE+Office2010s	Sprachen: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 inkl. Office Starter - 32bit, EM-SE (Emerging Markets&Southern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E753	3,00	
	REC-DVD 2 Win7 IBER+NE+Office2010s	Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Office 2010 incl. Office Starter - 32bit, IBER-NE (Iberia and Northern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E754	3,00	
	REC-DVD 2 Win7 SEE+Office2010s	Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Office 2010 incl. Office Starter - 32bit, SEE (South Eastern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E755	3,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
OneBox-Keyboards (Continued)																					
	REC-DVD 2 Win7 RU+Office2010s	Languages: RU, Office 2010 incl. Office Starter - 32bit, RU (RU & CIS countries), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E756	3,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x												S26361-F2110-E441	4,00	
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x												S26361-F2110-E442	4,00	
	Win7 HomePremium64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x												S26361-F2110-E443	4,00	
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x												S26361-F2110-E444	4,00	
	Win7 HomePremium64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x												S26361-F2110-E445	4,00	
	Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x												S26361-F2110-E446	4,00	
	Win7 Pro64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x												S26361-F2110-E451	4,00	
	Win7 Pro64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x												S26361-F2110-E452	4,00	
	Win7 Pro64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x												S26361-F2110-E453	4,00	
	Win7 Pro64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x												S26361-F2110-E454	4,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
OneBox-Keyboards (Continued)																					
	Win7 Pro64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x												S26361-F2110-E455	4,00	
	Win7 Pro64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x												S26361-F2110-E456	4,00	
	REC-DVD Win7 Home Premium 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish		x	x	x	x												S26361-F2010-E643	3,00	
	REC-DVD Win7 Home Premium 64 RUS	RU		x	x	x	x												S26361-F2010-E642	3,00	
	REC-DVD Win7 Professional 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish		x	x	x	x												S26361-F2010-E553	3,00	
	REC-DVD Win7 Professional 32 RUS	RU			x		x												S26361-F2010-E552	3,00	
	REC-DVD Win7 Professional 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish		x	x	x	x												S26361-F2010-E653	3,00	
	REC-DVD Win7 Professional 64 RUS	RU		x	x	x	x												S26361-F2010-E652	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish		x	x	x	x												S26361-F2010-E753	3,00	
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x												S26361-F2110-E751	3,00	
	REC-DVD 2 Win7 NORDIC+Office2010s	Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Office 2010 incl. Office Starter - 32bit, NORDICS (Nordic Region), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x												S26361-F2110-E752	3,00	
	REC-DVD 2 Win7 EM+SE+Office2010s	Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 incl. Office Starter - 32bit, EM-SE (Emerging Markets&Southern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x												S26361-F2110-E753	3,00	
	REC-DVD 2 Win7 IBER+NE+Office2010s	Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Office 2010 incl. Office Starter - 32bit, IBER-NE (Iberia and Northern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x												S26361-F2110-E754	3,00	
	REC-DVD 2 Win7 SEE+Office2010s	Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Office 2010 incl. Office Starter - 32bit, SEE (South Eastern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x												S26361-F2110-E755	3,00	
	REC-DVD 2 Win7 RU+Office2010s	Languages: RU, Office 2010 incl. Office Starter - 32bit, RU (RU & CIS countries), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x												S26361-F2110-E756	3,00	
Security																					
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk, e.g. if the system will be sold. Please notice, that SSD (Solid State Disk) cannot be deleted in a secure method.											x	x					S26361-F2542-E435	30,00	
	SmartCase Logon+	Authentication, Password Manager , SecureDrive, supports SmardCard / Fingerprint / TPM Win XP/Vista-32/Win7,no eLux support, Version 3.0.3						x	x	x	x	x							S26361-F2727-E730	23,00	
	SmartCase Logon+ 3.2.2	Supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics											x	x	x	x	x	x	S26361-F2727-E740	14,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																					
Security (Continued)																					
	SystemLock3	SystemLock3 is a UEFI BIOS smartcard pre-boot authentication (PBA) feature.											x	x	x	x	x	x	S26361-F2727-E745	18,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface , black, USB cable						x	x	x	x	x	x	x	x	x	x	x	S26381-F331-E220	23,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard						x	x	x	x	x	x	x	x	x	x	x	S26361-F1260-E520	18,00	
Mouse																					
	Grey mouse instead of black USB		x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-F221	6,00	
	Black Upgrade Mouse M440 ECO		x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-E222	16,00	
	Laser Mouse GL9000		x					x	x	x	x	x	x	x	x	x	x	x	S26381-K438-E100	17,00	
	Mouse 400NB Black			x	x	x	x												S26391-F428-E100	17,00	
	Grey mouse instead of black USB	upgrade mouse for system unit,USB 2.0 interface,allows horizontal scrolling	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-E216	6,00	Phased out
	Grey USB/PS2 laser mouse inst.of blk USB	upgrade mouse for system unit,Logitech, USB 2.0 interface incl.adapter to PS/2, allows horizontal scrolling	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-E217	9,00	
Miscellaneous																					
	Med-Kit ESPRIMO/CELSIUS	Manual and product compliant to IEC 60601-1-2. Preparation for further medical certifications and relevant for integration into medical products.						x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-E250	26,00	
	Key lock in side door	for lock of housing							x			x			x	x	x	x	S26361-F2542-E331	6,00	
	Key lock in side door		x																S26361-F2542-E339	6,00	Orderable from: 04/07/2012
	Intrusion switch												x	x					S26361-F2547-F476	4,00	
	Med Kit CELSIUS H				x														S26391-F1169-E500	6,00	New product.Orderable from: 01/08/2012
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note		x	x	x	x												S26391-F782-E200	3,00	
	Med Kit CELSIUS H710			x															S26391-F898-E900	6,00	
	Med Kit CELSIUS H910					x													S26391-F898-E910	6,00	
	Power cord for monitor (CH)							x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-E59	4,00	
	Cable for second internal USB device							x	x	x	x	x	x	x			x	x	S26361-F2581-E10	3,00	
	Key lock in side door	for lock of housing											x	x					S26361-F2542-E323	6,00	
	Key lock in side door	for lock of housing						x		x	x								S26361-F2542-E324	6,00	
	Casters for CELSIUS M, R & V	Available in systems serial no. higher than YBSJ001400 (CELSUS V830) and YBWM004000 (CELSIUS M440).						x		x	x								S26361-F2581-E200	55,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-E90	4,00	
	No TPM/ TLS	for countries with import regulations	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F3436-E2	3,00	
Keyboard /Mouse																					
	SPACE EXPLORER	3D motion controller USB, 15 programmable keys, manual, software, brown box.	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K425-E100	288,00	
	SpaceMouse(TM) Pro	3D motion controller USB, manual, software	x					x	x	x	x	x	x	x	x	x	x	x	S26381-K459-E100	314,00	
made4vou Services																					
	Master Key ESPRIMO P, CELSIUS W												x	x					S26361-F2542-E329	10,00	
Desk View																					
	DV Adv. Migration (DVD + 1 Lic.)	DeskView Advanced Migration DVD incl. 1 License, , Components: , - Data Migration (Migration of personalizations, settings, links, favorites, etc.), - System Migration (Virtualization of HDDs and full systems), - Secure Deletion (secure deletion of data on HDDs via multiple options of deletion algorithms), , Efficient tool that supports you migration your old system to a new system including the secure deletion of the data on your old HDD. Supports Windows XP, Windows Vista and Windows 7 (32 Bit and 64 Bit architectures).,	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F4040-E10	17,00	

Positioning Displays

P Line

Superior Displays - P Line and XL Line
A feast for your eyes and a pleasure to use for work or multimedia:
- Ultra wide viewing angle and outstanding color performance
- 0.0 watt standby (P Line)
- Maximum connectivity
- Most advanced technical features

XL Line

B Line

Advanced Displays - B Line and SL Line
Efficiency for intensive office or entertainment usage:
- Optimum ergonomics (B Line) with height adjust, tilt, swivel and on standard formats as well rotation
- Energy efficient: power save panel EPA 5.0, ECO button, EPEAT Silver
- Ultra high contrast (SL Line)
- High-flexible connectivity: e.g. 2 x HDMI (on selected models), DVI (HDCP) for wide screen displays

SL Line

A/E Line

All-round Displays - A/E Line and L Line
Enter the world of LCD displays at an affordable price:
- Ergonomic or lifestyle design
- TCO'03 or TCO Displays 5.0
- Energy efficient - EPA 5.0, EPEAT Silver

L Line

Displays

P Line
- 0-Watt power save mode*
- Auto Brightness Control*
- UVA (Ultra Wide Viewing Angle)*
- Enhanced ergonomic height adjust stand
- HDMI for wide screen models
- Ready for Manageability
- 5th generation models in new design language

*: on sleected models

XL Line
- Advanced contrast ratio (ACR) up to 20,000:1
- ECO control button
- Video inputs HDMI, DVI and analog

* featured on selected models

B Line
- Energy saving solutions (as of Summer 2009)
  - Cut energy cost by half (versus Energy Star 4.1)
  - ECO operation mode for Energy Star 5.0
  - ECO button - direct access to ECO mode
- Flexible ergonomic stand
- Height Adjust, Tilt, Swivel, Rotation*
- DVI-D and analog interface
- Manageability

SL Line
- High ACR up to 10,000:1
- 2 x HDMI*, DVI*, analog interface
- Glossy black lifestyle design
- Full HD 1080P support*
- 16:9 ideal video format*
- Headphone jack*

A Line
- Energy saving solutions (as of Autumn 2009)
- Energy Star 5.0
- Tilt stand
- Analog interface
- Ergonomic Design

L Line
- Extra high ACR up to 10,000:1*
- 16:9* ideal video format
- Fast 5 ms response time
- Lifetime extender
- Theme Mode
- Glossy black lifestyle design

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Displays					
	DISPLAY P23T-6 IPS (NSN Project)	DISPLAY P23T-6 IPS (NSN Project) Premium Line 58,4cm(23")wide Display IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand, DISPLAY P22W-5 ECO (IPS) Premium Line 55,9cm(22") wide Display, ECO, IPS 0-Watt power save mode, Light sensor HDMI,DVI,VGA Interface	BDL:SAG-NSNSTD-MON	255,00	
	DISPLAY B19-6 LED	DISPLAY B19-6 LED Business Line 48.3cm(19") Display VGA, DVI, 4-in-1 stand LED Backlight, DISPLAY B19-6 LED Business Line 48.3cm(19") Display VGA, DVI, 4-in-1 stand LED Backlight	BDL:TOP-B19-6-LED	166,00	
	DISPLAY B22W-6 LED	DISPLAY B22W-6 LED Business Line 55.9cm(22")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight, DISPLAY B22W-6 LED Business Line 55.9cm(22")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	BDL:TOP-B22W-6-LED	188,00	
	DISPLAY B24W-5 ECO	DISPLAY B24W-5 ECO Business Line 61cm(24")wide Display VGA, DVI, 3-in-1 stand , DISPLAY B24W-5 ECO Business Line 61cm(24")wide Display VGA, DVI, 3-in-1 stand	BDL:TOP-B24W-5-ECO	255,00	
	Display E19-6 LED R	Display E19-6 LED R E-Line 48cm (19") Display VGA, DVI, matt black , DISPLAY E19-6 LED E Line 48.3cm(19") schwarz , VGA, DVI, matt schwarz LED Backlight	BDL:TOP-E19-6-LED	272,00	
	Display E19W-5	Display E19W-5 E-Line Runrate 48cm (19")wide Display VGA, DVI , Display E19W-5 E-Line Runrate 48cm (19")wide Display VGA, DVI	BDL:TOP-E19W-5	350,00	Phased out
	DISPLAY P23T-6P FPR 3D	DISPLAY P23T-6P FPR 3D P-Serie 58,4 cm (23"T) DP, DVI, VGA, USB-hub, black housing 3D-display w.polarization filter glasses	S26361-K1433-V170	277,00	

Positioning Input Devices & Security devices

Keyboards & Security

The keyboard is the most important interface between humans and the computer. Our keyboards are designed according to the latest ergonomic development and the non-abrasive laser inscription lasts a lifetime. The security keyboards conform to current market requirements and offer an perfect platform for security applications.

Keyboards & mice

Please look for your favourite keyboard amongst a vast choice of different types. We have the right keyboard for you, no matter if you only need basic functionality or enhanced business typing. For office and a long days work, our Premium Line keyboards are the right ones.

Choose the perfect mouse for your environment: small when on the road, regular sizes for the desk, left and right hand usage, wired or unwired, four way scroll function, high-precise optical or laser technology - whatever you desire!

Security devices

To serve and protect - we take care. There is no choice than our security devices if you want to protect your valuable data from beeing stolen, changed or copied. SmartCard technology helps to protect your data. Accompanying software completes the functionality of your SmartCard.

Input devices and Security

Keyboards
A keyboard is the most important interface between user and computer. All our keyboards are designed to do the job. Reliable, effective and persevering. But what's more: they come in attractive and stylish designs to highlight every working place. There is a choice between wired and wireless keyboards, and also of features like e.g. quick touch buttons or 2 additional USB Ports.

Mice
Mice for every working or private environment. Great choice in different sizes, with or without cable, high precision technology, ergonomic and easy to use.

Security devices
Data are often inestimable worths. But they can be deleted, copied and changed in a short time by anyone. With Fujitsu security devices the access to mobile and stationary systems is effectively secured.

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Keyboard /Mouse					
	KBPC EM D	keyboard for emulationen; funktionality trimodular; light basic; incl. cable (PS/2) 1,4m; without driver	S26381-K257-L120	124,00	
	Keyboard cable PS2 4m round	with PS/2 plug; length 4m; for KBPC B,S,P,E,N,C,HK,P2	T26139-Y2530-V104	7,00	
	Keyboard cable with USB connector	Keyboard cable with USB and Western Plug lenght 2m; for KBPC SX, KBPC PX, KBPC NX	T26139-Y3812-V1	7,00	
	Keyboard cable with PS2 connector	Keyboard cable with PS/2 plug; length 2m; for KBPC PX	T26139-Y4530-V1	7,00	

Positioning PRIMERGY Tower Servers

PRIMERGY TX industry standard tower servers: efficient, rock solid, record-breaking performance. PRIMERGY TX servers benefit from over 20 years pioneering work in the field of Green IT. That is how TX servers reach industry – leading performance per watt ratios, lowering the environmental impact and running costs. TX servers can easily be managed locally or remotely via the PRIMERGY ServerView Suite, saving IT admin costs. That’s efficient performance. Our made-to-measure service packages take care of your system every step of the way. Rest assured, PRIMERGY TX servers are put through 5000 boot cycles - that's rock solid performance. PRIMERGY TX servers are flexible systems capable of using up to two processors and up to 20 hard disks. Tower to rack mounting kits are available to move to a consolidated rack infrastructure. TX servers have a tradition of setting record-breaking performance levels. So, whether you use them as tower or rack servers, for file, print or application purposes, you will benefit from record-breaking performance. PRIMERGY TX: a tower of strength.

PRIMERGY TX100S3p

PRIMERGY TX100 S3p

The PRIMERGY TX100 S3p is ideal for SMEs, looking for a first server with Intel® Xeon® support. With a maximum of 32 GB of RAM, and excellent processor performance, it offers more than enough performance for all classic server tasks, such as file, print, web or office applications. The dual onboard gigabit LAN, makes it easier to do business 24x7. Moreover, the TX100 S3p is incredibly silent making it an excellent choice for any office environment. With its optional 0-Watt functionality and a choice of two highly efficient power supply units, the TX100 S3p minimizes costs and the environmental impact.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX100 S3p					
	PY TX100S3p/LFF/Standard PSU	"Floorstand BU without processor and RAM, incl. standard power supply module, standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; onboard. graphics controller; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for easy change 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates., ",	S26361-K1410-V103	320,00	
	PY TX100S3p/LFF/0-Watt PSU	"Floorstand BU without processor and RAM, incl. 0-Watt power supply module, standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; onboard. graphics controller; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for easy change 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates., "	S26361-K1410-V203	340,00	

PRIMERGY TX120 S3p

PRIMERGY TX120 S3p

PRIMERGY TX120 S3p: For small environments with high demands. It is the perfect server for environments where space, high server functionality and low TCO are crucial. The TX120 S3p is an excellent choice for smaller retail premises, branch offices, or in other contexts where strict legal controls apply, e.g. medical, legal or financial services. Besides sporting a power supply with 94% efficiency and 0-watt functionality, the TX120 S3p keeps running costs and the environmental impacts low. The unique combination of ultra-compact form factor, Intel® Xeon® processor E3 series performance, high availability features and low TCO, make it ideal for demanding environments where space is scarce.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX120 S3p					
	PY TX120S3p/SFF	Floorstand BU without processor and RAM, incl. standard power supply module, lockable covers, standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 2,5" hot plug HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 2.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1380-V103	345,00	
	PY TX120S3p/LFF	Floorstand BU without processor and RAM, incl. standard power supply module, lockable covers, standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 2x 3.5" SATA HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 2 drive bays for easy change 3.5" SATA HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1380-V203	335,00	

PRIMERGY TX140 S1p

PRIMERGY TX140 S1p

PRIMERGY TX140 S1p: the expandable SME allrounder. It is ideal for SME or branch customers looking for a classic file, print, mail, or database server, with high scalability, and best availability through optional redundant power supplies. As the company evolves, so too does the TX140 S1p. Storing up to 12 TB of data, the TX140 S1p can easily handle large files. At a later stage, the TX140 S1p can be included in a rack cabinet with dedicated storage systems. From here, customers can fully take advantage of the extensive connectivity options, Intel® Xeon® E3 series performance, and high serviceability via the optional front service LAN port. The TX140 S1p: an excellent long-term investment.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX140 S1p					
	PY TX140S1p/f/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V103	430,00	
	PY TX140S1p/f/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller mandatory; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V203	450,00	
	PY TX140S1p/r/LFF/Standard PSU	Rack based server 19" (5U) BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V303	440,00	
	PY TX140S1p/r/SFF/standard PSU	Rack based server 19" (5U) BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller mandatory; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V403	450,00	
	PY TX140S1p/f/LFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for SAS, otherwise optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V503	530,00	
	PY TX140S1p/f/SFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 2.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for more than 4 HDs or SAS, otherwise optional; 8 drive bays for hot plug 2.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V603	570,00	

PRIMERGY TX140 S1p

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX140 S1p (Continued)					
	PY TX140S1p/r/LFF/hot plug PSU	Rack BU 19" (5U) without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for SAS, otherwise optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V703	550,00	
	PY TX140S1p/r/SFF/hot plug PSU	rack based BU 19" (5U) without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 2.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for more than 4 HDs or SAS, otherwise optional; 8 drive bays for hot plug 2.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V803	590,00	

PRIMERGY TX150 S7

The PRIMERGY TX150 S7: the right system for SMEs or non-mission-critical decentralized infrastructures where the main focus is on expandability and availability. The expandability and availability come from the 6 expansion slots (5 of which PCIe Gen 2) and up to 8x 2.5” hot-plug hard disks. Increase the system’s availability and energy efficiency through the use of optional redundant power supplies boasting up to 89% energy efficiency. The TX150 S7 also offers up to the latest generation Intel® Xeon® processor 3400 series single processor platform, delivering excellent energy-efficient performance at an attractive price. The PRIMERGY TX150 S7: the one processor tower server – maximized.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
PRIMERGY TX150 S7					
	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.				
	PY TX150S7F/SFF/STANDARD PSU / (Promo)	PY TX150S7F/SFF/STANDARD PSU / CORE I3-540/2x2GB 1333 ECC U/DVD-RW SM/ RAID 6G 5/6 512MB/KB400USBIGREY/ POW.CORD/,	LKN:T1507S0005IT		Phased out
	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.				
	PY TX150S7F/SFF/HOT PLUG PSU / (Promo)	PY TX150S7F/SFF/HOT PLUG PSU / CORE I3-540/3x2GB 1333 ECC U/DVD-RW SM/ RAID 6G 5/6 512MB/KB400USBIGREY/ POW.CORD/,	LKN:T1507S0006IT		Phased out
	PY TX150S7F/SFF/HOT PLUG PSU / (Promo)	PY TX150S7F/SFF/HOT PLUG PSU / XEON X3430/4x2GB 1333 ECC R/DVD-RW SM/ RAID 6G 5/6 512MB/KB400USBIGREY/ POW.CORD/,	LKN:T1507S0007IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX150 S7					
	PY TX150S7f/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V101	550,00	
	PY TX150S7f/LFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V201	575,00	

PRIMERGY TX150 S7

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX150 S7 (Continued)					
	PY TX150S7f/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V301	590,00	
	PY TX150S7f/SFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V401	615,00	
	PY TX150S7/r/LFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V601	595,00	
	PY TX150S7r/SFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V801	635,00	

PRIMERGY TX300 S7

The PRIMERGY TX300 S7 is a no compromise tower server with maximum levels of performance, expandability and availability. It combines the performance of Intel® Xeon® processors E5 family with up to two 6GB general-purpose computing on graphics processing units (GPGPU) for computationally intensive applications.
The expandability is excellent thanks to the 10 expansion slots and up to 24 2.5-inch hard disks. Thanks to the high availability offered by a choice of LAN cards, redundant fans and up to 4 hot-plug power supplies, the TX300 S7 is suited to database, virtualization or high performance computing scenarios. Moreover, the TX300 S7 power supplies reach energy efficiency levels of 94%, minimizing running costs and the environmental impact.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX300 S7					
	PY TX300S7 LFF	Floorstand BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1390-V101	1.070,00	
	PY TX300S7 SFF	Floorstand BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1390-V201	1.070,00	

Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX300 S7	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
Accessories & services matrix																																									
Processor																																									
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel Xeon processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																									x						x					S26361-F3277-L200	275,00	Phased out
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB	Intel Xeon processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																									x						x					S26361-F3278-L200	455,00	Phased out
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel Xeon processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																									x	x					x	x				S26361-F3278-L213	425,00	Phased out
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel Xeon processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																									x						x					S26361-F3279-L226	740,00	Phased out
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB	Intel Xeon processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																									x						x					S26361-F3279-L240	1.030,00	Phased out
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB	Intel Xeon processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																									x						x					S26361-F3279-L253	1.430,00	Phased out
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB	Intel Xeon processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																									x						x					S26361-F3280-L267	1.850,00	Phased out
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																										x						x					S26361-F3618-L240	470,00	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel Xeon processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																										x						x					S26361-F3618-L253	925,00	Phased out
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																										x						x					S26361-F3618-L266	905,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																										x						x					S26361-F3619-L266	1.080,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																										x						x					S26361-F3619-L280	1.300,00	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel Xeon processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																										x						x					S26361-F3619-L293	2.230,00	Phased out
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel Xeon processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																x					S26361-F3619-L306	1.500,00	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel Xeon processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																																x					S26361-F3619-L333	2.560,00	Phased out
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel Xeon processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																																x					S26361-F3619-L346	1.805,00	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel Xeon processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink																																x					S26361-F3620-L293	885,00	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel Xeon processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																																x					S26361-F3620-L360	1.805,00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																										x						x					S26361-F3622-L213	665,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																										x						x					S26361-F3622-L226	1.135,00	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																										x						x					S26361-F3633-L240	625,00	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																										x						x					S26361-F3648-L160	255,00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																										x						x					S26361-F3648-L213	280,00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																										x						x					S26361-F3649-L253	880,00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink																																	x				S26361-F3676-L200	678,00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink																																	x				S26361-F3676-L230	750,00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink																																	x				S26361-F3676-L250	1.095,00	
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																	x				S26361-F3685-L180	310,00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																	x				S26361-F3685-L240	395,00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 80 W) incl. heat sink																																	x				S26361-F3687-L300	1.095,00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink																																	x				S26361-F3687-L330	1.095,00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink																																	x				S26361-F3686-L200	1.305,00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink																																	x				S26361-F3686-L220	1.575,00	

Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX300 S7	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
Accessories & services matrix																																									
Processor (Continued)																																										
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 115 W) incl. heat sink																																	x				S26361-F3686-L260	1.810,00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink																																	x				S26361-F3686-L270	2.035,00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 135 W) incl. heat sink																																	x				S26361-F3686-L290	2.395,00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink																																	x				S26361-F3687-L290	1.810,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink																																	x				S26361-F3688-L180	1.305,00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink																																	x				S26361-F3688-L200	815,00	
Memory																																										
	MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod)	1 module, unbuffered DDR2-533														x	x																							S26361-F3000-L515	165,00	Phased out
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																					x								x								S26361-F3230-L524	570,00	Phased out
	1 GB DDR3 1333 MHz PC3-10600 ub s ECC	1 GB (1 module(s) 1 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x															x																			S26361-F3335-L513	35,00	Phased out
	2 GB DDR3 1333 MHz PC3-10600 ub s/d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x															x																			S26361-F3335-L514	40,00	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x															x																			S26361-F3335-L515	65,00	
	2 GB DDR3 1333 MHz PC3-10600 ub s ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM			x			x		x																												S26361-F3335-L524	40,00	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM			x			x		x																												S26361-F3335-L525	65,00	
	8 GB DDR3 1333 MHz PC3-10600 ub d ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM			x			x		x																												S26361-F3335-L526	320,00	
	2GB (1x2GB) 1Rx8 DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM				x			x		x																												S26361-F3719-L513	40,00	
	4GB (1x4GB) 2Rx8 DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM				x			x		x																												S26361-F3719-L514	65,00	
	8GB (1x8GB) 2Rx8 DDR3-1600 U ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM				x			x		x																												S26361-F3719-L515	320,00	
	2GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	1 modul, unbuffered DDR2 800MHz																	x																			S26361-F3870-L515	105,00	Phased out
	2GB DDR2-667 PC2-5300 reg ECC 1module	1 Modul, registered single rank DDR2 667MHz						x																															S26361-F3283-L515	130,00	Phased out
	2 GB DDR3 1333 MHz PC3-10600 rg s/d ECC	2 GB (1 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																	x																			S26361-F3336-L514	80,00	
	4GB DDR2-667 PC2-5300 reg d ECC 1 module	1 Modul, registered dual rank DDR2 667MHz						x																															S26361-F3283-L516	280,00	Phased out
	4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																								x						x							S26361-F3263-L523	390,00	Phased out
	4 GB DDR3 1333 MHz PC3-10600 rg d ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																	x																			S26361-F3336-L515	85,00	
	8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																								x						x							S26361-F3263-L524	570,00	Phased out
	8 GB DDR3 1066 MHz PC3-8500 rg q ECC	8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																	x																			S26361-F3336-L516	145,00	
	2GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x																																				S26361-F3373-L414	120,00	Phased out
Graphics																																										
	Front-VGA interface	2nd optional VGA interface front side																																x	x				S26361-F2571-L16	20,00	Phased out
	Front-VGA Interface	2nd optional VGA interface front side																																		x			S26361-F2571-L26	20,00	
	PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card		x	x	x				x	x							x	x								x	x						x	x			S26361-F2748-L537	135,00	
	PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card, low profile					x	x	x																														S26361-F2748-L637	135,00	
	PY NVIDIA Tesla C2075 GPGPU	NVIDIA Tesla C2075 PCIe-x16 GPGPU Karte for TX300 S7 / RX350 S7																																		x			S26361-F2856-L997	2.650,00	
Removable Media Drives																																										
	MountingKit DVD(sl)+LSD+2x SAS LFF HDD	for slim DVD, 1x Local Service Display, 2x HDD																																		x			S26361-F2826-L105	60,00	
	MountingKit DVD(sl) + LSD	for slim DVD, 1x Local Service Display																												x						x			S26361-F2826-L205	30,00	
	ExtensionKit 8x SAS SFF HDD	HDD Extension for 8x SFF hotplug HDD																																		x			S26361-F2826-L325	85,00	
	MountingKit 8x SAS SFF HDD	Extension Box for 8x 2.5" hotplug HDD																																		x			S26361-F2826-L425	85,00	
	MountingKit DVD(sl)+4x SAS LFF HDD	for slim DVD, 4x HDD																																		x			S26361-F2826-L435	85,00	
	Blu-ray Triple Writer 1.6" SATA	Read: 8x BD-ROM, 16x DVD, 40x CD, Write: 6x BD, 16x DVD, 32x CD, BD DL and all CD/DVD formats, 1.6" fitting height	x	x	x					x	x							x	x								x	x						x	x			S26361-F3585-L2	345,00	Phased out
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height			x	x				x	x																											S26361-F3641-L4	165,00	
	SAS Expander 2x4 In / 6x4 Out	SAS Expander 2x4 In / 6x4 Out																																		x			S26361-F3668-L1	250,00	
	Adapter Kit for 2nd RAID Controller	Adapter Kit for 2nd RAID Controller																																		x			S26361-F3673-L1	20,00	
	F-D-L-HDD-Box2	for slim FDD or LocalView and DVD, 2x HDD																								x						x	x						S26361-F2826-L101	100,00	Phased out
	MountingKit DVD(sl)+LSP/LSD	for slim DVD, 1x Local Service Panel or Display																	x								x	x						x	x			S26361-F2826-L204	30,00	
	F-D-L-HDD-Box2	for slim DVD, 1x Local Service Panel or Display, 2x HDD																																		x	x		S26361-F2826-L103	80,00	Phased out
	MountingKit DVD(sl)+LSP/LSD +SAS LFF HDD	for slim DVD, 1x Local Service Panel or Display, 2x HDD																										x	x										S26361-F2826-L104	85,00	
	F-D-L-HDD-Box2	for slim FDD or LocalView or CSS and DVD, 2x HDD															x	x																						S26361-F2826-L102	100,00	Phased out
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM,slimline 0.5" fitting height, black						x	x	x									x	x								x	x	x					x	x	x		S26361-F3269-L2	90,00	
	SFF 8xSAS HDD Box	Extension Box for 8 pc. 2.5" hotplug HDD																										x	x						x	x			S26361-F2826-L114	165,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height							x	x									x	x																			S26361-F3641-L2	165,00	
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel	x	x	x	x				x	x								x	x								x	x	x					x	x	x		S26361-F3266-L2	35,00	
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel	x	x	x	x				x	x								x	x								x	x	x					x	x	x		S26361-F3267-L2	55,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)	x	x	x	x				x	x								x	x								x	x	x					x	x	x		S26361-F3857-L4	160,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)							x	x																														S26361-F3857-L5	160,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with USB cables for Econel, TX150, TX200 and TX300, with description (G/US) and cleaning cartridge	x	x	x	x				x	x					x	x	x	x	x			x	x	x	x	x			x	x	x	x	x	x	x				S26361-F3324-L4	500,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US) and cleaning cartridge							x	x																														S26361-F3324-L5	500,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge	x	x	x	x				x	x								x	x								x	x	x					x	x	x		S26361-F3325-L4	685,00	
	Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge							x	x																														S26361-F3325-L2	685,00	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge																	x									x	x						x	x			S26361-F4009-L4	1.280,00	Phased out
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge								x	x							x	x	x								x	x	x					x	x	x		S26361-F3561-L4	1.395,00	

Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX300 S7	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
Accessories & services matrix																																									
Removable Media Drives (Continued)																																										
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge																x	x	x					x	x	x	x				x	x	x	x				S26361-F3626-L2	2.030,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge																x	x							x	x						x	x				S26361-F3627-L1	2.980,00	
SCSI/RAID/SAS controller																																									
	SCSI Ctrl U160 1- ch int/ext lp	Adaptec 29160LP, 1x U160 SCSI					x																																	S26361-F2737-L201	295,00	Phased out
	68-Pin Kit for accessible drives	Cable with terminator											x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x							S26361-F2814-L6	65,00	Phased out
	RAID Ctrl BBU Upgrade 8344ELP LSI	BBU Upgrade for LSI 8344ELP															x								x							x					x	x	S26361-F3215-L10	220,00	Phased out
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for Fujitsu SAS/SATA RAID Controller for RAID Ctrl. F3257 256MB and 512MB																x								x							x							S26361-F3257-L10	235,00	Phased out
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for LSI SAS1078 and LSI SAS2108 incl. cable 16cm, 55cm, 70cm						x																			x							x	x					S26361-F3257-L110	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 C	BBU Upgrade for LSI SAS1078 and LSI SAS2108 incl. cable 16cm, 55cm, 70cm,			x	x			x	x	x	x							x	x							x	x						x					S26361-F3257-L210	165,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports						x			x	x						x	x							x	x	x					x	x	x				S26361-F3257-L4	110,00	
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports							x		x	x						x	x							x	x	x					x	x					S26361-F3257-L8	135,00	
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI																x	x							x	x	x					x	x	x				S26361-F3270-L1	195,00	Phased out
	SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile						x																																S26361-F3270-L201	195,00	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R																x	x							x	x	x					x	x	x				S26361-F3271-L1	210,00	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile						x																																S26361-F3271-L201	210,00	Phased out
	SAS Ctrl 6G 8ext PCIe FH/LP	SAS Controller 6GB/s 8 port, based on chip LSI SAS2008						x		x	x	x						x	x								x	x						x	x				S26361-F3628-L501	260,00	
	RAID CABLE TX100 S3				x	x																																		S26361-F3659-L2	25,00	
	TFM Module for FBU option on D3116																		x									x							x				S26361-F3669-L100	170,00	
	RAID Ctrl FBU option w/ 25/55/70cm cable																		x									x							x				S26361-F3669-L110	115,00	
	RAID Ctrl SAS 8Port opt remote BBU LSI	optional BBU for LSI MegaRAID SAS8880E																x								x							x						S26361-F3890-L11	220,00	Phased out
	RAID Ctrl SAS 8Port 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, without iBBU																x								x	x						x	x					S26361-F3890-L501	740,00	Phased out
	RAID Ctrl SAS 6G 8Port ex 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID based on Controller SAS2108, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU								x									x	x								x	x	x					x	x	x				S26361-F3593-L501	590,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports						x	x	x	x	x							x	x								x	x	x					x	x				S26361-F3554-L8	165,00	
	RAID CABLE TX100 S2	für nachträgliche Hochrüstung mit einem RAID Kontroller		x																																				S26361-F3659-L1	25,00	
	RAID Ctrl SAS 6G 8Port ex 1GB FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS9285-8e, PCIe2.0 x8, 1GB Cache with ECC, , 8 external ports, optional FBU, FH and LP bracket																											x							x				S26361-F3713-L501	790,00	Orderable from: 13/07/2012
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal port		x	x	x		x	x	x	x	x							x									x	x	x					x	x				S26361-F3554-L512	385,00	
	RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports																	x									x							x				S26361-F3669-L1	430,00	
	SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS,																	x									x							x				S26361-F3674-L1	95,00	
Fibre Channel																																									
	FC Ctrl 2x4GBit/s QLE2462 MMF LC	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.																							x	x	x	x			x	x	x	x			x	S26361-F3483-L2	1.895,00	Phased out
	FC CTRL 8GBIT/S LPE1250 MMF LC FH	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																							x	x	x	x			x	x	x	x				S26361-F3961-L1	840,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																							x	x	x	x			x	x	x	x				S26361-F3961-L2	1.370,00	
	FC Ctrl 4GBit/s LPe1150 MMF LC	LPe1150, 4GBit/s, 1-channel FC controller, PCIe x4, MMF LC inferface																							x	x	x	x			x	x	x	x			x	S26361-F3306-L1	1.170,00	Phased out
	FC Ctrl 2x4GBit/s LPe11002 MMF LC	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, MMF LC inferface																							x	x	x	x			x	x	x	x			x	S26361-F3306-L2	1.795,00	Phased out
	FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																											x	x						x	x			S26361-F3631-L1	935,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																											x	x						x	x			S26361-F3631-L2	1.500,00	
Communication/Network																																								
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter														x	x	x					x	x	x						x	x	x							S26361-F3142-L2	75,00	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter	x													x	x						x	x	x						x	x	x				x	x	S26361-F3228-L1	175,00	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter					x																																	S26361-F3228-L201	175,00	Phased out
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel® Pro 1000PT 1 Port Server Adapter	x	x												x	x	x					x	x	x	x					x	x	x					x	S26361-F3241-L1	90,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel® Pro 1000PF 1 Port Server Adapter														x	x	x						x	x	x						x	x	x	x			x	S26361-F3242-L1	240,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel® Pro 1000PF 1 Port Server Adapter						x																																S26361-F3242-L201	240,00	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket																x						x	x	x						x	x	x				x	S26361-F3462-L1	490,00	Phased out
	Eth Ctrl 4x1GBit PCIex4 PRO/1000PT Cu lp	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket					x																																S26361-F3462-L201	490,00	Phased out
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel® GBit CT 1 Port Desktop Adapter	x	x	x	x					x	x						x	x	x					x	x	x	x				x	x	x	x				S26361-F3516-L1	45,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp	Intel® GBit CT 1 Port Desktop Adapter lp						x	x	x																														S26361-F3516-L201	45,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel® Pro 1000PT 1 Port Server Adapter					x	x																																S26361-F3241-L201	110,00	Phased out
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8, SFP+ for opt. module or Twinax cable																											x							x	x			S26361-F3592-L2	1.180,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit		x	x	x		x	x	x	x	x							x	x							x	x						x	x				S26361-F3610-L502	155,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu, Based on Intel® LAN controller chip 82580EB, Usable with original Intel® driver kit							x	x	x	x							x	x							x	x						x	x				S26361-F3611-L501	375,00	
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables																	x									x							x	x				S26361-F3555-L501	810,00	Phased out
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+								x	x	x							x	x								x	x						x	x				S26361-F3629-L502	500,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102																																				x	x			S26361-F3592-L108	400,00	
	IB HCA 40GB 1 Kanal ODR	InfiniBand HCA 40GB/s, 1-port, ODR																																				x				S26361-F4475-L102	620,00	
	IB HCA 40GB 2 Kanal ODR	InfiniBand HCA 40GB/s, 2-port, ODR																																				x				S26361-F4475-L202	850,00	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter												x	x	x	x					x	x	x	x						x	x	x					x	x	x	S26361-F3011-L1	225,00	Phased out
	Parallel Interface LP	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x	x																																				S26361-F2542-L30	13,00	
Rack-Infrastructure																																								
	Conversion kit TX300 S6 Floor -> Rack	for conversion of a floorstand BU to rack BU																																				x				S26361-F1729-L250	100,00	Phased out
	Conversion kit Floor BU to Rack BU	for conversion of a floorstand BU to rack BU																	x										x							x				S26361-F1729-L260	100,00	
	Conversion kit 4 Floor -> Rack	for conversion of a floorstand BU to rack BU																								x															S26361-F1729-L330	120,00	Phased out
	Conversionkit PRY TX150 S6 Floor -> Rack	for conversion of a floorstand BU to rack BU														x	x	x																							S26361-F2618-L250	80,00	Phased out
	Conversionkit PRY TX200 S5 Floor -> Rack	for conversion of a floorstand BU to rack BU									x	x							x								x	x													S26361-F2618-L260	100,00	
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	Telescopic full extract. drop-in mount.; vario-carrier for toolless mounting, max. load 50 kg, , Rack installation depth (19" pillar distance) between 714mm and 785mm									x	x							x								x	x							x				S26361-F2735-L202	65,00	
	Rack Mount Kit F2-C S7 LV	RMK for server more than 2U or more than 35Kg, Drop-in-Rails with Cable Management Adapter. . , , Variotcarrier length variable714-785mm with Quick-Release-Lever-support. . , , Adjustable mounting depth for racks until 783mm rack pillar distance (depth).																	x										x							x				S26361-F2735-L285	100,00	

Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX300 S7	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
Accessories & services matrix																																									
Rack-Infrastructure (Continued)																																										
	Rack Mount Kit F2 S7 LV	RMK for server more than 2U or max. 50 Kg, Drop-in-Rails without Cable Management Adapter. , , , For 1U/2U cable arms mounted at rack pillars., Variotcarrier length variable 714-785mm with Quick-Release-Lever-support. , , , Adjustable mounting depth for racks until 783mm rack pillar distance (depth)., Loose delivery as option - no mounting ex factory.																											x							x				S26361-F2735-L286	100,00	
	Adapter angle PC/DC-Rack, 3U till 200Kg	Adapter angle PC/DC-Rack, 3U till 200Kg																	x										x							x				S26361-F2735-L31	30,00	
	cage nut set, M5, t=2,5mm	Content: 50 pieces														x	x						x	x						x	x	x						x	S26361-F2735-L500	50,00	
	Cable mgmt. lateral for asym. PC racks	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER racks									x	x						x	x						x	x					x	x	x	x				S26361-F2735-L7	30,00	
	1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks														x	x						x	x						x	x						x		S26361-F2735-L8	40,00	Phased out
	Rack Cable Management Arm 2U	Loose Delivery: Cable management arm, dragged with bracket, can be used for PRIMERGY servers 2U or higher. Can be mounted in PRIMECENTER and 3rd-party racks, can only be mounted at RMKs with CMA adapter.																	x										x							x				S26361-F2735-L82	30,00	
	cable arm 2U PCR M1 S and 3rd partyracks	Cable arm 2U to be mounted at right or left rack pillar behind servers higher oder equal 2U. Released for symmetrical PRIMECENTER M1 or 3rd party racks.									x	x	x					x	x			x	x		x	x	x			x	x		x	x			x			S26361-F2201-L20	50,00	
PRIMERGY-Software																																										
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection					x										x							x							x									S26361-F1790-L240	300,00	
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection						x										x	x						x	x	x					x	x	x						S26361-F1790-L241	300,00	
	iRMC S3 advanced pack								x	x	x	x								x								x							x				S26361-F1790-L242	300,00	
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x	x	x	x	x	x							x	x	x					x	x	x	x			x	x	x	x				S26361-F2565-L340	25,00	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x	x	x	x	x	x							x	x	x					x	x	x	x			x	x	x	x				S26361-F2565-L341	107,00	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x	x	x	x	x	x							x	x	x					x	x	x	x			x	x	x	x				S26361-F2565-L342	25,00	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x	x	x	x	x	x							x	x	x					x	x	x	x			x	x	x	x				S26361-F2565-L343	107,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. ROK DVD, License.	x	x	x	x		x	x	x	x							x	x	x					x	x		x			x	x	x					S26361-F2567-L20	380,00	
	MS SysCtr Essntls 2010 ROK	MS System Center Essentials 2010. English. ROK DVD, License.	x	x	x	x		x	x	x	x							x	x	x					x	x	x	x			x	x	x					S26361-F2567-L30	115,00	
	Win Svr 2008 R2 SP1 Foundation 1CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x		x	x	x	x								x	x																			S26361-F2567-L301	216,00	
	Win Srv 2008 R2 Foundation 1CPU MULI ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.	x	x				x	x	x	x							x	x	x																			S26361-F2567-L306	190,00	Phased out
	Win Srv 2008 R2 Foundation 1CPU PRC ROK	Only for Fujitsu distributors for distribution in People's Republic of China. Win Srv 2008 R2 Fnd (1 CPU) Simplified Chinese. ROK DVD, License.	x	x	x	x		x	x	x	x							x	x	x																			S26361-F2567-L308	175,00	
	MS SysCtr Essntls 2010 Server ML 1-OSE	MS System Center Essentials 2010 Managed Server License 1 OSE Pack., OSE = Operating System Environment	x	x	x	x		x	x	x	x							x	x	x					x	x	x	x			x	x	x					S26361-F2567-L31	90,00	
	MS SysCtr Essntls 2010 Server ML 5-OSE	MS System Center Essentials 2010 Managed Server License 5 OSE Pack., OSE = Operating System Environment	x	x	x	x		x	x	x	x							x	x	x					x	x	x	x			x	x	x					S26361-F2567-L32	430,00	
	MS SysCtr Essntls 2010 Client ML 5-Pack	MS System Center Essentials 2010 Managed Client License 5 Pack.	x	x	x	x		x	x	x	x							x	x	x					x	x	x	x			x	x	x					S26361-F2567-L33	75,00	
	MS SysCtr Essntls 2010 Client ML 20-Pack	MS System Center Essentials 2010 Managed Client License 20 Pack.	x	x	x	x		x	x	x	x							x	x	x					x	x	x	x			x	x	x					S26361-F2567-L34	295,00	
	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device, License.	x	x	x	x		x	x	x	x							x	x	x					x	x	x	x			x	x	x	x				S26361-F2567-L340	85,00	
	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.	x	x	x	x		x	x	x	x							x	x	x					x	x	x	x			x	x	x	x				S26361-F2567-L341	385,00	
	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.	x	x	x	x		x	x	x	x							x	x	x					x	x	x	x			x	x	x	x				S26361-F2567-L342	85,00	
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License für 5 users, License.	x	x	x	x		x	x	x	x							x	x	x					x	x	x	x			x	x	x	x				S26361-F2567-L343	385,00	
	Win HPC Srv 2008 R2 Suite ROK	Only for Fujitsu Distributors. Win HPC Srv 2008 R2 Suite (1-4 CPU) ROK EN, JA, XT. ROK Recovery DVD Media Kit, COA, License																																x	x			S26361-F2567-L360	750,00	
	ServerView Deployment Mgr 6 Single Lic.	Single license for operation of one client server (managed node) - no software!		x	x	x	x	x	x	x	x							x	x	x					x	x	x	x			x	x	x	x	x		x	U15000-C302	140,00	
	ServerView Depl. Mgr. 6 Single Upgrade	for upgrades of one 5.x single license to version 6.x - no software!	x	x	x	x	x	x	x	x	x							x	x	x					x	x	x	x			x	x	x	x			x	U15000-C303	70,00	
	PRIMERGY MultiPath MPIO Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.	x	x	x	x	x	x	x	x	x							x	x	x					x	x	x				x	x	x					S26361-F2565-L592	440,00	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	x							x	x	x					x	x	x				x	x	x					S26361-F2565-L593	875,00	
	PRIMERGY MultiPath Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath. CD-ROM and License.	x	x	x	x	x	x	x	x	x							x	x	x					x	x	x				x	x	x					S26361-F2565-L594	440,00	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	x							x	x	x					x	x	x				x	x	x					S26361-F2565-L595	875,00	
	Win Svr 2008 R2 SP1 Datactr 2CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.	x	x	x	x		x	x	x	x								x	x								x	x					x	x				S26361-F2567-L331	2.966,00	
	Win Srv 2008 R2 SP1 Enterpr w/10CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.	x	x	x	x		x	x	x	x								x	x								x	x					x	x				S26361-F2567-L321	2.509,00	
	Win Srv 2008 R2 SP1 Standard w/5CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and woldwide language packs. ROK DVD, License.	x	x	x	x		x	x	x	x								x	x								x	x					x	x				S26361-F2567-L311	771,00	
	Win SBS Standard 2011 w/5CAL ROK EN	Windows Small Business Server Standard 2011 with 5 CAL, ROK, English, DVD Media set, COA, License		x	x	x		x	x	x	x								x	x								x	x					x	x				S26361-F2567-L350	630,00	
	Win SBS Standard 2011 w/5CAL ROK DE	Windows Small Business Server Standard 2011 with 5 CAL, ROK, German, DVD Media set, COA, License			x	x		x	x	x	x								x	x								x	x					x	x				S26361-F2567-L351	630,00	
	Win SBS Standard 2011 w/5CAL ROK IT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Italian, DVD Media set, COA, License			x	x		x	x	x	x								x	x								x	x					x	x				S26361-F2567-L352	849,00	
	Win SBS Standard 2011 w/5CAL ROK FR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, French, DVD Media set, COA, License			x	x		x	x	x	x								x	x								x	x					x	x				S26361-F2567-L353	630,00	
	Win SBS Standard 2011 w/5CAL ROK ES	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Spanish, DVD Media set, COA, License			x	x		x	x	x	x								x	x								x	x					x	x				S26361-F2567-L354	630,00	

Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX300 S7	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
Accessories & services matrix																																									
PRIMERGY-Software (Continued)																																										
	Win SBS Standard 2011 w/5CAL ROK CS	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Czech, DVD Media set, COA, License			x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L355	630,00	
	Win SBS Standard 2011 w/5CAL ROK PT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Portuguese, DVD Media set, COA, License			x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L356	630,00	
	Win SBS Standard 2011 w/5CAL ROK NL	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Dutch, DVD Media set, COA, License			x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L357	630,00	
	Win SBS Standard 2011 w/5CAL ROK TR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Turkish, DVD Media set, COA, License			x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L358	630,00	
	Win SBS Standard 2011 w/5CAL ROK HU	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Hungarian, DVD Media set, COA, License			x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L359	630,00	
	Win SBS 2011 Prem Add-On w/5CAL ROK EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, English, DVD Media set, COA, License			x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L370	925,00	
	Win SBS 2011 Prem Add-On w/5CAL ROK DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, German, DVD Media set, COA, License			x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L371	925,00	
	Win SBS 2011 Prem Add-On w/5CAL ROK IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Italian, DVD Media set, COA, License			x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L372	925,00	
	Win SBS 2011 Prem Add-On w/5CAL ROK FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, French, DVD Media set, COA, License			x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L373	925,00	
	Win SBS 2011 Prem Add-On w/5CAL ROK ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Spanish, DVD Media set, COA, License			x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L374	925,00	
	Win SBS Essentials 2011 ROK MUL-Set1	Windows Small Business Server Essentials 2011, ROK, MUL set 1, DVD Media, COA, License, Language set 1: English (default language), German, Japanese, French, Spanish, Italian, Dutch, Polish, Portuguese.		x	x	x			x	x	x	x						x	x																			S26361-F2567-L378	418,00	
	Win SBS Essentials 2011 ROK MUL-Set2	Windows Small Business Server Essentials 2011, ROK, MUL set 2, DVD Media, COA, License, Language set 2: English (default language), Chinese simplified (for PRC), Hungarian, Russian, Turkish, Swedish, Czech, Korean, Brazilian Portuguese.		x	x	x			x	x	x	x						x	x																			S26361-F2567-L379	315,00	
	Win SBS 2011 CAL Suite (1 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 Device); multi-language CAL;			x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L380	46,00	
	Win SBS 2011 CAL Suite (1 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 User); multi-language CAL;			x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L381	46,00	
	Win SBS 2011 CAL Suite (5 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Devices); multi-language CAL;			x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L382	210,00	
	Win SBS 2011 CAL Suite (5 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Users); multi-language CAL;			x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L383	210,00	
	Win SBS 2011 Prem Add-on CAL (1 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 Device); multi-language CAL;			x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L384	56,00	
	Win SBS 2011 Prem Add-on CAL (1 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 User); multi-language CAL;			x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L385	56,00	
	Win SBS 2011 Prem Add-on CAL (5 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Devices); multi-language CAL;			x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L386	265,00	
	Win SBS 2011 Prem Add-on CAL (5 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Users); multi-language CAL;			x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L387	265,00	
	Win Srv 2008 R2 Datacenter 2CPU MUL ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA, CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x				x	x	x	x	x						x	x	x							x	x					x	x			S26361-F2567-L330	3.315,00	Phased out
	Win Srv 2008 R2 Enterprise 10CAL MUL ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.	x	x				x	x	x	x	x						x	x	x							x	x					x	x			S26361-F2567-L320	2.085,00	Phased out
	Win Srv 2008 R2 Standard 5CAL MULI ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.	x	x				x	x	x	x	x						x	x	x							x	x					x	x			S26361-F2567-L310	655,00	Phased out
	Win Srv 2008 R2 Standard 5CAL PRC ROK	Only for Fujitsu distributors for distribution in People's Republic of China. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) Simplified Chinese. ROK DVD, License.	x	x	x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L318	530,00	
	Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.	x	x	x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L391	25,00	
	Win Srvs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.	x	x	x	x		x	x	x	x	x						x	x								x	x					x	x			S26361-F2567-L390	25,00	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x		x	x	x	x	x						x	x	x						x	x	x				x	x	x			S26361-F2565-L328	25,00	Phased out
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x		x	x	x	x	x						x	x	x						x	x	x				x	x	x			S26361-F2565-L318	25,00	Phased out
	PRIMERGY ServerView Suite subscription.	Subscription for 1 year with about 10 releases., The subscription is licensed only for PRIMERGY servers.	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U15000-C176	215,00	
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x	x	x	x			x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U15000-C289	25,00	
	ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C300	140,00	Phased out
	SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year subscription renewal.	x	x	x	x		x	x	x	x	x					x	x	x	x					x	x	x	x				x	x	x	x				S26361-F2346-L611	249,00	
	SUSE Linux E 11 HAE 32SOC +1Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1 year subscription renewal.	x	x	x	x		x	x	x	x	x						x	x	x						x	x	x	x				x	x	x	x				S26361-F2346-L621	499,00	
	SUSE Linux ES SAP All-in-One 3Y	SUSE Linux Enterprise Server for SAP Business All-in-One Basic Subscription 3 years																																x	x					S26361-F2346-L669	1.023,00	
	Debian-Ubuntu FSE Basic Support 1Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year	x				x	x									x	x			x		x	x	x	x			x	x	x	x						S26361-F2346-L411	95,00	
	Debian-Ubuntu FSE Basic Support 3Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years	x				x	x									x	x			x		x	x	x	x			x	x	x	x						S26361-F2346-L412	228,00	
	Debian-Ubuntu FSE Standard Support 1Y	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year	x				x	x									x	x			x		x	x	x	x			x	x	x	x						S26361-F2346-L415	245,00	
	Debian-Ubuntu FSE Standard Support 3Y	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years	x				x	x									x	x			x		x	x	x	x			x	x	x	x						S26361-F2346-L416	588,00	

Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX300 S7	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
Accessories & services matrix																																								
PRIMERGY-Software (Continued)																																									
	Debian-Ubuntu FSE Priority Support 1Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year	x				x	x									x	x				x		x	x	x	x				x	x	x	x					S26361-F2346-L417	495,00	
	Debian-Ubuntu FSE Priority Support 3Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years	x				x	x									x	x				x		x	x	x	x				x	x	x	x					S26361-F2346-L418	1.188,00	
	VMware Upgrade ESXi to STD w/o SP-3yr	VMware Upgrade ESXi to STD for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!																	x	x								x	x				x	x	x					S26361-F2341-S702	895,00	
	VMware Upgrade ESXi to ENT w/o SP-1yr	VMware Upgrade ESXi to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!																	x	x								x	x				x	x	x					S26361-F2341-S703	2.585,00	
	VMware Upgrade ESXi to ENT w/o SP-3yr	VMware Upgrade ESXi to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!																	x	x								x	x				x	x	x					S26361-F2341-S704	2.585,00	
	VMware Upgrade ESXi to ENT-PL w/o SP-1yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!																	x	x								x	x				x	x	x					S26361-F2341-S705	3.145,00	
	VMware Upgrade ESXi to ENT-PL w/o SP-3yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!																	x	x									x				x	x	x					S26361-F2341-S706	3.145,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!									x	x							x	x								x	x					x	x					S26361-F2341-L707	950,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!									x	x							x	x								x	x					x	x					S26361-F2341-L708	950,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!									x	x							x	x								x	x					x	x					S26361-F2341-L709	2.735,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!									x	x							x	x								x	x					x	x					S26361-F2341-L710	2.735,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!									x	x							x	x								x	x					x	x					S26361-F2341-L711	3.330,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!									x	x							x	x								x	x					x	x					S26361-F2341-L712	3.330,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!									x	x							x	x									x					x	x					S26361-F2341-L730	9.520,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!									x	x							x	x									x					x	x					S26361-F2341-L731	9.520,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!									x	x							x	x									x					x	x					S26361-F2341-L732	16.665,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!									x	x							x	x									x					x	x					S26361-F2341-L733	16.665,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!									x	x							x	x									x					x	x					S26361-F2341-L734	20.900,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!									x	x							x	x									x					x	x					S26361-F2341-L735	20.900,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!									x	x							x	x									x					x	x					S26361-F2341-L740	4.280,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 3 year Service Pack needed!									x	x							x	x									x					x	x					S26361-F2341-L741	4.280,00	
	VMware Upgrade STD to ENT w/o SP-1yr	VMware Upgrade vSphere STD to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!																	x	x								x	x					x	x					S26361-F2341-S716	1.855,00	
	VMware Upgrade STD to ENT w/o SP-3yr	VMware Upgrade vSphere STD to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!																	x	x								x	x					x	x					S26361-F2341-S717	1.855,00	
	VMware Upgrade STD to ENT-PL w/o SP-1yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!																	x	x								x	x					x	x					S26361-F2341-S718	2.475,00	
	VMware Upgrade STD to ENT-PL w/o SP-3yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!																	x	x								x	x					x	x					S26361-F2341-S719	2.475,00	
	VMware Upgrade ENT to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!																	x	x								x	x					x	x					S26361-F2341-S720	614,00	
	VMware Upgrade ENT to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!																	x	x								x	x					x	x					S26361-F2341-S721	614,00	
	VMware Upgrade VCS FND to STD w/o SP-1yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!																	x	x								x	x					x	x					S26361-F2341-S728	3.465,00	
	VMware Upgrade VCS FND to STD w/o SP-3yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!																	x	x								x	x					x	x					S26361-F2341-S729	3.465,00	
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4,vCenter 5,vShield,Backup-Restore , VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore - No License									x	x							x	x						x	x	x	x		x	x	x	x	x	x			x	S26361-F2341-L300	80,00	
	VMware UG ESS-PL to STD-AK w/o SP-1yr	VMware Upgrade ESS-PL to STD-AK for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!																	x	x								x	x					x	x					S26361-F2341-S722	6.435,00	
	VMware UG ESS-PL to STD-AK w/o SP-3yr	VMware Upgrade ESS-PL to STD-AK for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!																	x	x								x	x					x	x					S26361-F2341-S723	6.435,00	
	VMware UG ESS-PL to ENT-AK w/o SP-1yr	VMware Upgrade ESS-PL to ENT-AK for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!																	x	x								x	x					x	x					S26361-F2341-S724	13.850,00	
	VMware UG ESS-PL to ENT-AK w/o SP-3yr	VMware Upgrade ESS-PL to ENT-AK for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!																	x	x								x	x					x	x					S26361-F2341-S725	13.850,00	
	VMware UG ESS-PL / ENT-PL-AK w/o SP-1yr	VMware Upgrade ESS-PL to ENT-PL-AK for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!																	x	x								x	x					x	x					S26361-F2341-S726	17.350,00	
	VMware UG ESS-PL / ENT-PL-AK w/o SP-3yr	VMware Upgrade ESS-PL to ENT-PL-AK for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!																	x	x								x	x					x	x					S26361-F2341-S727	17.350,00	
	VMware vSphere Embedded UFM Device DIS	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Single SRV Lic. (w/o SP)						x			x	x							x	x							x	x	x					x	x	x				S26361-F2341-D431	60,00	
OS/Application-SW																																									
	CA Client Automation	CA Client Automation - Licensing per managed System		x	x	x		x	x	x	x	x							x	x								x	x					x					U24552-C418	63,98	
	CA Server Automation Base Configuration	CA Server Automation Base Configuration - Licensing: 100 Physical Socket Pack		x	x	x		x	x	x	x	x							x	x								x	x					x					U24552-C424	52.686,90	
	CA AutomSuite for DataCenters BaseConfig	CA AutomSuite for DataCenters BaseConfig - Licensing: 100 Physical Socket Pack		x	x	x		x	x	x	x	x							x	x								x	x					x					U24552-C428	########	
	CA ServiceDeskManager Full LicenseConcur	CA ServiceDeskManager Full LicenseConcur - Licensing: Minimum Licensing Requirements apply to New Sales and Capacity: Minimum purchase of 15 Concurrent Users required for Full license.		x	x	x		x	x	x	x	x							x	x								x	x					x					U24581-C150	4.516,02	

Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX300 S7	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
Accessories & services matrix																																									
OS/Application-SW (Continued)																																										
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x					x	x	x	x	x							x	x	x	x					x											x	U15355-C720	395,00	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x					x	x	x	x	x							x	x	x	x					x											x	U15355-C723	250,00	
	ManageNow® for NSM Base			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C405	20.000,00	
	ManageNow® for NSM Remote Manager			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C406	12.500,00	
	ManageNow® for NSM Portal			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C407	9.000,00	
	ManageNow® for NSM AgIessMoni HostResMIB			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C425	9.000,00	
	ManageNow® for NSM CA Agent Integration			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C421	3.000,00	
	ManageNow® for NSM HP InsightMgr Integr.			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C408	5.000,00	
	ManageNow® for NSM ETERNUS Storage Monit			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C404	4.500,00	
	ManageNow® for NSM ETERNUS CS Monit.			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C410	5.000,00	
	ManageNow® for NSM NetApp Monitoring			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C411	4.500,00	
	ManageNow® for NSM SAN Monit up to 64p			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C409	3.000,00	
	ManageNow® for NSM SAN Monit.more as 64p			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C412	6.250,00	
	ManageNow® for NSM VMware			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C413	4.500,00	
	ManageNow® for NSM UPS			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C414	5.000,00	
	ManageNow® for NSM Microsoft Cluster			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C415	4.500,00	
	ManageNow® for NSM BladeFrameMonit BF200			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C416	9.000,00	
	ManageNow® for NSM BladeFrameMonit BF400			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C424	20.000,00	
	ManageNow® for NSM Connector CA eHealth			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C417	5.000,00	
	ManageNow® for NSM Connector MS SCOM			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C418	5.000,00	
	ManageNow® for NSM Connector HP OV NNM			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C419	5.000,00	
	ManageNow® for NSM Connector Lotus Notes			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C420	5.000,00	
	ManageNow® for NSM Con. 3rd PartyManager			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C422	5.000,00	
	ManageNow® for NSM Connector QoS			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C433	5.000,00	
	ManageNow® for NSM Connector EMC CC			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C434	5.000,00	
	ManageNow® for NSM Connector NetApp OM			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C435	5.000,00	
	ManageNow® for NSM Data Media			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C423	40,00	
	ManageNow® for ITCM ManagedObjectsLicens			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C400	2.000,00	
	ManageNow® for ITCM Manager License			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C401	5.000,00	
	ManageNow® for ITCM Win7 OS Install Lic.			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C402	3.000,00	
	ManageNow® for ITCM Vista OS Install Lic			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C426	3.000,00	
	ManageNow® for ITCM WinXP Prof OSInstLic			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C427	3.000,00	
	ManageNow® for ITCM Win2003Svr OSInstLic			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C428	3.000,00	
	ManageNow® for ITCM Win2008Svr OSInstLic			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C429	3.000,00	
	ManageNow® for ITCM Win2008R2SvrOSInsLic			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C436	3.000,00	
	ManageNow® for ITCM SUSE10.1 OS Inst Lic			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C432	3.000,00	
	ManageNow® for ITCM SLES9.0 OS Inst Lic			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C430	3.000,00	
	ManageNow® for ITCM data medium			x	x	x		x	x	x	x	x							x	x							x	x						x				U24533-C403	40,00	
UPS/Power supply																																									
	conversion kit standard to hot plug PSU	conversion standard into hot plug PSU																	x																				U26113-F540-L1	255,00	
	Power Supply Module 450W (hot plug)	for optional PS redundancy																	x																				U26113-F540-L11	170,00	
	Power Supply Module 800W (hot plug)	for optional PS redundancy																									x												U26113-F541-L10	265,00	Phased out
	Fan and PSU upgrade kit	conversion standard into hot plug PSU and conversion standard into redundant fans																									x	x											U26113-F541-L11	530,00	
	Power Supply Module 800W HE (hot plug)	2nd gold PS hp for redundancy																										x											U26113-F556-L10	215,00	
	Modular PSU 800W platinum hp	800W modular Power Supply Module , hot plug, platinum (94% efficiency)																											x						x				U26113-F574-L10	255,00	
	Modular PSU 450W platinum hp	450W modular Power Supply Module , hot plug, platinum (94% efficiency)																											x						x				U26113-F575-L10	225,00	
	Conversion kit standard to hot-plug PSU	Conversion kit standard to hot plug PSU											x																										U26113-F575-L141	310,00	
	APC-UPS WEB Management Adapter	10 / 100 Mbit autosence AP9630 for APC-USV, use one smart slot	x					x						x	x	x	x	x	x	x			x	x	x		x	x	x	x	x			x	x	x	U26113-F80-L30	255,00	
	Fan upgrade kit hot-plug redundancy	consists of two additional fans for fan redundancy																											x						x				S26361-F3667-L1	45,00	
	Cable powercord (D,..), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y1740-L10	15,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y1742-L10	15,00	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20																																			x	x	S26361-F3151-L300	30,00	
	Cable powercord (UK, IR), 1.8m, grey	suitable for UK, IR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y1744-L10	15,00	
	Cable powercord (I), 1.8m, grey	suitable for I	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y1745-L10	15,00	
	Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19-> CEE 7/7 (Schuko)																																			x	x	S26361-F3151-L100	30,00	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C19->16A CEE (IEC309) Length: 3,5m																																			x	x	S26361-F3151-L200	30,00	
	Power cord IEC320 C19 -> US NEMA L6-20p	with connector IEC320 C20 -> US NEMA L6-20p																																			x	x	S26361-F3151-L500	60,00	
Miscellaneous																																									
	Fan upgrade kit hot-plug redundancy	consists of two additional fans/boxes for fan redundancy																																	x	x			S26361-F2544-L83	130,00	Phased out
	LocalView Option Kit S2	LCD display with adapter								x	x								x	x							x	x	x					x	x	x		S26361-F2557-L105	70,00	
	LocalView Option Kit S2	LCD display with installation kit																		x									x						x	x		S26361-F2557-L106	70,00	
	Customer Self Service Modul TX Server	Support for Customer Self Service (CSS), incl. adapter								x	x								x								x	x						x	x			S26361-F2557-L202	25,00	
	Customer Self Service Module RX Server	Support for Customer Self Service (CSS), incl. mounting kit																										x	x						x	x			S26361-F2557-L205	25,00	
	Service LAN Option	integrated in the front operating panel							x	x	x	x								x									x						x				S26361-F2571-L27	20,00	
	cable Serial port option	Cable for 2nd RS-232-C 9 pin interface																										x	x										S26361-F3120-L3	40,00	
	TPM Module add-on kit	Trusted Platform Module on motherboard, be aware of import restrictions!		x	x	x			x	x									x									x	x						x	x	x		S26361-F3552-L1	50,00	
	Serial port option	Cable with 9 pin D-SUB interface															x	x	x																				S26361-F2571-L10	30,00	
	ServerView Local Service Panel Kit	Support for Customer Self Service (CSS)																	x							x														S26361-F2557-L204	40,00	
Media																																									
	DAT160 cleaning cartridge no label	DAT160 cleaning cartridge without label	x						x	x	x	x					x	x	x	x				x	x	x	x							x	x	x				D:CL-DAT160-MX-01	22,00	
	DAT72 cleaning cartridge no label	DAT72 cleaning cartridge without label	x				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-DAT72-MX-01	5,00	
	Fuji-LTO cleaning cartridge unlabelled	Cleaning cartridge without label from Fuji for LTO drives							x	x	x	x		x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-FJ-LTO-01	37,00	
	Fuji cleaning cartridge LTO labelled	cleaning cartridge with label from Fuji for LTO drives							x	x	x	x		x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-FJ-LTO-01L	37,00	
	LTO cleaning cartridge IBM no label	Cleaning cartridge without label from IBM for LTO drives							x	x	x	x		x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-IB-01	45,00	
	LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO drives							x	x	x	x		x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-IB-01L	46,00	
	VXA cleaning label	Label for VXA cleaning cartridge											x	x	x	x	x				x	x	x	x						x	x	x				x	x	x	D:CL-VXA2-LAB	2,00	
	VXA cleaning cartridge	VXA cleaning cartridge											x	x	x	x	x				x	x	x	x						x	x	x				x	x	x	D:CL-VXA2-X-01	34,00	
	VXA cleaning cartridge with label	VXA cleaning cartridge											x	x	x	x	x				x	x	x	x						x	x	x				x	x	x	D:CL-VXA2-X-01L	34,00	
	DAT160 data cartridge no label	DAT160 data cartridge without label	x						x	x	x	x					x	x	x	x				x	x	x							x	x	x				D:CR-DAT160-MX-01	21,00	
	DAT72 data cartridge no label	DAT72 data cartridge without label	x				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-DAT72-MX-01	14,00	
	LTO1 data cartridge Fuji no label	LTO-1 data cartridge without label from Fuji, 100 GB native capacity											x	x	x		x	x			x	x	x	x						x	x	x				x		x	D:CR-FJ-LTO1-01	21,00	
	LTO1 data cartridge Fuji with label	LTO-1 data cartridge with label from Fuji, 100 GB native capacity											x	x	x		x	x			x	x	x	x						x	x	x				x		x	D:CR-FJ-LTO1-01L	21,00	
	LTO2 data cartridge Fuji no label	LTO-2 data cartridge without label from Fuji, 200 GB native capacity							x	x	x	x			x	x	x	x	x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x		x	x	D:CR-FJ-LTO2-01	21,00	
	LTO2 data cartridge Fuji with label	LTO-2 data cartridge with label from Fuji, 200 GB native capacity							x	x	x	x			x	x	x	x	x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x		x	x	D:CR-FJ-LTO2-01L	21,00	
	LTO3 data cartridge Fuji no label	LTO-3 data cartridge without label from Fuji, 400 GB native capacity							x	x	x	x					x	x	x	x				x	x	x	x	x	x				x	x	x	x			x	x	D:CR-FJ-LTO3-01	21,00	
	LTO3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity							x	x	x	x					x	x	x	x				x	x	x	x	x	x				x	x	x	x			x	x	D:CR-FJ-LTO3-01L	21,00	

Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX300 S7	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
Accessories & services matrix																																									
Media (Continued)																																									
	LTO4 data cartridge Fuji no label	LTO-4 data cartridge without label from Fuji, 800 GB native capacity							x	x	x	x						x	x	x					x	x	x	x					x	x	x	x				D:CR-FJ-LTO4-01	22,00	
	LTO4 data cartridge Fuji with label	LTO-4 data cartridge with label from Fuji, 800 GB native capacity														x		x	x	x					x			x					x			x				D:CR-FJ-LTO4-01L	22,00	
	LTO5 data cartridge Fuji no label	LTO-5 data cartridge without label from Fuji, 1500 GB native capacity							x	x	x	x							x	x								x	x					x	x				D:CR-FJ-LTO5-01	44,00	
	LTO5 data cartridge Fuji with label	LTO-5 data cartridge with label from Fuji, 1500 GB native capacity							x	x	x	x							x	x								x	x					x	x				D:CR-FJ-LTO5-01L	44,00	
	LTO1 data cartridge IBM no label	LTO-1 data cartridge without label from IBM, 100 GB native capacity											x	x	x		x	x			x	x	x	x					x	x	x				x		x	D:CR-LTO1-IB-01	32,00	
	LTO1 data cartridge IBM with label	LTO-1 data cartridge with label from IBM, 100 GB native capacity											x	x	x		x	x			x	x	x	x					x	x	x				x		x	D:CR-LTO1-IB-01L	33,00	
	LTO1 barcode label horizontal	label for LTO-1 data cartridges											x	x	x		x	x			x	x	x	x					x	x	x				x		x	D:CR-LTO1-LAB	2,00	
	LTO1 data cartridge Maxell no label	LTO-1 data cartridge without label from Maxell, 100 GB native capacity											x	x	x		x	x			x	x	x	x					x	x	x				x		x	D:CR-LTO1-MX-01	25,00	Phased out
	LTO1 data cartridge Maxell with label	LTO-1 data cartridge with label from Maxell, 100 GB native capacity											x	x	x		x	x			x	x	x	x					x	x	x				x		x	D:CR-LTO1-MX-01L	26,00	Phased out
	LTO2 data cartridge IBM no label	LTO-2 data cartridge without label from IBM, 200 GB native capacity													x	x	x	x	x	x		x	x	x	x				x	x	x	x			x	x	x	D:CR-LTO2-IB-01	30,00	
	LTO2 data cartridge IBM with label	LTO 2 data cartridge with label from IBM, 200 GB native capacity							x	x	x	x			x	x	x	x	x	x		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	D:CR-LTO2-IB-01L	31,00	
	LTO2 barcode label horizontal	label for LTO-2 data cartridges							x	x	x	x			x	x	x	x	x	x		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	D:CR-LTO2-LAB	2,00	
	LTO2 data cartridge Maxell no label	LTO-2 data cartridge without label from Maxell, 200 GB native capacity							x	x	x	x			x	x	x	x	x	x		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	D:CR-LTO2-MX-01	22,00	
	LTO2 data cartridge Maxell with label	LTO-2 data cartridge with label from Maxell, 200 GB native capacity							x	x	x	x			x	x	x	x	x	x		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	D:CR-LTO2-MX-01L	23,00	
	LTO3 data cartridge Quantum no label	LTO-3 data cartridge without label from Quantum, 400 GB native capacity																										x							x				D:CR-LTO3-QM-01	25,00	
	LTO3 data cartridge Quantum with label	LTO-3 data cartridge with label from Quantum, 400 GB native capacity																										x							x				D:CR-LTO3-QM-01L	25,00	
	VXA barcode label	Label for VXA data cartridge											x	x	x	x	x				x	x	x	x					x	x	x				x	x	x	D:CR-VXA2-LAB	2,00	
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB											x	x	x	x	x				x	x	x	x					x	x	x				x	x	x	D:CR-VXA2-X10-01	37,00	
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB											x	x	x	x	x				x	x	x	x					x	x	x				x	x	x	D:CR-VXA2-X10-01L	38,00	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB											x	x	x	x	x				x	x	x	x					x	x	x				x	x	x	D:CR-VXA2-X23-01	72,00	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB											x	x	x	x	x				x	x	x	x					x	x	x				x	x	x	D:CR-VXA2-X23-01L	73,00	
	RDX Cartridge 160/320GB	RDX Cartridge 160GB uncompressed / 320GB compressed	x	x	x	x	x	x	x	x	x	x					x	x	x	x				x	x	x	x	x			x	x	x	x	x			x	S26361-F3857-L160	140,00	Phased out
	RDX Cartridge Pack 10x 160/320GB	Package 10x RDX Cartridge 160GB uncompressed / 320GB compressed	x	x	x	x	x	x	x	x	x	x					x	x	x	x				x	x	x	x	x			x	x	x	x	x			x	S26361-F3857-L169	1.330,00	Phased out
	RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed	x	x	x	x	x	x	x	x	x	x					x	x	x	x				x	x	x	x	x			x	x	x	x	x			x	S26361-F3857-L320	175,00	
	RDX Cartridge Pack 10x 320/640GB	Package 10x RDX Cartridge 320GB uncompressed / 640GB compressed	x	x	x	x	x	x	x	x	x	x					x	x	x	x				x	x	x	x	x			x	x	x	x	x			x	S26361-F3857-L329	1.665,00	
	LTO cleaning cartridge Quantum no label	Cleaning cartridge without label from Quantum for LTO drives																										x							x				D:CL-LTO-QM-01	39,00	
	LTO4 data cartridge Quantum no label	LTO-4 data cartridge without label from Quantum, 800 GB native capacity																										x							x				D:CR-LTO4-QM-01	25,00	
	LTO cleaning cartrid. Quantum with label	cleaning cartridge with label from Quantum for LTO drives																										x							x				D:CL-LTO-QM-01L	40,00	
	LTO3 data cartridge IBM no label	LTO-3 data cartridge without label from IBM, 400 GB native capacity							x	x	x	x					x	x	x	x				x	x	x	x	x			x	x	x	x	x			x	D:CR-LTO3-IB-01	24,00	
	LTO4 data cartridge IBM no label	LTO-4 data cartridge without label from IBM, 800 GB native capacity							x	x	x	x				x			x	x					x	x	x	x					x	x	x	x				D:CR-LTO4-IB-01	24,00	
	LTO4 data cartridge Quantum with label	LTO-4 data cartridge with label from Quantum, 800 GB native capacity																										x							x				D:CR-LTO4-QM-01L	26,00	
	LTO3 data cartridge IBM with label	LTO-3 data cartridge with label from IBM, 400 GB native capacity															x	x	x	x				x	x	x					x		x	x	x			x	x	D:CR-LTO3-IB-01L	25,00	
	LTO4 data cartridge IBM with label	LTO-4-- Data cartridges with Label from IBM, Kapazity 800 GByte native							x	x	x	x				x			x	x					x	x	x	x					x	x	x	x				D:CR-LTO4-IB-01L	25,00	
	12 LTO4 data cartridges IBM random label	12 LTO-4 data cartridges with random label (Barcode with randomly created numbers) from IBM, 800 GB native capacity, This order position (bundle) is an order unit not a packing unit.																										x							x				D:CR-LTO4-IB-12L	287,00	
	LTO5 data cartridge Quantum no label	LTO-5 data cartridge without label from Quantum, 1500 GB native capacity																										x							x				D:CR-LTO5-QM-01	47,00	
	LTO5 data cartridge Quantum with label	LTO-5 data cartridge with label from Quantum, 1500 GB native capacity																										x							x				D:CR-LTO5-QM-01L	48,00	
	LTO cleaning label horizontal	label for LTO cleaning cartridges													x	x	x	x				x	x	x	x				x	x	x	x				x	x	x	D:CL-LTO-LAB	2,00	
	LTO3 barcode label horizontal	label for LTO-3 data cartridges							x	x	x	x					x	x	x	x				x	x	x	x	x			x	x	x	x	x			x	x	D:CR-LTO3-LAB	2,00	
	LTO4 barcode label horizontal	label for LTO-4 data cartridges							x	x	x	x			x			x	x	x					x	x	x					x	x	x						D:CR-LTO4-LAB	2,00	
	LTO5 barcode label horizontal	label for LTO-5 data cartridges							x	x	x	x			x			x	x	x					x	x	x	x					x	x	x					D:CR-LTO5-LAB	2,00	
	RDX Cartridge 500GB/1000GB	RDX Cartridge 500GB uncompressed / 1000GB compressed	x	x	x	x	x	x	x	x	x	x					x	x	x	x				x	x	x	x	x			x	x	x	x	x			x	S26361-F3857-L500	205,00	
	RDX Cartridge 1TB	RDX Cartridge 1TB uncompressed / 2TB compressed	x	x	x	x	x	x	x	x	x	x					x	x	x	x				x	x	x	x	x			x	x	x	x	x			x	S26361-F3857-L600	300,00	
Cables																																										
	Cable powercord rack, 4m	with Euro socket connector											x									x	x						x	x						x				T26139-Y1968-L10	15,00	
Additional Software																																									
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U11081-C157	15,00	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U11081-C171	1.125,00	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U11081-C177	562,00	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U11081-C183	30,00	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U11081-C186	1.125,00	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U11081-C192	451,00	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U11081-C199	15,00	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U11081-C201	30,00	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U11081-C202	1.225,00	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x									x	x	x	x					x	x	x						x	x						x	x		U11081-C203	1.994,00	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U11081-C204	3.988,00	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201											x	x	x	x					x	x	x						x	x						x	x		U11081-C207	710,00	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U11081-C212	1.225,00	

Tower Servers Accessories

Accessories & services matrix

Additional Software (Continued)

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX300 S7	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U11081-C213	1.994,00	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U11081-C214	3.988,00	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U11081-C217	710,00	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x			x	x		U11081-C301	1.225,00	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x			x	x		U11081-C311	1.225,00	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x			x	x		U11081-C321	500,00	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x	x							x	x	x	x					x	x	x						x	x					x	x	x		U11081-C302	1.994,00	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x	x							x	x	x	x					x	x	x						x	x					x	x	x		U11081-C312	1.994,00	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x	x							x	x	x	x					x	x	x						x	x					x	x	x		U11081-C322	814,00	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U11081-C303	3.988,00	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U11081-C313	3.988,00	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U11081-C323	1.628,00	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300	30,00	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299	15,00	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x			x	x		U10987-C501	1.225,00	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x			x	x		U10987-C513	1.225,00	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x			x	x		U10987-C525	500,00	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x	x							x	x	x	x					x	x	x						x	x					x	x	x		U10987-C502	1.994,00	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x	x							x	x	x	x					x	x	x						x	x					x	x	x		U10987-C514	1.994,00	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x	x							x	x	x	x					x	x	x						x	x					x	x	x		U10987-C526	814,00	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U10987-C503	3.988,00	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U10987-C515	3.988,00	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U10987-C527	1.628,00	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U10987-C504	4.618,00	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U10987-C516	4.618,00	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U10987-C528	1.885,00	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U10987-C505	5.982,00	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U10987-C517	5.982,00	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x	x							x	x	x	x					x	x	x						x	x						x	x		U10987-C529	2.442,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C500	36,00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C499	15,00	

Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix														
Processor														
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel Xeon processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink								x		S26361-F3277-E200	275,00	Phased out
	Intel Core i3-2100 2C/4T 3.10 GHz 3 MB	Intel Core i3-2100 processor (2C/4T, 3.10 GHz, TLC: 3 MB, Turbo: No, 1333 MHz, 65 W) without heat sink	x		x		x					S26361-F3579-E210	190,00	
	Intel Celeron G530T 2C/2T 2.00 GHz 2 MB	Intel Celeron processor G530T (2C/2T, 2.00 GHz, TLC: 2 MB, Turbo: No, 1066 MHz, 35 W) without heat sink			x							S26361-F3579-E252	75,00	
	Intel Pentium G620 2C/2T 2.60 GHz 3 MB	Intel Pentium processor G620 (2C/2T, 2.60 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 65 W) without heat sink	x		x		x					S26361-F3579-E262	105,00	
	Intel Pentium G640 2C/2T 2.80 GHz 3 MB	Intel Pentium processor G640 (2C/2T, 2.80 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 65 W) without heat sink		x		x		x				S26361-F3579-E264	105,00	
	Intel Xeon E3-1220L 2C/4T 2.20 GHz 3 MB	Intel Xeon processor E3-1220L (2C/4T, 2.20 GHz, TLC: 3 MB, Turbo: 3.40 GHz, 1333 MHz, 20 W) without heat sink			x							S26361-F3579-E312	325,00	
	Intel Xeon E3-1260L 4C/8T 2.40 GHz 8 MB	Intel Xeon processor E3-1260L (4C/8T, 2.40 GHz, TLC: 8 MB, Turbo: 3.30 GHz, 1333 MHz, 45 W) without heat sink			x		x					S26361-F3579-E316	475,00	
	Intel Xeon E3-1220 4C/4T 3.10 GHz 8 MB	Intel Xeon processor E3-1220 (4C/4T, 3.10 GHz, TLC: 8 MB, Turbo: 3.40 GHz, 1333 MHz, 80 W) without heat sink	x		x		x					S26361-F3579-E322	330,00	
	Intel Xeon E3-1240 4C/8T 3.30 GHz 8 MB	Intel Xeon processor E3-1240 (4C/8T, 3.30 GHz, TLC: 8 MB, Turbo: 3.70 GHz, 1333 MHz, 80 W) without heat sink	x		x		x					S26361-F3579-E324	405,00	
	Intel Xeon E3-1270 4C/8T 3.40 GHz 8 MB	Intel Xeon processor E3-1270 (4C/8T, 3.40 GHz, TLC: 8 MB, Turbo: 3.80 GHz, 1333 MHz, 80 W) without heat sink					x					S26361-F3579-E327	525,00	
	Intel Xeon E3-1220Lv2 2C/4T 2.30GHz 3MB	Intel Xeon processor E3-1220Lv2 (2C/4T, 2.30 GHz, TLC: 3 MB, Turbo: Yes, 1600 MHz, 17 W) without heat sink				x						S26361-F3580-E312	330,00	
	Intel Xeon E3-1265Lv2 4C/8T 2.50GHz 8 MB	Intel Xeon processor E3-1265Lv2 (4C/8T, 2.50 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 45 W) without heat sink				x		x				S26361-F3580-E316	475,00	
	Intel Xeon E3-1220v2 4C/4T 3.10 GHz 8 MB	Intel Xeon processor E3-1220v2 (4C/4T, 3.10 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink		x		x		x				S26361-F3580-E322	330,00	
	Intel Xeon E3-1230v2 4C/8T 3.30 GHz 8 MB	Intel Xeon processor E3-1230v2 (4C/8T, 3.30 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink		x		x		x				S26361-F3580-E323	365,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x		S26361-F3618-E240	470,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x		S26361-F3618-E266	905,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x		S26361-F3619-E266	1.080,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x		S26361-F3619-E280	1.300,00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink								x		S26361-F3622-E213	665,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink								x		S26361-F3622-E226	1.135,00	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink								x		S26361-F3633-E240	625,00	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x		S26361-F3648-E160	255,00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x		S26361-F3648-E213	280,00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink								x		S26361-F3649-E253	880,00	

Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix														
Processor (Continued)														
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink									x	S26361-F3685-E180	310,00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink									x	S26361-F3685-E240	395,00	
	Intel Pentium G6950 2C 2.80 GHz 3 MB	Intel Pentium processor G6950 (2C, 2.80 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 73 W) without heat sink							x			S26361-F3588-E280	170,00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink									x	S26361-F3676-E200	515,00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink									x	S26361-F3676-E230	750,00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink									x	S26361-F3676-E250	1.095,00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink									x	S26361-F3686-E200	1.305,00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink									x	S26361-F3686-E220	1.575,00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 115 W) incl. heat sink									x	S26361-F3686-E260	1.810,00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink									x	S26361-F3686-E270	2.035,00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 135 W) incl. heat sink									x	S26361-F3686-E290	2.395,00	
	Intel Core i3-540 2C/4T 3.06 GHz 4 MB	Intel Core i3-540 processor (2C/4T, 3.06 GHz, TLC: 4 MB, Turbo: No, 1333 MHz, 73 W) without heat sink							x			S26361-F3587-E306	215,00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink									x	S26361-F3687-E290	1.810,00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 80 W) incl. heat sink									x	S26361-F3687-E300	1.095,00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink									x	S26361-F3687-E330	1.095,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink									x	S26361-F3688-E180	1.305,00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink									x	S26361-F3688-E200	815,00	
	Intel Xeon X3430 4C/4T 2.40 GHz 8 MB	Intel Xeon processor X3430 (4C/4T, 2.40 GHz, TLC: 8 MB, Turbo: 1/1/2/3, 1333 MHz, 95 W) without heat sink							x			S26361-F3578-E343	365,00	
	Intel Xeon X3450 4C/8T 2.66 GHz 8 MB	Intel Xeon processor X3450 (4C/8T, 2.66 GHz, TLC: 8 MB, Turbo: 1/1/4/4, 1333 MHz, 95 W) without heat sink							x			S26361-F3578-E345	450,00	
	Intel Xeon X3470 4C/8T 2.93 GHz 8 MB	Intel Xeon processor X3470 (4C/8T, 2.93 GHz, TLC: 8 MB, Turbo: 2/2/4/5, 1333 MHz, 95 W) without heat sink							x			S26361-F3578-E347	585,00	
	Intel Xeon L3406 2C/4T 2.26 GHz 4 MB	Intel Xeon processor L3406 (2C/4T, 2.26 GHz, TLC: 4 MB, Turbo: 2/2, 1066 MHz, 30 W) without heat sink							x			S26361-F3586-E226	365,00	
	Intel Xeon L3426 4C/8T 1.86 GHz 8 MB	Intel Xeon processor L3426 (4C/8T, 1.86 GHz, TLC: 8 MB, Turbo: 2/2/9/10, 1333 MHz, 45 W) without heat sink							x			S26361-F3586-E186	530,00	
Memory														
	2 GB DDR3 1333 MHz PC3-10600 ub s ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x		x		x					S26361-F3335-E524	40,00	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x		x		x					S26361-F3335-E525	65,00	
	8 GB DDR3 1333 MHz PC3-10600 ub d ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x		x		x					S26361-F3335-E526	320,00	
	4GB (1x4GB) 2Rx8 DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM		x		x		x				S26361-F3719-E514	65,00	
	8GB (1x8GB) 2Rx8 DDR3-1600 U ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM		x		x		x				S26361-F3719-E515	320,00	
	1 GB DDR3 1333 MHz PC3-10600 ub s ECC	1 GB (1 module(s) 1 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM							x			S26361-F3335-E513	35,00	Phased out
	2 GB DDR3 1333 MHz PC3-10600 ub s/d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM							x			S26361-F3335-E514	40,00	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM							x			S26361-F3335-E515	65,00	
	2 GB DDR3 1333 MHz PC3-10600 rg s/d ECC	2 GB (1 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM							x			S26361-F3336-E514	80,00	

Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix														
Memory (Continued)														
	4 GB DDR3 1333 MHz PC3-10600 rg d ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM							x			S26361-F3336-E515	85,00	
	8 GB DDR3 1066 MHz PC3-8500 rg q ECC	8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM							x			S26361-F3336-E516	145,00	
Memory Modules														
	Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex factory								x		S26361-F3284-E1	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory								x		S26361-F3284-E3	5,00	
	Independent Mode Installation	No specific memory RAS features are defined									x	S26361-F3694-E10	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory								x		S26361-F3284-E2	5,00	
	MM 4GB 2x2 DDR3 1333 MHz PC3-10600 rg s	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode								x		S26361-F3604-E523	160,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory									x	S26361-F3694-E2	5,00	
	MM 8GB 2x4 DDR31333 MHz PC3-10600 rg s/d	2 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode								x		S26361-F3604-E524	170,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d	1 module 2GB 1333MHz, unbufferes DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x		S26361-F3606-E513	40,00	
	Rank Sparing Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory									x	S26361-F3694-E1	5,00	
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x		S26361-F3604-E513	80,00	
	MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	2 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode								x		S26361-F3604-E525	270,00	
	4 GB DDR3 1333 MHz PC3-10600 rg s/d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x		S26361-F3604-E514	85,00	
	SP 6GB 3x2 DDR3 1333 MHz PC3-10600 rg s	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode								x		S26361-F3604-E533	240,00	
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x		S26361-F3604-E515	135,00	
	SP12GB 3x4 DDR3 1333MHz PC3-10600 rg s/d	3 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode								x		S26361-F3604-E534	255,00	
	MM 8GB 2x4 DDR3LV 1333 MHz 10600 rg s/d	2 LV modules 4GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode								x		S26361-F3605-E524	170,00	
	SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	3 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode								x		S26361-F3604-E535	405,00	
	MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	2 LV modules 8GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode								x		S26361-F3605-E525	270,00	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg s/d	1 LV module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x		S26361-F3605-E514	85,00	
	SP12GB 3x4 DDR3 LV1333 MHz 10600 rg s/d	3 LV modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode								x		S26361-F3605-E534	255,00	
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 LV module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x		S26361-F3605-E515	135,00	
	SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	3 LV modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode								x		S26361-F3605-E535	405,00	
	2GB (1x2GB) 1Rx8 L DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM									x	S26361-F3694-E513	40,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM									x	S26361-F3694-E514	65,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 R ECC										x	S26361-F3695-E514	95,00	
	4GB (1x4GB) 1Rx4 L DDR3-1333 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM									x	S26361-F3696-E514	85,00	
	8GB (1x8GB) 2Rx4 L DDR3-1333 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM									x	S26361-F3696-E515	135,00	
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM									x	S26361-F3697-E514	95,00	
	8GB (1x8GB) 2Rx4 L DDR3-1600 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM									x	S26361-F3697-E515	155,00	
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC	16 GB (1 module(s) 16 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM									x	S26361-F3697-E516	335,00	

Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix														
Memory Modules (Continued)														
	16GB (1x16GB) 4Rx4 L DDR3-1333 LR ECC	16 GB (1 module(s) 16 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM									x	S26361-F3698-E516	395,00	
	32GB (1x32GB) 4Rx4 L DDR3-1333 LR ECC	32 GB (1 module(s) 32 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM									x	S26361-F3698-E517	1.850,00	
Graphics														
	Front-VGA Interface	2nd optional VGA interface front side									x	S26361-F2571-E26	20,00	
	PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card	x	x			x	x	x	x	x	S26361-F2748-E537	135,00	
	PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card, low profile			x	x						S26361-F2748-E637	135,00	
	PY NVIDIA Tesla C2075 GPGPU	NVIDIA Tesla C2075 PCIe-x16 GPGPU Karte for TX300 S7 / RX350 S7									x	S26361-F2856-E997	2.650,00	
	PY GPGPU Cable Kit	Cable Kit to install up to 2 GPGPUs;, Includes an universal PCI card holder and screws									x	S26361-F3736-E1	80,00	
Removable Media Drives														
	Blu-ray Triple Writer 1.6" SATA	Read: 8x BD-ROM, 16x DVD, 40x CD, Write: 6x BD, 16x DVD, 32x CD, BD DL and all CD/DVD formats, 1.6" fitting height	x				x	x	x	x	x	S26361-F3585-E2	345,00	Phased out
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height	x	x			x	x				S26361-F3641-E4	165,00	
	Mounting Kit for 5,25" USB backup drives	Mounting kit for the 5,25" USB backup drives ,									x	S26361-F3753-E1	5,00	
	MountingKit DVD(sl) + LSD	for slim DVD, 1x Local Service Display									x	S26361-F2826-E205	30,00	
	MountingKit DVD(sl)+LSP/LSD	for slim DVD, 1x Local Service Panel or Display							x	x		S26361-F2826-E204	30,00	
	ExtensionKit 4x SAS LFF HDD	HDD Extension for 4x LFF hotplug HDD									x	S26361-F2826-E335	75,00	
	MountingKit DVD(sl)+LSP/LSD +SAS LFF HDD	for slim DVD, 1x Local Service Panel or Display, 2x HDD								x		S26361-F2826-E104	85,00	
	MountingKit DVD(sl)+LSD+2x SAS LFF HDD	for slim DVD, 1x Local Service Display, 2x HDD									x	S26361-F2826-E105	60,00	
	ExtensionKit 8x SAS SFF HDD	HDD Extension for 8x SFF hotplug HDD									x	S26361-F2826-E325	85,00	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM,slimline 0.5" fitting height, black			x	x			x	x	x	S26361-F3269-E2	90,00	
	MountingKit 8x SAS SFF HDD	Extension Box for 8x 2,5" hotplug HDD									x	S26361-F2826-E425	85,00	
	MountingKit DVD(sl)+4x SAS LFF HDD	for slim DVD, 4x HDD									x	S26361-F2826-E435	85,00	
	SAS Expander 2x4 In / 6x4 Out	SAS Expander 2x4 In / 6x4 Out									x	S26361-F3668-E1	250,00	
	Adapter Kit for 2nd RAID Controller	Adapter Kit for 2nd RAID Controller									x	S26361-F3673-E1	20,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height			x	x			x	x		S26361-F3641-E2	165,00	
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel	x	x			x	x	x	x	x	S26361-F3266-E2	35,00	
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel	x	x			x	x	x	x	x	S26361-F3267-E2	55,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)	x	x			x	x	x	x	x	S26361-F3857-E4	160,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)			x	x						S26361-F3857-E5	160,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, black bezel, with description (G/US) and cleaning cartridge	x	x			x	x	x	x	x	S26361-F3324-E4	500,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US) and cleaning cartridge			x	x						S26361-F3324-E5	500,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge	x	x			x	x	x	x	x	S26361-F3325-E4	685,00	
	Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge			x	x						S26361-F3325-E2	685,00	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge							x	x		S26361-F4009-E4	1.280,00	Phased out
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge					x	x	x	x	x	S26361-F3561-E4	1.395,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge					x	x	x	x	x	S26361-F3626-E2	2.030,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge					x	x	x	x	x	S26361-F3627-E1	2.980,00	
	SFF 8xSAS HDD Box	Extension Box for 8 pc. 2.5" hotplug HDD								x		S26361-F2826-E114	165,00	
Hard Disks														
	HD SATA 3G 160GB 7.2K HOT PL 3.5" ECO	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 3.5-inch, economic					x		x	x		S26361-F3293-E160	125,00	Phased out
	HD SATA 3G 250GB 7.2K HOT PL 3.5" ECO	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic							x	x		S26361-F3293-E250	160,00	

Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix														
Hard Disks (Continued)														
	HD SATA 3G 250GB 7.2K NO HOT PL 3.5"	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, non hot plug, 3.5-inch, economic	x		x							S26361-F3574-E250	160,00	
	HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic					x	x	x			S26361-F3700-E250	160,00	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, economic					x	x	x	x		S26361-F3700-E500	205,00	
	HD SATA 6G 250GB 7.2K NO HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, non-hot-plug, 3.5-inch, economic	x	x	x	x						S26361-F3701-E250	160,00	
	HD SATA 6G 500GB 7.2K NO HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, non-hot-plug, 3.5-inch, economic	x	x	x	x						S26361-F3701-E500	205,00	
	SSD SAS 6G 100GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 100 GB, SLC, hot-plug, 2.5-inch, enterprise								x	x	S26361-F4541-E100	1.775,00	
	SSD SAS 6G 200GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, SLC, hot-plug, 2.5-inch, enterprise								x	x	S26361-F4541-E200	3.450,00	
	SSD SAS 6G 400GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, SLC, hot-plug, 2.5-inch, enterprise								x	x	S26361-F4541-E400	6.630,00	
	SSD SATA 6G 100GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, hot-plug, 2.5-inch, enterprise				x		x			x	S26361-F5225-E100	555,00	New product,Orderable from: 01/08/2012
	SSD SATA 6G 200GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise				x		x		x	x	S26361-F5225-E200	1.095,00	New product,Orderable from: 01/08/2012
	SSD SATA 6G 400GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 400 GB, MLC, hot-plug, 2.5-inch, enterprise				x		x		x	x	S26361-F5225-E400	2.645,00	New product,Orderable from: 01/08/2012
	HD SATA 6G 500GB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical						x			x	S26361-F3670-E500	210,00	
	HD SATA 6G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical				x		x			x	S26361-F3708-E250	225,00	
	HD SATA 6G 1TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical						x			x	S26361-F3670-E100	265,00	
	HD SATA 6G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical				x		x			x	S26361-F3708-E500	235,00	
	HD SATA 6G 2TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical						x			x	S26361-F3670-E200	435,00	
	HD SATA 6G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical				x		x			x	S26361-F3708-E100	405,00	
	HD SATA 6G 3TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical						x			x	S26361-F3670-E300	690,00	
	HD SATA 3G 500GB 7.2K NO HOT PL 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, non hot plug, 3.5-inch, business critical	x		x							S26361-F3334-E500	210,00	
	HD SATA 3G 1TB 7.2K NO HOT PL 3.5" BC	HDD SATA, 3 GB/s, 1000 GB, 7200 rpm, non hot plug, 3.5-inch, business critical	x		x							S26361-F3334-E100	240,00	
	HD SATA 3G 2TB 7.2K NO HOT PL 3.5" BC	HDD SATA, 3 GB/s, 2000 GB, 7200 rpm, non hot plug, 3.5-inch, business critical	x		x							S26361-F3334-E200	435,00	
	HD SATA 6G 500GB 7.2K NO HOT PL 3.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, non hot plug, 3.5-inch, business critical		x		x						S26361-F3671-E500	210,00	
	HD SATA 3G 500GB 7.2K HOT PL 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical					x	x	x	x		S26361-F3294-E500	210,00	
	HD SATA 6G 1TB 7.2K NO HOT PL 3.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, non hot plug, 3.5-inch, business critical		x		x						S26361-F3671-E100	240,00	
	HD SATA 6G 2TB 7.2K NO HOT PL 3.5" BC	HDD SATA, 6 GB/s, 2 TB, 7200 rpm, non hot plug, 3.5-inch, business critical		x		x						S26361-F3671-E200	435,00	
	HD SATA 3G 1TB 7.2K HOT PL 3.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical					x		x	x		S26361-F3294-E100	240,00	
	HD SATA 3G 2TB 7.2K HOT PL 3.5" BC	HDD SATA, 3 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical					x		x	x	x	S26361-F3294-E200	435,00	
	HD SATA 3G 160GB 5.4K HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic			x		x	x	x	x		S26361-F3297-E160	180,00	Phased out
	HD SATA 3G 320GB 5.4K HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic			x		x	x	x	x		S26361-F3297-E320	225,00	
	HD SATA 3G 500GB 5.4K HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic			x		x	x	x	x		S26361-F3297-E500	235,00	
	HD SATA 3G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical			x		x		x	x		S26361-F3601-E250	225,00	
	HD SATA 3G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical			x		x		x	x		S26361-F3601-E500	235,00	
	HD SATA 3G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical			x		x		x	x		S26361-F3601-E100	405,00	
	HD SAS 6G 300GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise					x	x	x	x	x	S26361-F4005-E530	365,00	
	HD SAS 6G 450GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise					x	x	x	x	x	S26361-F4005-E545	420,00	
	HD SAS 6G 600GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise					x	x	x	x	x	S26361-F4005-E560	500,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x	x	x	x	x	x	x	S26361-F4482-E130	285,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x	x	x	x	x	x	x	S26361-F4482-E145	410,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x	x	x	x	x	x	x	S26361-F4482-E160	530,00	
	HD SAS 6G 900GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x	x	x	x	x	x	x	S26361-F4482-E190	835,00	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x	x	x	x	x	x	x	S26361-F4482-E573	250,00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x	x	x	x	x	x	x	S26361-F4482-E514	325,00	
	HD SAS 6G 300GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x	x	x	x	x	x	x	S26361-F4482-E530	565,00	
SCSI/RAID/SAS controller														

Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix														
SCSI/RAID/SAS controller (Continued)														
	SATA-HDD Upgrade 5.-8. HDD	Trigger to the request of a PCI based SAS controller					x	x				S26361-F2826-E140	5,00	
	RAID Contr BBU Upgrade for RAID 5/6 C55	BBU Upgrade for LSI SAS1078 and LSI SAS2108,	x	x	x	x	x	x	x	x		S26361-F3257-E255	165,00	
	RAID Contr BBU Erweiterung RAID 5/6 C70	BBU Upgrade for LSI SAS1078 and LSI SAS2108,									x	S26361-F3257-E270	165,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports			x	x	x	x	x	x		S26361-F3257-E4	110,00	
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports			x		x	x	x	x		S26361-F3257-E8	135,00	
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI							x	x		S26361-F3270-E1	195,00	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R							x	x		S26361-F3271-E1	210,00	Phased out
	SAS Ctrl 6G 8ext PCIe	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e					x	x	x	x	x	S26361-F3628-E1	260,00	
	SAS Ctrl 6G 8ext PCIe lp	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e LP			x	x					x	S26361-F3628-E201	260,00	
	SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS,									x	S26361-F3674-E1	95,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports			x	x	x	x	x	x	x	S26361-F3554-E8	165,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports	x	x	x	x	x	x	x	x	x	S26361-F3554-E512	385,00	
	RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports									x	S26361-F3669-E1	430,00	
	RAID Ctrl SAS 6G 8Port ex 512MB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU					x	x	x	x	x	S26361-F3593-E1	590,00	
	RAID Ctrl SAS 6G 8Port ex 512MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU			x	x						S26361-F3593-E201	590,00	
Fibre Channel														
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber								x	x	S26361-F3961-E1	840,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber								x	x	S26361-F3961-E2	1.370,00	
	FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber								x	x	S26361-F3631-E1	935,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber								x	x	S26361-F3631-E2	1.500,00	
Connection Blades														
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755., For multi-mode short-range fiber optic cables up to 300m.				x	x	x	x	x	x	x	S26361-F3986-E3	405,00	
	SFP+ Module Single Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blade and LAN adapter D2755., For single-mode long-range fiber optic cables up to 10km.					x	x	x	x	x	S26361-F3986-E4	1.180,00	
Communication/Network														
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel® Pro 1000PT 1 Port Server Adapter							x	x		S26361-F3241-E1	90,00	
	Upgrade-Kit to 4x GBit on-board	Upgrade-Kit to 4x GBit on-board, Based on Intel LAN controller chip 82576NS, Usable with original Intel driver kit, Extends the available two onboard 1GB LAN connectors with two additional 1GB LAN connectors.									x	S26361-F3610-E702	155,00	
	Upgrade-Kit to 6x GBit on-board	Upgrade-Kit to 6x GBit on-board, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with four additional 1GB LAN connectors.									x	S26361-F3611-E701	375,00	
	Upgrade-Kit to 2xGB and 2x10GB on-board	Upgrade-Kit to 2x GBit and 2x 10GBit on-board, Based on Intel LAN controller chip 82599, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with two additional 10GB LAN connectors (SFP+).									x	S26361-F3629-E702	500,00	
	Shared 10GB Management LAN kit										x	S26361-F3629-E750	25,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp	Intel® GBit CT 1 Port Desktop Adapter lp			x	x						S26361-F3516-E201	45,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu lp	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu lp, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit			x	x						S26361-F3610-E202	155,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu lp	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu lp, Based on Intel® LAN controller chip 82580EB, Usable with original Intel® driver kit			x	x						S26361-F3611-E201	375,00	

Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix														
Communication/Network (Continued)														
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+ lp	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+ lp			x	x						S26361-F3629-E202	500,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller , PCIe 2.0 x 8 , SFP+ for opt. module or Twinax cable									x	S26361-F3592-E2	1.180,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102									x	S26361-F3592-E108	400,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel® GBit CT 1 Port Desktop Adapter	x	x			x	x	x	x	x	S26361-F3516-E1	45,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel® Pro 1000PF 1 Port Server Adapter							x	x	x	S26361-F3242-E1	240,00	
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+			x		x	x	x	x	x	S26361-F3629-E2	500,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit	x	x			x	x	x	x	x	S26361-F3610-E2	155,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu, Based on Intel® LAN controller chip 82580EB, Usable with original Intel® driver kit					x	x	x	x	x	S26361-F3611-E1	375,00	
	IB HCA 40GB 1 port QDR	InfiniBand HCA 40GB/s, 1-port, QDR									x	S26361-F4475-E102	620,00	
	IB HCA 40GB 2 port QDR	InfiniBand HCA 40GB/s, 2-port, QDR									x	S26361-F4475-E202	850,00	
	IB HCA 56GB 1 port FDR	InfiniBand HCA 56GB/s, 1-port, FDR									x	S26361-F4533-E102	1.030,00	
	IB HCA 56GB 2 port FDR	InfiniBand HCA 56GB/s, 2-port, FDR									x	S26361-F4533-E202	1.590,00	
Rack-Infrastructure														
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.							x	x		SNP:SY-F1647E301-P	130,00	
	Cable mgmt. lateral for asym. PC racks	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER racks					x	x	x	x		S26361-F2735-E7	30,00	
	cable arm 2U PCR M1 S and 3rd partyracks	Cable arm 2U to be mounted at right or left rack pillar behind servers higher oder equal 2U. Released for symmetrical PRIMECENTER M1 or 3rd party racks.					x	x	x	x		S26361-F2201-E20	50,00	
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	telescopic full extraction, drop-in mount.; vario-carrier for toolless mounting;, max. load 50 kg,, Rack installation depth (19" pillar distance) between 714mm and 785mm					x	x	x	x		S26361-F2735-E202	65,00	
Country kits														
	CCC Certification for China	CCC Certification for China					x		x	x		S26361-F3301-E120	10,00	
	region kit APAC/America/EMEA/India	Region-kit APAC/ America/EMEA/ India	x	x	x	x	x	x			x	S26361-F1452-E100	10,00	
OneBox-Keyboards														
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x	S26381-K341-E110	27,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x	S26381-K341-E120	27,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x	S26381-K341-E165	27,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x	S26381-K341-E185	27,00	
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,	x	x	x	x	x	x	x	x	x	S26381-K520-E102	13,00	
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,	x	x	x	x	x	x	x	x	x	S26381-K520-E120	13,00	
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,	x	x	x	x	x	x	x	x	x	S26381-K520-E165	13,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	x	x	x	x	x	x	x	x	x	S26381-K520-E185	13,00	
	KB400 USB grey INT USA	KB400 USB INT US, SLIM value Keyboard black US	x		x		x		x	x		S26381-K550-E102	10,00	Phased out
	KB400 USB grey D	KB400 USB grey D, SLIM value Keyboard Germany	x		x		x		x	x		S26381-K550-E120	10,00	Phased out
	KB400 USB grey GB	KB400 USB grey GB, SLIM value Keyboard UK	x		x		x		x	x		S26381-K550-E165	10,00	Phased out
	KB400 USB grey I	KB400 USB grey I, SLIM value Keyboard Italy	x		x		x		x	x		S26381-K550-E185	10,00	Phased out
PRIMERGY-Software														

Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix														
PRIMERGY-Software (Continued)														
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection							x	x		S26361-F1790-E241	300,00	
	iRMC S3 advanced pack				x	x	x	x			x	S26361-F1790-E242	300,00	
	PRIMERGY DuplexDataManager 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	x	S26361-F2565-L596	2.745,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. OEM DVD, License.	x	x	x	x	x	x	x		x	S26361-F2567-E20	380,00	
	MS SysCtr Essntls 2010 OEM	MS System Center Essentials 2010. English. OEM DVD, License.	x	x	x	x	x	x	x	x	x	S26361-F2567-E30	115,00	
	Win Svr 2008 R2 SP1 Foundation 1CPU OEM	Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x			S26361-F2567-E301	165,00	
	Win Srv 2008 R2 Foundation 1CPU MULI OEM	Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x			x	x	x			S26361-F2567-E306	190,00	Phased out
	Win Srv 2008 R2 Foundation 1CPU PRC OEM	Win Srv 2008 R2 Fnd (1 CPU) Simplified Chinese. OEM DVD, License.	x	x	x	x	x	x	x			S26361-F2567-E308	175,00	
	Win SBS Essentials 2011 OEM MUL-Set1	Windows Small Business Server Essentials 2011, OEM, MUL set 1, DVD Media, COA, License, Language set 1:English (default language), German, Japanese, French, Spanish, Italian, Dutch, Polish, Portuguese.	x	x	x	x	x	x	x			S26361-F2567-E378	335,00	
	Win SBS Essentials 2011 OEM MUL-Set2	Windows Small Business Server Essentials 2011, OEM, MUL set 2, DVD Media, COA, License, Language set 2: English (default language), Chinese simplified (for PRC), Hungarian, Russian, Turkish, Swedish, Czech, Korean, Brazilian Portuguese.	x	x	x	x	x	x	x			S26361-F2567-E379	335,00	
	VIOM License f. operation of one server,	VIOM License for operation of one server, Service Pack mandatory									x	U15000-C311	315,00	
	VIOM License for operation of 8 servers,	VIOM License for operation of 8 servers, Service Pack mandatory									x	U15000-C312	1.890,00	
	VIOM License f. operation of 18 servers,	VIOM License for operation of 18 servers, Service Pack mandatory									x	U15000-C313	3.795,00	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	x	S26361-F2565-E593	875,00	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	x	S26361-F2565-E595	875,00	
	Win Svr 2008 R2 SP1 Datactr 2CPU OEM	Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	x	x	S26361-F2567-E331	2.966,00	
	Win Srv 2008 R2 SP1 Enterpr w/10CAL OEM	Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	x	x	S26361-F2567-E321	1.870,00	
	Win Srv 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and woldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	x	x	S26361-F2567-E311	585,00	
	Win SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	x	x	x	x	x	x	x	S26361-F2567-E350	630,00	
	Win SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set, COA, License	x	x	x	x	x	x	x	x	x	S26361-F2567-E351	630,00	
	Win SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	x	x	x	x	x	x	x	x	S26361-F2567-E352	630,00	
	Win SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License	x	x	x	x	x	x	x	x	x	S26361-F2567-E353	630,00	
	Win SBS Standard 2011 w/5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License	x	x	x	x	x	x	x	x	x	S26361-F2567-E354	630,00	
	Win SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License	x	x	x	x	x	x	x	x	x	S26361-F2567-E355	630,00	
	Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License	x	x	x	x	x	x	x	x	x	S26361-F2567-E356	630,00	
	Win SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA, License	x	x	x	x	x	x	x	x	x	S26361-F2567-E357	630,00	
	Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA, License	x	x	x	x	x	x	x	x	x	S26361-F2567-E358	630,00	
	Win SBS Standard 2011 w/5CAL OEM HU	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License	x	x	x	x	x	x	x	x	x	S26361-F2567-E359	630,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	x	x	x	x	x	x	x	S26361-F2567-E370	925,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media set, COA, License	x	x	x	x	x	x	x	x	x	S26361-F2567-E371	925,00	

Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix														
PRIMERGY-Software (Continued)														
	Win SBS 2011 Prem Add-On w/5CAL OEM IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	x	x	x	x	x	x	x	x	S26361-F2567-E372	925,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License	x	x	x	x	x	x	x	x	x	S26361-F2567-E373	925,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License	x	x	x	x	x	x	x	x	x	S26361-F2567-E374	925,00	
	Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x			x	x	x	x		S26361-F2567-E330	3.315,00	Phased out
	Win Srv 2008 R2 Enterprise 10CAL MUL OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x			x	x	x	x		S26361-F2567-E320	2.085,00	Phased out
	Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x			x	x	x	x		S26361-F2567-E310	655,00	Phased out
	Win Srv 2008 R2 Standard 5CAL PRC OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) Simplified Chinese. OEM DVD, License.	x	x	x	x	x	x	x	x	x	S26361-F2567-E318	530,00	
	Win Web Srv 2008 R2 MULI OEM	Win Web Srv 2008 R2 1-4 CPU EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x			x	x	x	x	x	S26361-F2567-E302	305,00	
	Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.	x	x	x	x	x	x	x	x	x	S26361-F2567-E391	25,00	
	Win Srvs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.	x	x	x	x	x	x	x	x	x	S26361-F2567-E390	25,00	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x					x	x	x	S26361-F2565-E328	25,00	Phased out
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x	x	x	x	S26361-F2565-E318	25,00	Phased out
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.									x	S26361-F2567-E360	750,00	
	Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.									x	S26361-F2567-E361	375,00	
	Win HPC Pack 2008 R2 Express MUL OEM	Win HPC Pack 2008 R2 Express (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.									x	S26361-F2567-E362	25,00	
	Win HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.									x	S26361-F2567-E363	110,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC USA	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for USA. Ships per Request for Special Release only. Only for Qualified Educational Users in the U.S., only for shipments to U.S.A. OEM Recovery DVD Media Kit, COA, License.									x	S26361-F2567-E366	30,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC PRC	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for PRC. Ships per Request for Special Release only. Only for Qualified Educational Users in the PRC, only for shipments to PRC. OEM Recovery DVD Media Kit, COA, License.									x	S26361-F2567-E368	30,00	
	SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year subscription.	x	x	x	x	x	x	x	x	x	S26361-F2346-E611	249,00	
	SUSE Linux ES 32SOC 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 3 years subscription.	x	x	x	x	x	x	x	x	x	S26361-F2346-E612	670,00	
	SUSE Linux E 11 HAE 32SOC 3Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 3 years subscription.	x	x	x	x	x	x	x	x	x	S26361-F2346-E622	1.350,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year	x	x	x	x	x	x	x	x	x	S26361-F2346-S101	331,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years	x	x	x	x	x	x	x	x	x	S26361-F2346-S102	889,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year	x	x	x	x	x	x	x	x	x	S26361-F2346-S103	497,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years	x	x	x	x	x	x	x	x	x	S26361-F2346-S104	1.334,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year	x	x	x	x	x	x	x	x	x	S26361-F2346-S105	830,00	

Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix														
PRIMERGY-Software (Continued)														
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years	x	x	x	x	x	x	x	x	x	S26361-F2346-S106	2.224,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year	x	x	x	x	x	x	x	x	x	S26361-F2346-S111	538,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years	x	x	x	x	x	x	x	x	x	S26361-F2346-S112	1.445,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year	x	x	x	x	x	x	x	x	x	S26361-F2346-S113	808,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years	x	x	x	x	x	x	x	x	x	S26361-F2346-S114	2.169,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year	x	x	x	x	x	x	x	x	x	S26361-F2346-S115	1.347,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years	x	x	x	x	x	x	x	x	x	S26361-F2346-S116	3.615,00	
	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	x	x	S26361-F2346-S121	220,00	
	Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	x	x	S26361-F2346-S122	607,00	
	Red Hat EL RS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	x	x	S26361-F2346-S131	441,00	
	Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	x	x	S26361-F2346-S132	1.215,00	
	Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	x	x	S26361-F2346-S141	110,00	
	Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	x	x	S26361-F2346-S142	303,00	
	Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	x	x	S26361-F2346-S151	110,00	
	Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	x	x	S26361-F2346-S152	303,00	
	Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	x	x	S26361-F2346-S161	110,00	
	Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	x	x	S26361-F2346-S162	303,00	
	Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	x	x	S26361-F2346-S171	138,00	
	Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	x	x	S26361-F2346-S172	380,00	
	Citrix XS AE, 3yr SA	Citrix XS AE, 3yr SA; XenServer V5.6+ Advanced Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download									x	S26361-F2341-S980	1.050,00	
	Citrix XS EE, 3yr SA	Citrix XS EE, 3yr SA; XenServer V5.6+ Enterprise Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download									x	S26361-F2341-S981	2.630,00	
	Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download									x	S26361-F2341-S982	5.290,00	
	Citrix XS AE-EE upgr, 3yr SA	Citrix XS AE-EE upgr, 3yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 3 years Subscription Advantage; SW and Lizence key per Download									x	S26361-F2341-S983	2.000,00	
	Citrix XS AE-PE upgr, 3yr SA	Citrix XS AE-PE upgr, 3yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizence key per Download									x	S26361-F2341-S984	4.880,00	
	Citrix XS EE-PE upgr, 3yr SA	Citrix XS EE-PE upgr, 3yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizence key per Download									x	S26361-F2341-S985	3.540,00	
	Citrix XS AE, 1yr SA	Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download									x	S26361-F2341-S986	830,00	
	Citrix XS EE, 1yr SA	Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download									x	S26361-F2341-S987	2.080,00	
	Citrix XS PE, 1yr SA	Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download									x	S26361-F2341-S988	4.170,00	
	Citrix XS AE-EE upgr, 1yr SA	Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and Lizence key per Download									x	S26361-F2341-S989	1.460,00	

Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix														
PRIMERGY-Software (Continued)														
	Citrix XS AE-PE upgr, 1yr SA	Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizence key per Download									x	S26361-F2341-S990	3.750,00	
	Citrix XS EE-PE upgr, 1yr SA	Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizence key per Download									x	S26361-F2341-S991	2.420,00	
	VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Single SRV Lic. (w/o SP)							x	x	x	S26361-F2341-E431	60,00	
	VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!							x	x	x	S26361-F2341-S700	10,00	
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4,vCenter 5,vShield,Backup-Restore , VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore - No License							x		x	S26361-F2341-E300	80,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!							x	x	x	S26361-F2341-E707	895,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!							x	x	x	S26361-F2341-E708	895,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!							x	x	x	S26361-F2341-E709	2.585,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!							x	x	x	S26361-F2341-E710	2.585,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!							x	x	x	S26361-F2341-E711	3.145,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!							x	x	x	S26361-F2341-E712	3.145,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!							x	x	x	S26361-F2341-E730	8.995,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!							x	x	x	S26361-F2341-E731	8.995,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!							x	x	x	S26361-F2341-E732	15.750,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!							x	x	x	S26361-F2341-E733	15.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!							x	x	x	S26361-F2341-E734	19.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!							x	x	x	S26361-F2341-E735	19.750,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!							x	x	x	S26361-F2341-S736	4.495,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!							x	x	x	S26361-F2341-S737	4.495,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 1 year Service Pack needed!							x	x	x	S26361-F2341-S738	1.345,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 3 year Service Pack needed!							x	x	x	S26361-F2341-S739	1.345,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!							x	x	x	S26361-F2341-E740	4.045,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 3 year Service Pack needed!							x	x	x	S26361-F2341-E741	4.045,00	
	VMware Essentials w/1yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 1 year VMware Sub. - no Support							x	x	x	S26361-F2341-S800	504,00	
	VMware Essentials w/3yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 3 year VMware Sub. - no Support							x	x	x	S26361-F2341-S801	600,00	
	VMware SRM STD 25 VM Pack w/7x24-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.							x	x	x	S26361-F2341-S802	4.969,00	
	VMware SRM STD 25 VM Pack w/7x24-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.							x	x	x	S26361-F2341-S803	6.510,00	

Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix														
PRIMERGY-Software (Continued)														
	VMware SRM STD 25 VM Pack w/5x9-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.							x	x	x	S26361-F2341-S804	4.810,00	
	VMware SRM STD 25 VM Pack w/5x9-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.							x	x	x	S26361-F2341-S805	6.104,00	
	VMware SRM ENT 25 VM Pack w/7x24-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.							x	x	x	S26361-F2341-S806	12.573,00	
	VMware SRM ENT 25 VM Pack w/7x24-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.							x	x	x	S26361-F2341-S807	16.483,00	
	VMware SRM ENT 25 VM Pack w/5x9-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.							x	x	x	S26361-F2341-S808	12.169,00	
	VMware SRM ENT 25 VM Pack w/5x9-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.							x	x	x	S26361-F2341-S809	15.454,00	
	VMware View ENT Start 10 CLI w/o SP-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!							x	x	x	S26361-F2341-S742	1.220,00	
	VMware View ENT Start 10 CLI w/o SP-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!							x	x	x	S26361-F2341-S743	1.220,00	
	VMware View ENT 100 CLI w/o SP-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!							x	x	x	S26361-F2341-S744	12.195,00	
	VMware View ENT 100 CLI w/o SP-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!							x	x	x	S26361-F2341-S745	12.195,00	
	VMware View ENT Add 10 CLI w/o SP-1yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL - Mandatory 1 year Service Pack needed!							x	x	x	S26361-F2341-S746	1.220,00	Phased out
	VMware View ENT Add 10 CLI w/o SP-3yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL - Mandatory 3 year Service Pack needed!							x	x	x	S26361-F2341-S747	1.220,00	Phased out
	VMware View ENT Add-On 10 CLI w/o SP-1yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM - Mandatory 1 year Service Pack needed!							x	x	x	S26361-F2341-S748	730,00	
	VMware View ENT Add-On 10 CLI w/o SP-3yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM - Mandatory 3 year Service Pack needed!							x	x	x	S26361-F2341-S749	730,00	
	VMware View PRE Start 10 CLI w/o SP-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!							x	x	x	S26361-F2341-S750	2.030,00	
	VMware View PRE Start 10 CLI w/o SP-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!							x	x	x	S26361-F2341-S751	2.030,00	
	VMware View PRE 100 CLI w/o SP-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!							x	x	x	S26361-F2341-S752	20.295,00	
	VMware View PRE 100 CLI w/o SP-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!							x	x	x	S26361-F2341-S753	20.295,00	
	VMware View PRE Add 10 CLI w/o SP-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!							x	x	x	S26361-F2341-S754	2.030,00	Phased out
	VMware View PRE Add 10 CLI w/o SP-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!							x	x	x	S26361-F2341-S755	2.030,00	Phased out
	VMware View PRE Add-On 10 CLI w/o SP-1yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA - Mandatory 1 year Service Pack needed!							x	x	x	S26361-F2341-S756	1.540,00	
	VMware View PRE Add-On 10 CLI w/o SP-3yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA - Mandatory 3 year Service Pack needed!							x	x	x	S26361-F2341-S757	1.540,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.							x	x	x	S26361-F2341-S810	3.992,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.							x	x	x	S26361-F2341-S811	5.299,00	
	VMware Chargeback 25 VM Pack w/7x24-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.							x	x	x	S26361-F2341-S812	1.275,00	
	VMware Chargeback 25 VM Pack w/7x24-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.							x	x	x	S26361-F2341-S813	1.694,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.							x	x	x	S26361-F2341-S814	3.865,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.							x	x	x	S26361-F2341-S815	4.963,00	
	VMware Chargeback 25 VM Pack w/5x9-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.							x	x	x	S26361-F2341-S816	1.234,00	
	VMware Chargeback 25 VM Pack w/5x9-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.							x	x	x	S26361-F2341-S817	1.586,00	

Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix														
PRIMERGY-Software (Continued)														
UPS/Power supply														
	Power Supply Module 450W (hot plug)	for PS redundancy							x			S26113-F540-E11	170,00	
	Power Supply Module 800W HE (hot plug)	2nd gold PS hp for redundancy								x		S26113-F556-E10	215,00	
	Power Supply Dummy										x	S26113-F574-E99	3,00	
	Fan upgrade kit hot-plug redundancy	consists of two additional fans for fan redundancy									x	S26361-F3667-E1	45,00	
	Modular PSU 800W platinum hp	800W modular Power Supply Module , hot plug, platinum (94% efficiency)									x	S26113-F574-E10	255,00	
	Modular PSU 450W platinum hp	450W modular Power Supply Module , hot plug, platinum (94% efficiency)						x			x	S26113-F575-E10	225,00	
	Cable powercord (D,..), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR	x	x	x	x	x	x	x	x	x	T26139-Y1740-E10	10,00	
	Cable powercord rack, 4m, grey	Powercord for rackmounting, IEC 320 C14 -> C13 (10A plug), 4m					x	x				T26139-Y1968-E100	10,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x	x	x	x	x	T26139-Y1742-E10	10,00	
	Cable powercord (UK, S), 1.8m, grey	suitable for UK, IR	x	x	x	x	x	x	x	x	x	T26139-Y1744-E10	10,00	
	Cable powercord (It), 1.8m, grey	suitable for I	x	x	x	x	x	x	x	x	x	T26139-Y1745-E10	10,00	
	No powercord as order option	For Countries without specific cable orderable like e.g. China	x	x	x	x	x	x	x	x	x	T26139-Y3850-E10	2,00	
Mouse														
	Mouse M480 black	optical mouse with 3 keys, black and anthrazit, 1000 dpi, new design with Fujitsu logo, usb cable 1,8m, white box packed	x	x	x	x	x	x	x	x		S26381-K431-E100	6,00	
	Mouse M510 Black	optical mouse with 3 keys, black, 1000 dpi, Fujitsu logo, USB cable 1,8m,	x	x	x	x	x	x	x	x		S26381-K457-E100	6,00	
	Mouse M510 Grey	optical mouse with 3 keys, marble grey, 1000 dpi, USB cable 1,8m									x	S26381-K457-E101	6,00	
Miscellaneous														
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order							x			S26361-F1647-E410	25,00	
	LocalView Option Kit S2	LCD display with adapter							x	x	x	S26361-F2557-E105	70,00	
	LocalView Option Kit S2	LCD display with installation kit								x	x	S26361-F2557-E106	70,00	
	Customer Self Service Modul TX Server	Support for Customer Self Service (CSS), incl. adapter							x	x		S26361-F2557-E202	25,00	
	Customer Self Service Module RX Server	Support for Customer Self Service (CSS), incl. mounting kit								x		S26361-F2557-E205	25,00	
	Service LAN Option	ntegriert in die vordere Bedieneinheit			x	x	x	x			x	S26361-F2571-E27	20,00	
	Serial port option	Cable for 2nd RS-232-C 9 pin interface								x		S26361-F3120-E3	40,00	
	TX140S1 E-Star Fam1 certification	Limits configurations in accordance with Energy Star Server 1.0, for SATA/SAS LFF base unit with std PSU and 4 core CPUs only					x					S26361-F3301-E141	3,00	
	TX150S7 E-Star Fam1 certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units with std PSU with dual core CPUs only							x			S26361-F3301-E151	3,00	
	TX150S7 E-Star Fam2 certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units with red PSU with Xeon based CPUs only							x			S26361-F3301-E152	3,00	
	TX200S6 E-Star Fam1 Certification	Limits configurations in accordance with Energy Star Server 1.0								x		S26361-F3301-E201	3,00	
	Energy Star 5.0 Compliancy	Limited configuration in accordance with Energy Star 5.0, SAS configuration: , max P8400, 1GB RAM, 2x SAS HDD, only IRMC graphics, SATA configuration: , max. T9400, 8GB RAM, 2x SATA HDD + 2 SATA/Backup, 2x LAN, only IRMC graphics	x	x								S26361-F3301-E5	2,00	
	Energy Star 5.0 E85+ Compliancy		x	x								S26361-F3301-E6	2,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!	x	x	x	x	x	x	x	x	x	S26361-F3552-E1	50,00	
	Serial port option	Cable with 9 pin D-SUB interface							x			S26361-F2571-E10	30,00	
	No RMK	no Rackmount-Kit - only with loose server order without rack mounting ex factory					x	x	x	x		S26361-F2735-E111	5,00	
SW Data Center Products														
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x	x						x	x	S26361-F2341-E913	1.040,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x	x						x	x	S26361-F2341-E914	5.210,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x	x						x	x	S26361-F2341-E915	10.420,00	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x	x						x	x	S26361-F2341-E923	2.460,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x	x						x	x	S26361-F2341-E924	12.290,00	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x	x						x	x	S26361-F2341-E925	24.580,00	

Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix														
SW Data Center Products (Continued)														
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x						x	x	S26361-F2341-E933	3.750,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x						x	x	S26361-F2341-E934	18.750,00	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x						x	x	S26361-F2341-E935	37.500,00	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x						x	x	S26361-F2341-E960	2.170,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x						x	x	S26361-F2341-E961	10.830,00	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x						x	x	S26361-F2341-E962	21.670,00	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x						x	x	S26361-F2341-E963	3.460,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x						x	x	S26361-F2341-E964	17.290,00	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x						x	x	S26361-F2341-E965	34.580,00	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x						x	x	S26361-F2341-E966	2.210,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x						x	x	S26361-F2341-E967	11.040,00	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x						x	x	S26361-F2341-E968	22.080,00	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x						x	x	S26361-F2341-S913	790,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x						x	x	S26361-F2341-S914	3.960,00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x						x	x	S26361-F2341-S915	7.920,00	
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x	x						x	x	S26361-F2341-S923	1.880,00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x	x						x	x	S26361-F2341-S924	9.380,00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x	x						x	x	S26361-F2341-S925	18.750,00	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x	x						x	x	S26361-F2341-S933	2.920,00	
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x	x						x	x	S26361-F2341-S934	14.580,00	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x	x						x	x	S26361-F2341-S935	29.170,00	

Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix														
SW Data Center Products (Continued)														
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x	x						x	x	S26361-F2341-S960	1.580,00	
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x	x						x	x	S26361-F2341-S961	7.920,00	
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x	x						x	x	S26361-F2341-S962	15.830,00	
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x						x	x	S26361-F2341-S963	2.630,00	
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x						x	x	S26361-F2341-S964	13.130,00	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x						x	x	S26361-F2341-S965	26.250,00	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x						x	x	S26361-F2341-S966	1.380,00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x						x	x	S26361-F2341-S967	6.880,00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x						x	x	S26361-F2341-S968	13.750,00	
	SVRCVEFCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows)							x	x	x	U11420-C906	100,00	
	SVRCVEMCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows)							x	x	x	U11420-C936	100,00	
	XTN-CD V32 (PS) MED CD	x10sure CD 3.2; (Binaries / Documents) 1 Medium, German & English Version							x	x	x	U11420-C775	50,00	
	XTN-B V32 (PS) RTU -1CN1AN	x10sure 3.2 - Base License (RtU for 1 Control Node + 1 Application Node; no support nor updates included)							x	x	x	U11420-C877	1.400,00	
	XTN-B V32 (PS) UgRTU -1CN1AN	x10sure 3.2 - Upgrade Base License (Upgrade RtU for 1 Control Node + 1 Application Node from x10sure 2.x or 3.0; for maintenance renewal only)							x	x	x	U11420-C773-U	1,00	
	XTN-N V32 (PS) RtU -1 Node	x10sure 3.2 RtU for 1 additional Application- or Spare Node; no support nor updates included							x	x	x	U11420-C878	1.100,00	
	XTN-N V32 (PS) UgRtU -1 Node	x10sure 3.2 - Upgrade License (Upgrade RtU for 1 additional Application or Spare Node from x10sure 2.x or 3.0; for maintenance renewal only)							x	x	x	U11420-C774-U	1,00	
	XTNIS-CD V31 (PS) MED CD	x10sure IS CD 3.1; (Binaries / Documents) 1 Medium, German & English Version							x		x	U11420-C776	50,00	
	XTNIS-B V31 (PS) RTU -1CN1AN	x10sure IS 3.1 - License (RtU for one x10sure IS (Internal Storage) configuration consisting of 2 servers with internal RAID-storage; no support nor updates included)							x		x	U11420-C879	2.500,00	
	SVRORVEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator VE Demo License (1 Server) V3							x	x	x	U11420-C954	0,01	
	SVRORCEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator CE Demo License (1 Server) V3							x	x	x	U11420-C955	0,01	
	SVRORDVD V30 (WIN/LIN/SOL) MED DVD	ServerView Resource Orchestrator Media Pack V2.3 for Windows&Linux&Solaris							x	x	x	U11420-C956	50,00	
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator CE Server License (1 Server) 4CPU Class V3							x	x	x	U11420-C960	1.530,00	
	SVRORCESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class V3							x	x	x	U11420-C961	11.383,00	
	SVRORCESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator CE Server License (18 Server) 4CPU Class V3							x	x	x	U11420-C963	25.659,00	
	SVRORVESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator VE Server License (1 Server) 4CPU Class V3							x	x	x	U11420-C966	779,00	
	SVRORVESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator VE Server License (8 Server) 4CPU Class V3							x	x	x	U11420-C967	5.538,00	
	SVRORVESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator VE Server License (18 Server) 4CPU Class V3							x	x	x	U11420-C969	12.462,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class Upgrade from ROR VE V3							x	x	x	U11420-C978	751,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 8CSVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class Upgrade from ROR VE V3							x	x	x	U11420-C979	5.845,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class Upgrade from ROR VE V3							x	x	x	U11420-C981	13.198,00	

Positioning PRIMERGY Rack Servers

PRIMERGY RX100 S6

The RX100 S6 meets the needs of business applications with its technical developments, such as Quad-Core Intel® Xeon® processor 3400 series and the upcoming generation of Intel® Dual-Core CPUs, integrated RAID 0/1/5/6 and a memory of up to 32 GB. It unites the advantages of low-cost SATA or SAS /SSD hard disk technology with a space-saving 1U chassis and a depth of less

PRIMERGY RX200 S5

More for less with regard to data center energy-efficiency. Energy consumption and cooling in data centers is a “burning” issue. The innovative PRIMERGY Cool-safe™ system design of the new RX200 S5 rack server generation provides the right answers.

PRIMERGY RX300 S5

Virtualized environments are the top application for RX300 systems and their new multicore CPUs in the Intel® Xeon® 5500 series. In this situation, several operating systems plus the installed applications have to run simultaneously on one and the same physical hardware. RX300 S5 provides all the platform features required for efficient virtualization.

PRIMERGY RX330 S1

Corporate applications in data center server farms with central deployment and control demand increasing performance. The cost-efficient PRIMERGY RX330 S1 extends the PRIMERGY Rack portfolio and focuses rather on standard than on full feature set in comparison to RX300. RX330 S1 is offering enough local storage capacity to be used as a stand-alone AMD Opteron Quad-Core based application server and for server farms in scale-out environ-ments with medium needs for availability features and

PRIMERGY RX600 S4

4 Socket Multi-Core Xeon 7400 series rack server
Performance, capacity and stability for your critical applications. The exceptional extendability of the RX600 enables even more consolidation of servers and applications with state-of-the-art virtualization solutions and an excellent “best-in-class“ efficiency.

PRIMECENTER SME

The PRIMECENTER SME rack is the basis for mounting rack configurations with all Fujitsu products, such as servers, operating devices and storage systems. Based on the industry standards DIN 41494 and IEC 297, the PRIMECENTER SME rack can also accommodate other products on the market that comply with these standards.

PRIMERGY RX100 S7

PRIMERGY RX100 S7: for SMEs and data centers, looking for high availability, scalability and low TCO - in a 1U chassis. SME customers will find the RX100 S7 to be a highly versatile tool, which can be used as a web, file or print server. Data center customers can build on the RX100 S7 as a scalable entry-level virtualization platform, which offers up to Intel® Xeon® processor performance, optional redundant fan and hot-plug power supplies (with up to 94% efficiency!) and onboard dual gigabit LAN. The optional front service LAN will make the lives of data center staff easier too. PRIMERGY RX100 S7: Rack virtualization starts here!

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX100 S7p					
	PY RX100S7p/LFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (2 ports are used by SATA HDDs); 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V103	485,00	
	PY RX100S7p/LFF/Hot-Plug PSU	Rack based server 19" (1U), BU without processor and RAM, incl. hot-plug power supply module and 5 standard fans (1+4 redundant), RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (2 ports are used by SATA HDDs); 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V203	500,00	
	PY RX100S7p/SFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (4 Ports are used by SATA HDDs); 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V303	495,00	
	PY RX100S7p/SFF/Hot-Plug PSU	Rack based server 19" (1U), BU without processor and RAM, incl. hot-plug power supply module and 5 standard fans (1+4 redundant), RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (4 ports are used by SATA HDDs); 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V403	510,00	

PRIMERGY RX200 S7

The Fujitsu PRIMERGY RX200 S7 is a rack server that provides high performance, expandability and energy efficiency in 1U space saving housing. Thus, the PRIMERGY RX200 S7 is ideal for virtualization and cloud, small databases as well as for high performance computing thanks to the top performance of the new Intel® Xeon® E5 product family. Moreover, the RX200 S7 delivers a great expandability, by supporting up to 768 GB of memory, eight hard disk drives and costsaving Modular LAN options to ensure future requirements are met and budgets are saved.
Thanks to the highly efficient power supply units with an efficiency rate of 94% and the new power management this will resul t in lower operational

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX200 S7					
	PY RX200S7 4x2.5	Rack based server 19" (1U), BU without processor and RAM, without hot plug power supply module, 4 hot plug double-fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 2,5" SAS/SATA HDs; ServerView Suite Software Pack	S26361-K1386-V101	965,00	
	PY RX200S7 8x2.5	Rack based server 19" (1U), BU without processor and RAM, without hot plug power supply module, 4 hot plug double-fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2,5" SAS/SATA HDs; ServerView Suite Software Pack	S26361-K1386-V201	965,00	

PRIMERGY RX300 S6

The PRIMERGY RX300 S6 is a 2 U rack server which has been optimized for virtualization purposes. It provides high, scalable I/O performance, extensive memory options, support for major hypervisor products and top performance with latest CPU technology. More precisely: 7xPCIe Gen2 prevent I/O bottlenecks, up to 384 GB of memory allow for optimal sizing of virtual environments and latest Intel® Xeon® 5600 series CPUs deliver best-in class performance. With its Cool-safe design elements like optimized cooling of the system and highly efficient power supplies the PRIMERGY RX300 S6 is the right system to face Green IT challenges. This 2U powerhouse is also an excellent choice processes.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX300 S6					
	PY RX300S6 8x2.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 18 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1344-V201	1.425,00	Phased out
	PY RX300S6 12x2.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 18 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 12 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1344-V301	1.475,00	Phased out

PRIMERGY RX300 S7

The Fujitsu PRIMERGY RX300 S7 is a dual socket rack server, focusing on versatility and scalability. The new modular concept supports excellent expandability with up to 16 hard disk drives, up to 7 PCIe Gen 3 cards and up to 768GB RAM, all in one single 2U rack housing. Furthermore, the new Intel® Xeon® E5 product family delivers the top performance to ensure today's demand while being prepared for future requirements thanks to the upgrade kits as well as the costsaving Modular LAN options. Thanks to the power supply units with 94% efficiency and the new power management this will result in lower operational costs . This 2U power house is the right choice for all types of business applications and consolidations

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX300 S7					
	PY RX300S7 6x3.5	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack	S26361-K1373-V101	1.070,00	
	PY RX300S7 2.5" expandable	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 2,5" SAS/SATA HDs expandable; ServerView Suite Software Pack	S26361-K1373-V401	920,00	
	PY RX300S7 8x2.5	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2,5" SAS/SATA HDs; ServerView Suite Software Pack	S26361-K1373-V201	1.070,00	
	PY RX300S7 12x2.5	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 12 drive bays for hot plug 2,5" SAS/SATA HDs; ServerView Suite Software Pack	S26361-K1373-V301	1.250,00	

PRIMERGY RX350 S7

The PRIMERGY RX350 S7 is a 4U rack server with maximum levels of performance, expandability and availability. It combines the performance of Intel® Xeon® processors E5 family with up to two 6GB general-purpose computing on graphics processing units (GPGPU) for computationally intensive applications. The new modular concept supports exellent expandability with up to 24 hard disk drives, up to 10 PCIe Gen 3 cards and up to 768GB memory. Moreover the 4 hot-plug, power supply units with up to 94% efficiency and the new power management, will result in lower operational costs. Thanks to the upgrade kits as well as the cost-saving Modular LAN options, the RX350 is prepared for future requirements. RX350 is ideal for database, consolidation or high performance computing scenarios.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX350 S7					
	PY RX350S7 LFF	Rack based server 19" (4U), BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1390-V301	1.070,00	
	PY RX350S7 SFF	Rack based server 19" (4U), BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1390-V401	1.070,00	

PRIMECENTER M1

The trend to consolidation as a result of virtualization and optimization require environments that are more flexible and reliable. Decades of data center expirience at Fujitsu result in the latest 19-inch Rack Family. The new Fujitsu PRIMECENTER racks are the foundation for meeting IT data center requirements. The PRIMECENTER Racks are the basis for building perfect data center infrastructures. The PRIMECENTER 19-inch Racks can be used to install Fujitsu solutions as well as third-party products. They meet all requirements for flexibility thanks to the multiple configuration options, cooling and maintenance features. In addition a broad portfolio of optional rack accessories complete the efficient rack infrastructure solutions.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMECENTER M1 Rack					
	PRIMECENTER M1 Rack 724S 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 S /24U)., Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 1x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.	S26361-K827-V220	1.805,00	
	PRIMECENTER M1 Rack 742S 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 S /42U)., Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 2x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries top (option: brush panels), down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V240	2.055,00	
	PRIMECENTER M1 Rack 616S 16U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 616 S /16U)., Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x847mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V310	1.645,00	

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMECENTER M1 Rack					

PRIMECENTER M1

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMECENTER M1 Rack (Continued)					
	PRIMECENTER M1 Rack 724S 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 S /24U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 1x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.	S26361-K827-V220	1.940,00	
	PRIMECENTER M1 Rack 742S 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 S /42U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 2x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries top (option: brush panels), down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V240	2.245,00	
	PRIMECENTER M1 Rack 616S 16U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 616 S /16U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x847mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V310	1.780,00	
	PRIMECENTER M1 Rack 624S 24U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 624 S /24U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation., For tilting security an additional tilting protection is required.	S26361-K827-V320	1.880,00	
	PRIMECENTER M1 Rack 642S 42U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 642 S /42U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V340	2.130,00	

PRIMECENTER M1

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMECENTER M1 Rack (Continued)					
	PRIMECENTER M1 Rack 724A 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 A /24U)., Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. Shifted post for patented sideways cable management. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left with 4x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V120	1.940,00	
	PRIMECENTER M1 Rack 742A 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 A /42U)., Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. Shifted post for patented sideways cable management. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left with 6x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.	S26361-K827-V140	2.245,00	

Rack Servers Accessories

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX100 S7p	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX200 S7	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX330 S1	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code	EUP (€)	Comments
Accessories & services matrix																																											
Processor																																											
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel Xeon processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																						x																S26361-F3277-L200	275,00	Phased out
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB	Intel Xeon processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																						x																S26361-F3278-L200	455,00	Phased out
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel Xeon processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																						x	x															S26361-F3278-L213	425,00	Phased out
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel Xeon processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																						x																S26361-F3279-L226	740,00	Phased out
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB	Intel Xeon processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																						x																S26361-F3279-L240	1.030,00	Phased out
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB	Intel Xeon processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																						x																S26361-F3279-L253	1.430,00	Phased out
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB	Intel Xeon processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																						x																S26361-F3280-L267	1.850,00	Phased out
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel Xeon processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink														x																								S26361-F3286-L200	275,00	Phased out
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel Xeon processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink													x																								S26361-F3288-L226	740,00	Phased out
	Xeon MP E7430 2.13GHz 12MB 1066MHz	Intel Xeon processor E7430 (4C, 2.13 GHz, SLC: 2 x 3 MB, TLC: 12 MB, 1066 MHz, 90 W) incl. heat sink																															x						S26361-F3487-L430	2.595,00	Phased out
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																						x																S26361-F3618-L240	470,00	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel Xeon processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																						x																S26361-F3618-L253	925,00	Phased out
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																						x																S26361-F3618-L266	905,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																						x																S26361-F3619-L266	1.080,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																						x																S26361-F3619-L280	1.300,00	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel Xeon processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																						x																S26361-F3619-L293	2.230,00	Phased out
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel Xeon processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																						x																S26361-F3619-L306	1.500,00	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel Xeon processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																						x																S26361-F3619-L333	2.560,00	Phased out
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel Xeon processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																						x																S26361-F3619-L346	1.805,00	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel Xeon processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink																						x																S26361-F3620-L293	885,00	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel Xeon processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat																						x																S26361-F3620-L360	1.805,00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																						x																S26361-F3622-L213	665,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																						x																S26361-F3622-L226	1.135,00	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																						x																S26361-F3633-L240	625,00	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																						x																S26361-F3648-L160	255,00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																						x																S26361-F3648-L213	280,00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																						x																S26361-F3649-L253	880,00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink																							x		x													S26361-F3676-L200	678,00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink																							x		x													S26361-F3676-L230	750,00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink																							x		x													S26361-F3676-L250	1.095,00	
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																							x		x													S26361-F3685-L180	310,00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																							x		x													S26361-F3685-L240	395,00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 80 W) incl. heat sink																							x		x													S26361-F3687-L300	1.095,00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink																							x		x													S26361-F3687-L330	1.095,00	
	Intel Xeon E7-4807 6C/12T 1.86 GHz 18 MB	Intel Xeon processor E7-4807 (6C/12T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink																																	x					S26361-F3999-L480	1.165,00	
	Intel Xeon E7-4820 8C/16T 2.00 GHz 18 MB	Intel Xeon processor E7-4820 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1/2, 5.86 GT/s, 105 W) incl. heat sink																																	x					S26361-F3999-L482	1.680,00	
	Intel Xeon E7-4830 8C/16T 2.13 GHz 24 MB	Intel Xeon processor E7-4830 (8C/16T, 2.13 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink																																	x					S26361-F3999-L483	2.240,00	

Rack Servers Accessories

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX100 S7p	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX200 S7	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX330 S1	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code	EUP (€)	Comments
Accessories & services matrix																																											
Processor (Continued)																																											
	Intel Xeon E7-4850 10C/20T 2.00GHz 24MB	Intel Xeon processor E7-4850 (10C/20T, 2.00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																																x						S26361-F3999-L485	2.965,00	
	Intel Xeon E7-4860 10C/20T 2.26GHz 24MB	Intel Xeon processor E7-4860 (10C/20T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																																x						S26361-F3999-L486	3.915,00	
	Intel Xeon E7-4870 10C/20T 2.40GHz 30MB	Intel Xeon processor E7-4870 (10C/20T, 2.40 GHz, SLC: -, TLC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																																x						S26361-F3999-L487	4.810,00	
	Intel Xeon E7520 4C/8T 1.86 GHz 18 MB	Intel Xeon processor E7520 (4C/8T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink																																x						S26361-F3999-L520	1.525,00	Phased out
	Intel Xeon E7540 6C/12T 2.00 GHz 18 MB	Intel Xeon processor E7540 (6C/12T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/2, 6.4 GT/s, 105 W) incl. heat sink																																x						S26361-F3999-L540	3.440,00	Phased out
	Intel Xeon X7542 6C/6T 2.66 GHz 18 MB	Intel Xeon processor X7542 (6C/6T, 2.66 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1, 5.86 GT/s, 130 W) incl. heat sink																																x						S26361-F3999-L542	3.440,00	Phased out
	Intel Xeon X7550 8C/16T 2.00 GHz 18 MB	Intel Xeon processor X7550 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																																x						S26361-F3999-L550	4.750,00	Phased out
	Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB	Intel Xeon processor E7-8837 (8C/8T, 2.67 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink																																x						S26361-F3999-L837	2.575,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink														x																								S26361-F4417-L266	1.350,00	Phased out
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink														x																								S26361-F4417-L280	1.300,00	Phased out
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink														x																								S26361-F4419-L240	585,00	Phased out
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink														x																								S26361-F4419-L266	1.130,00	Phased out
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink														x																								S26361-F4421-L213	830,00	Phased out
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink														x																								S26361-F4421-L240	1.420,00	Phased out
	CPU MEMORY Riser Board	CPU Memory Riser Board for 1 processor and 16 DIMM modules DDR3																																			x				S26361-F4470-L100	2.495,00	Phased out
	Intel Xeon X7550 8C/16T 2.00 GHz 18 MB	Intel Xeon processor X7550 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) without heat sink																																			x				S26361-F4471-L550	4.750,00	Phased out
	Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB	Intel Xeon processor E7-8837 (8C/8T, 2.67 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink																																				x			S26361-F4471-L837	2.575,00	
	Intel Xeon E7-8830 8C/16T 2.13 GHz 24 MB	Intel Xeon processor E7-8830 (8C/16T, 2.13 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink																																				x			S26361-F4471-L883	2.725,00	
	Intel Xeon E7-8850 10C/20T 2.00GHz 24MB	Intel Xeon processor E7-8850 (10C/20T, 2.00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																																				x			S26361-F4471-L885	3.690,00	
	Intel Xeon E7-8860 10C/20T 2.26GHz 24MB	Intel Xeon processor E7-8860 (10C/20T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																																				x			S26361-F4471-L886	4.885,00	
	Intel Xeon E7-8870 10C/20T 2.40GHz 30MB	Intel Xeon processor E7-8870 (10C/20T, 2.40 GHz, SLC: -, TLC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																																				x			S26361-F4471-L887	5.560,00	
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel Xeon processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink														x																								S26361-F4479-L213	425,00	Phased out
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink														x																								S26361-F4483-L160	255,00	Phased out
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink														x																								S26361-F4484-L213	350,00	Phased out
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink														x																								S26361-F4485-L240	780,00	Phased out
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink														x																								S26361-F4486-L253	1.100,00	Phased out
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel Xeon processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink														x																								S26361-F4487-L306	1.875,00	Phased out
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel Xeon processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink														x																								S26361-F4488-L346	2.255,00	Phased out
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel Xeon processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink														x																								S26361-F4489-L293	885,00	Phased out
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel Xeon processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat														x																								S26361-F4490-L360	1.805,00	Phased out
	CPU MEMORY Riser Board RX900 S2	CPU Memory Riser Board for 1 processor and 16 DIMM modules DDR3																																					x			S26361-F4524-L100	1.995,00	
	CPU Mezzanine Board RX500 S7	CPU Mezzanine Board for two additonal CPU´s and 24 DIMM Modules																											x												S26361-F4570-L100	600,00	New product,Orderable from: 30/07/2012
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink															x																								S26361-F3689-L180	355,00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink															x																								S26361-F3689-L240	440,00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink															x																								S26361-F3690-L200	560,00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink															x																								S26361-F3690-L230	795,00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink															x																								S26361-F3690-L250	1.140,00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink																								x		x												S26361-F3686-L200	1.305,00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink																								x		x												S26361-F3686-L220	1.575,00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 115 W) incl. heat sink																								x		x												S26361-F3686-L260	1.810,00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink																								x		x												S26361-F3686-L270	2.035,00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 135 W) incl. heat sink																								x		x												S26361-F3686-L290	2.395,00	

Rack Servers Accessories

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX100 S7p	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX200 S7	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX330 S1	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code	EUP (€)	Comments
Accessories & services matrix																																											
Processor (Continued)																																											
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink															x																								S26361-F3691-L200	1.350,00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink															x																								S26361-F3691-L220	1.620,00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 115 W) incl. heat sink															x																								S26361-F3691-L260	1.855,00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink															x																								S26361-F3691-L270	2.080,00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 135 W) incl. heat sink															x																								S26361-F3691-L290	2.440,00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink																								x		x												S26361-F3687-L290	1.810,00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink															x																								S26361-F3692-L290	1.855,00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 80 W) incl. heat sink															x																								S26361-F3692-L300	1.140,00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink															x																								S26361-F3692-L330	1.140,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink																								x		x												S26361-F3688-L180	1.305,00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink																								x		x												S26361-F3688-L200	815,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink															x																								S26361-F3693-L180	1.350,00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink															x																								S26361-F3693-L200	860,00	
Memory																																											
	MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod)	1 module, unbuffered DDR2-533			x	x																																		S26361-F3000-L515	165,00	Phased out
	Memory Board Kit RX600 S4	2 Memory Boards with 8 DIMM Slots each																														x								S26361-F3125-L440	300,00	Phased out
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC											x								x																			S26361-F3230-L524	570,00	Phased out
	1 GB DDR3 1333 MHz PC3-10600 ub s ECC	1 GB (1 module(s) 1 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM						x																															S26361-F3335-L513	35,00	Phased out
	2 GB DDR3 1333 MHz PC3-10600 ub s/d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM						x																															S26361-F3335-L514	40,00	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM						x																															S26361-F3335-L515	65,00	
	2 GB DDR3 1333 MHz PC3-10600 ub s ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM							x																															S26361-F3335-L524	40,00	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM							x																															S26361-F3335-L525	65,00	
	8 GB DDR3 1333 MHz PC3-10600 ub d ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM							x																															S26361-F3335-L526	320,00	
	2GB (1x2GB) 1Rx8 DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM								x																														S26361-F3719-L513	40,00	
	4GB (1x4GB) 2Rx8 DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM								x																														S26361-F3719-L514	65,00	
	8GB (1x8GB) 2Rx8 DDR3-1600 U ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM								x																														S26361-F3719-L515	320,00	
	2GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	1 modul. unbuffered DDR2 800MHz					x																																	S26361-F3870-L515	105,00	Phased out
	Memory Board RX600 S5	Memory board for up to two set´s of DDR3 memory (with 4 DIMMs each)																															x							S26361-F3990-L100	300,00	Phased out
	Memory Board RX600 S6	Memory board for up to two set´s of DDR3 LV memory (with 4 DIMMs each)																															x							S26361-F3990-L600	240,00	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																																			x			S26361-F4472-L644	340,00	
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																																			x			S26361-F4472-L645	540,00	
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM																																			x			S26361-F4472-L646	1.220,00	
	16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																																	x					S26361-F4523-L642	340,00	
	32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																																	x					S26361-F4523-L643	540,00	
	64GB 4x16 DDR3 LV 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM																																	x					S26361-F4523-L645	1.220,00	
	128GB 4x32 DDR3 LV 1066 MHz PC3-8500 rg	128 GB (4 module(s) 32 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM																																	x					S26361-F4523-L646	6.820,00	Orderable from: 16/07/2012
	16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																																				x		S26361-F4523-L942	340,00	
	32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																																				x		S26361-F4523-L943	540,00	
	64GB 4x16 DDR3 LV 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM																																				x		S26361-F4523-L945	1.220,00	
	128GB 4x32 DDR3 LV 1066 MHz PC3-8500 rg	128 GB (4 module(s) 32 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM																																				x		S26361-F4523-L946	6.820,00	Orderable from: 16/07/2012
	4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC												x									x																	S26361-F3263-L523	390,00	Phased out
	8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																														x								S26361-F3263-L624	570,00	Phased out
	4 GB DDR3 1333 MHz PC3-10600 rg d ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM						x																															S26361-F3336-L515	85,00	
	8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																						x																S26361-F3263-L524	570,00	Phased out
	8 GB DDR3 1066 MHz PC3-8500 rg q ECC	8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM						x																															S26361-F3336-L516	145,00	
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg d	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																	x					S26361-F4003-L643	320,00	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																	x					S26361-F4003-L642	340,00	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																	x					S26361-F4003-L644	825,00	Phased out
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																	x					S26361-F4003-L645	540,00	
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																																	x					S26361-F4003-L646	1.220,00	
Graphics																																											
	Front-VGA interface	2nd optional VGA interface front side																					x	x																	S26361-F2571-L16	20,00	Phased out
	Front-VGA Interface	2nd optional VGA interface front side															x								x		x	x												S26361-F2571-L26	20,00	
	PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card														x											x													S26361-F2748-L537	135,00	
	PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card, low profile						x	x	x							x							x	x															S26361-F2748-L637	135,00	
	PY NVIDIA Tesla C2075 GPGPU	NVIDIA Tesla C2075 PCIe-x16 GPGPU Karte for TX300 S7 / RX350 S7																									x													S26361-F2856-L997	2.650,00	
Removable Media Drives																																											
	Upgrade kit for -V201 to 12x 2.5" HDD																									x														S26361-F1373-L247	265,00	
	Upgrade kit for -V201 to 16x 2.5" HDD																									x														S26361-F1373-L248	350,00	
	Upgrade kit for -V301 to 16x 2.5" HDD																									x														S26361-F1373-L378	160,00	
	Upgrade kit for -V401 to 4x 2.5"HDD+LTO																									x														S26361-F1373-L423	55,00	
	Upgrade kit for -V401 to 8x 2.5" HDD																									x														S26361-F1373-L424	140,00	
	Upgrade kit for -V401 to 12x 2.5" HDD																									x														S26361-F1373-L427	315,00	
	Upgrade kit for -V401+LTO to 8x 2.5"HDD																									x														S26361-F1373-L436	90,00	
	MountingKit DVD(sl)+LSD+2x SAS LFF HDD	for slim DVD, 1x Local Service Display, 2x HDD																									x													S26361-F2826-L105	60,00	
	MountingKit DVD(sl) + LSD	for slim DVD, 1x Local Service Display																									x													S26361-F2826-L205	30,00	
	ExtensionKit 8x SAS SFF HDD	HDD Extension for 8x SFF hotplug HDD																									x													S26361-F2826-L325	85,00	
	MountingKit 8x SAS SFF HDD	Extension Box for 8x 2.5" hotplug HDD																									x													S26361-F2826-L425	85,00	

Rack Servers Accessories

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX100 S7p	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX200 S7	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX330 S1	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code	ELIP (€)	Comments
Accessories & services matrix																																											
Removable Media Drives (Continued)																																											
	MountingKit DVD(sl)+4x SAS LFF HDD	for slim DVD, 4x HDD																									x														S26361-F2826-L435	85,00	
	Blu-ray Triple Writer 1.6" SATA	Read: 8x BD-ROM, 16x DVD, 40x CD, Write: 6x BD, 16x DVD, 32x CD, BD DL and all CD/DVD formats, 1.6" fitting height																									x														S26361-F3585-L2	345,00	Phased out
	SAS Expander 2x4 In / 6x4 Out	SAS Expander 2x4 In / 6x4 Out																									x														S26361-F3668-L1	250,00	
	Adapter Kit for 2nd RAID Controller	Adapter Kit for 2nd RAID Controller																									x														S26361-F3673-L1	20,00	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM,slimline 0,5" fitting height, black						x	x	x					x	x	x						x	x	x		x	x					x	x					x	x	S26361-F3269-L2	90,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height							x	x					x									x				x						x						x	S26361-F3641-L2	165,00	
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel																									x														S26361-F3266-L2	35,00	
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel																									x														S26361-F3267-L2	55,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)																									x	x					x	x							S26361-F3857-L4	160,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)																					x	x	x																S26361-F3857-L5	160,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0, with USB cable , 1.6" black, within tape cage 2 x 3.5", with specific USB cable																					x	x	x																S26361-F3857-L7	210,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with USB cables for Econel, TX150, TX200 and TX300, with description (G/US) and cleaning cartridge																									x	x					x	x							S26361-F3324-L4	500,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US) and cleaning cartridge																					x	x	x																S26361-F3324-L5	500,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	data transfer: 3MB/s, USB 2.0, 1.6" black, within tape cage 2 x 3.5", with specific USB cable, with description (G/US, with cleaning cartridge																					x	x	x																S26361-F3324-L7	550,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge																									x	x						x							S26361-F3325-L4	685,00	
	Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge																								x														S26361-F3325-L2	685,00	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge																															x								S26361-F4009-L4	1.280,00	Phased out
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge																								x		x	x				x	x							S26361-F3561-L4	1.395,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge																								x		x	x				x	x	x						S26361-F3626-L2	2.030,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge																								x		x	x					x	x						S26361-F3627-L1	2.980,00	
SCSI/RAID/SAS controller																																											
	SCSI Ctrl U160 1- ch int/ext lp	Adaptec 29160LP, 1x U160 SCSI	x	x	x	x						x	x						x	x	x																				S26361-F2737-L201	295,00	Phased out
	RAID Ctrl BBU Upgrade 8344ELP LSI	BBU Upgrade for LSI 8344ELP																									x			x	x	x								S26361-F3215-L10	220,00	Phased out
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for Fujitsu SAS/SATA RAID Controller for RAID Ctrl. F3257 256MB and 512MB													x								x				x														S26361-F3257-L10	235,00	Phased out
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for LSI SAS1078 and LSI SAS2108 incl. cable 16cm, 55cm, 70cm						x							x	x							x	x										x	x			x		S26361-F3257-L110	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 C	BBU Upgrade for LSI SAS1078 and LSI SAS2108 incl. cable 16cm, 55cm, 70cm,							x	x							x									x		x											x		S26361-F3257-L210	165,00	
	4-Port SAS cable for ports 5 and 6	Upgrade kit from 4 to 6 HDs necessary for max. 6HDs														x	x																								S26361-F3257-L250	30,00	Phased out
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports						x	x	x			x	x	x																		x	x	x						S26361-F3257-L4	110,00	
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports													x								x	x	x																S26361-F3257-L8	135,00	
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE. 1x U320 SCSI																															x	x	x						S26361-F3270-L1	195,00	Phased out
	SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile					x	x	x	x			x	x	x								x	x	x																S26361-F3270-L201	195,00	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R																															x	x	x						S26361-F3271-L1	210,00	Phased out
	SAS Ctrl 3GB/s 8 port PCIe FH EFI	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 full height UEFI RX900																																		x	x				S26361-F3271-L2	210,00	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile					x	x	x	x			x	x	x								x	x	x		x														S26361-F3271-L201	210,00	Phased out
	SAS Ctrl 6G 8ext PCIe FH/LP	SAS Controller 6GB/s 8 port, based on chip LSI SAS2008						x	x	x					x	x							x	x			x	x						x	x					x	S26361-F3628-L501	260,00	
	TFM Module for FBU option on D3116																								x		x														S26361-F3669-L100	170,00	
	RAID Ctrl FBU option w/ 25/55/70cm cable																								x		x														S26361-F3669-L110	115,00	
	RAID Ctrl SAS 8Port ext remote BBU LSI	optional BBU for LSI MegaRAID SAS8880E													x								x																	S26361-F3890-L11	220,00	Phased out
	RAID Ctrl SAS 8Port ext Onboard BBU LSI	optional BBU for LSI MegaRAID SAS8880E																														x								S26361-F3890-L12	175,00	
	RAID Ctrl SAS 8Port 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, without iBBU													x	x							x	x								x								S26361-F3890-L501	740,00	Phased out
	RAID Upgrade Kit RX100 S6	consisting of SAS Cable and bracket						x																																S26361-F4414-L1	55,00	Phased out
	RAID Upgrade Kit RX100 S7	consisting of SAS Cable							x	x																														S26361-F4414-L2	50,00	
	RAID Ctrl SAS 6G 8Port ex 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID based on Controller SAS2108, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU						x	x	x					x	x	x						x	x	x		x						x	x	x			x	x	S26361-F3593-L501	590,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports						x	x	x						x	x							x	x	x		x							x	x					S26361-F3554-L8	165,00	
	RAID Ctrl SAS 6G 8Port ex 1GB FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS9285-8e, PCIe2.0 x8, 1GB Cache with ECC, , 8 external ports, optional FBU, FH and LP bracket																								x		x	x												S26361-F3713-L501	790,00	Orderable from: 13/07/2012
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal port						x	x	x						x	x							x	x	x		x							x	x					S26361-F3554-L512	385,00	
	RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports																								x		x													S26361-F3669-L1	430,00	
	SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS,															x									x		x													S26361-F3674-L1	95,00	
Fibre Channel																																											
	FC Ctrl 2x4GBit/s QLE2462 MMF LC	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, full height, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.																									x					x	x	x						S26361-F3483-L2	1.895,00	Phased out
	FC Ctrl 4GBit/s QLE2460 MMF LC LP	QLE2460 , 4GBit/s, 1 channel FC controller, PCIe x4, low profile, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.											x	x	x	x				x	x	x	x				x														S26361-F3483-L201	1.230,00	Phased out
	FC Ctrl 2x4GBit/s QLE2462 MMF LC LP	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, low profile, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.											x	x	x	x				x	x	x	x				x														S26361-F3483-L202	1.895,00	Phased out
	FC CTRL 8GBIT/S LPE1250 MMF LC FH	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																									x	x					x	x	x				x	x	S26361-F3961-L1	840,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																									x	x					x	x	x				x	x	S26361-F3961-L2	1.370,00	
	FC CTRL 8GBIT/S LPE1250 MMF LC LP	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber											x	x	x	x				x	x	x	x																		S26361-F3961-L201	840,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber											x	x	x	x				x	x	x	x																		S26361-F3961-L202	1.370,00	
	FC Ctrl 4GBit/s LPe1150 MMF LC	LPe1150, 4GBit/s, 1-channel FC controller, PCIe x4, MMF LC interface																x									x				x	x	x	x						S26361-F3306-L1	1.170,00	Phased out
	FC Ctrl 2x4GBit/s LPe11002 MMF LC	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, MMF LC interface																x									x				x	x	x	x						S26361-F3306-L2	1.795,00	Phased out
	FC Ctrl 4GBit/s LPe1150 MMF LC LP	LPe1150 , 4GBit/s, 1-channel FC controller, PCIe x4, low profile, MMF LC interface											x	x	x	x				x	x	x	x				x														S26361-F3306-L201	1.170,00	Phased out
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, low profile, MMF LC interface											x	x	x	x				x	x	x	x				x														S26361-F3306-L202	1.795,00	Phased out

Rack Servers Accessories

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX100 S7p	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX200 S7	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX330 S1	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code	ELIP (€)	Comments
Accessories & services matrix																																											
Fibre Channel (Continued)																																											
	FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																									x	x					x	x			x	x		S26361-F3631-L1	935,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																									x	x					x	x			x	x		S26361-F3631-L2	1.500,00	
	FC Ctrl 8GB/s 1 channel QLE2560 MMF LCLP	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber														x	x						x	x																S26361-F3631-L201	935,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LCLP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber														x	x						x	x																S26361-F3631-L202	1.500,00	
Communication/Network																																											
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter									x							x			x					x													x			S26361-F3142-L2	75,00	Phased out
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu lp	Intel Pro 1000GT Dual Port Server Adapter, low profile PCI			x	x					x	x								x	x	x																		S26361-F3227-L202	225,00	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter																x								x				x	x	x										
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter					x	x	x				x	x	x						x	x	x				x														S26361-F3228-L201	175,00	Phased out
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel® Pro 1000PT 1 Port Server Adapter																x								x					x										
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel® Pro 1000PF 1 Port Server Adapter																x								x	x	x			x	x	x				x	x		S26361-F3242-L1	240,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lo	Intel® Pro 1000PF 1 Port Server Adapter					x	x	x	x	x		x	x	x	x	x				x	x	x	x	x	x					x	x	x				x	x		S26361-F3242-L201	240,00	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket																														x	x								S26361-F3462-L1	490,00	Phased out
	Eth Ctrl 4x1GBit PCIex4 PRO/1000PT Cu lp	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket					x						x	x							x	x	x			x														S26361-F3462-L201	490,00	Phased out
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel® GBit CT 1 Port Desktop Adapter																									x	x														S26361-F3516-L1	45,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp	Intel® GBit CT 1 Port Desktop Adapter lo					x	x	x	x			x	x	x	x						x	x	x	x	x															S26361-F3516-L201	45,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel® Pro 1000PT 1 Port Server Adapter				x	x	x					x	x	x	x						x	x	x	x		x														S26361-F3241-L201	110,00	Phased out
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8, SFP+ for opt. module or Twinax cable																									x	x				x	x	x				x			S26361-F3592-L2	1.180,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit						x	x	x						x	x					x	x			x						x	x				x	x		S26361-F3610-L502	155,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu, Based on Intel® LAN controller chip 82580EB, Usable with original Intel® driver kit						x	x	x						x	x					x	x			x	x					x	x				x	x		S26361-F3611-L501	375,00	
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables						x								x							x									x					x			S26361-F3555-L501	810,00	Phased out
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+						x	x	x						x	x					x	x			x						x	x				x	x		S26361-F3629-L502	500,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable						x							x	x	x					x	x	x																S26361-F3592-L202	1.180,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102						x		x						x	x	x					x	x	x			x	x				x	x				x	x		S26361-F3592-L108	400,00	
	IB HCA 40GB 1 Kanal ODR	InfiniBand HCA 40GB/s. 1-port. ODR															x	x					x	x			x	x					x	x				x			S26361-F4475-L102	620,00	
	IB HCA 40GB 2 Kanal ODR	InfiniBand HCA 40GB/s. 2-port. ODR															x	x					x	x			x	x					x	x				x			S26361-F4475-L202	850,00	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter	x							x					x	x	x	x								x				x	x	x				x	x	x	x		S26361-F3011-L1	225,00	Phased out
	IB HCA 56GB 1 port FDR	InfiniBand HCA 56GB/s. 1-port. FDR															x									x															S26361-F4533-L102	1.030,00	
	IB HCA 56GB 2 port FDR	InfiniBand HCA 56GB/s, 2-port, FDR															x									x															S26361-F4533-L202	1.590,00	
Rack-Infrastructure																																											
	RMK-F1_1-2U Server	telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw;, Rack installation depth (19" pillar distance) between 714mm and 785mm					x	x					x	x	x						x	x	x			x														S26361-F2735-L101	70,00	Phased out
	RMK-F1_RX600 S4	full extraction with vario-carrier, pre-assembled with centre screw																															x								S26361-F2735-L106	95,00	Phased out
	Rack Mount Kit for RX900																																						x	x		S26361-F2735-L109	180,00	
	RMK-F1_DI_CMA	Loose delivery: Telescopic drop-in rails, full extraction with vario-carrier, pre-assembled with centre screw;with cable management adapter for tool less mountable cable management arm., Rack installation depth (19" pillar distance) between 714mm and 785mm														x							x																		S26361-F2735-L140	55,00	
	RMK-F1_DI_CMA_ORL								x																																S26361-F2735-L145	95,00	
	Cable magmt. for 19" PC- Rack																																						x	x		S26361-F2735-L17	30,00	
	Rack Mount Kit F1-C S7 LV	RMK for server max. 2U or max. 35 Kg, Drop-in-Rails with Cable Management Adapter. , , , Variocarrier length variable 714-785mm with Quick-Release-Lever-support. , , , Adjustable mounting depth for racks until 783mm rack pillar distance (depth).							x							x											x														S26361-F2735-L175	90,00	
	Rack Mount Kit F1 S7 LV	RMK for server max. 2U or max. 35 Kg, Drop-in-Rails without Cable Management Adapter. , , , For 1U/2U cable arms mounted at rack pillars., Variotcarrier length variable 714-785mm with Quick-Release-Lever-support. , , , Adjustable mounting depth for racks until 783mm rack pillar distance (depth)., Loose delivery as option - no mounting ex factory.														x											x														S26361-F2735-L176	90,00	
	Cable carrying plate DC-/PC-racks	additional tray for sidewise routing and filing of cable bulks for DC-, PC- racks																									x												x			S26361-F2735-L20	50,00	Phased out
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	Telescopic full extract. drop-in mount.; vario-carrier for toolless mounting, max. load 50 kg, , Rack installation depth (19" pillar distance) between 714mm and 785mm																															x								S26361-F2735-L202	65,00	
	RMK-F2_DI_QRL (new)	Telescopic rails full extraction; drop-in mount.; vario-carrier for tool less mounting with quick release lever; for rack pillars with square holes (9.5mm) or round holes (7.1mm); max. load 50 kg;, Rack installation depth (19" pillar distance) between 714mm and 785mm																															x								S26361-F2735-L245	115,00	
	Rack Mount Kit F2-C S7 LV	RMK for server more than 2U or more than 35Kg, Drop-in-Rails with Cable Management Adapter. , , , Variotcarrier length variable714-785mm with Quick-Release-Lever-support. , , , Adjustable mounting depth for racks until 783mm rack pillar distance (depth).																										x	x													S26361-F2735-L285	100,00	
	Rack Mount Kit F2 S7 LV	RMK for server more than 2U or max. 50 Kg, Drop-in-Rails without Cable Management Adapter. , , , For 1U/2U cable arms mounted at rack pillars., Variotcarrier length variable 714-785mm with Quick-Release-Lever-support. , , , Adjustable mounting depth for racks until 783mm rack pillar distance (depth)., Loose delivery as option - no mounting ex factory.																										x	x													S26361-F2735-L286	100,00	
	Adapter angle PC/DC-Rack, 3U till 200Kg	Adapter angle PC/DC-Rack. 3U till 200Kg																										x	x										x	x		S26361-F2735-L31	30,00	
	cage nut set, M5, t=2.5mm	Content: 50 pieces			x	x							x						x			x					x				x	x						x			S26361-F2735-L500	50,00	
	Cable mgmt. lateral for asym. PC racks	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER racks					x	x	x	x			x			x					x	x	x	x	x	x	x					x	x	x				x	x		S26361-F2735-L7	30,00	
	1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks			x	x	x	x					x	x	x	x		x		x					x				x					x						S26361-F2735-L8	40,00	Phased out
	Rack Cable Management Arm 1U	Loose Delivery: Cable management arm, dragged with bracket, can be used for PRIMERGY servers 1U. Can be mounted in PRIMECENTER and 3rd-party racks, can only be mounted at RMKs with CMA adapter.							x	x						x	x																							S26361-F2735-L81	20,00	
	Rack Cable Management Arm 2U	Loose Delivery: Cable management arm, dragged with bracket, can be used for PRIMERGY servers 2U or higher. Can be mounted in PRIMECENTER and 3rd-party racks, can only be mounted at RMKs with CMA adapter.																					x	x			x	x					x								S26361-F2735-L82	30,00	
	Adapter angle PC/DC-Rack, till 50Kg	Adapter angle for PRIMECENTER and DataCenter rack, 1U up to 50kg							x	x						x							x	x																	S26361-F2735-L10	20,00	
	cable arm 2U PCR M1 S and 3rd partyracks	Cable arm 2U to be mounted at right or left rack pillar behind servers higher oder equal 2U. Released for symmetrical PRIMECENTER M1 or 3rd party racks.	x						x		x					x			x			x	x	x				x	x			x	x	x	x			x	x	x	S26361-F2201-L20	50,00	
PRIMERGY-Software																																											
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection				x							x								x						x														S26361-F1790-L240	300,00	
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection					x	x						x	x	x						x	x	x								x	x	x				x	x		S26361-F1790-L241	300,00	
	iRMC S3 advanced pack								x	x							x									x	x															S26361-F1790-L242	300,00	
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x	x	x	x			x	x	x	x						x	x	x	x	x												x	x	x	S26361-F2565-L340	25,00	

Rack Servers Accessories

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX100 S7p	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX200 S7	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX330 S1	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code	EUP (€)	Comments
Accessories & services matrix																																											
PRIMERGY-Software (Continued)																																											
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x	x	x	x				x	x	x	x				x	x	x	x	x	x							x	x	x			x	x	x		S26361-F2565-L341	107,00	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x	x	x	x				x	x	x	x				x	x	x	x	x	x							x	x	x			x	x	x		S26361-F2565-L342	25,00	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x	x	x	x				x	x	x	x				x	x	x	x	x	x							x	x	x			x	x	x		S26361-F2565-L343	107,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. ROK DVD, License.					x	x	x	x				x	x	x	x				x	x	x	x	x								x	x	x				x	x		S26361-F2567-L20	380,00	
	MS SysCtr Essntls 2010 ROK	MS System Center Essentials 2010. English. ROK DVD, License.					x	x	x	x				x	x	x	x				x	x	x	x	x								x	x	x				x	x		S26361-F2567-L30	115,00	
	Win Svr 2008 R2 SP1 Foundation 1CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.						x																																	S26361-F2567-L301	216,00	
	Win Srv 2008 R2 Foundation 1CPU MULI ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.					x	x																																	S26361-F2567-L306	190,00	Phased out
	Win Srv 2008 R2 Foundation 1CPU PRC ROK	Only for Fujitsu distributors for distribution in People's Republic of China. Win Srv 2008 R2 Fnd (1 CPU) Simplified Chinese. ROK DVD, License.					x	x	x	x																																S26361-F2567-L308	175,00	
	MS SysCtr Essntls 2010 Server ML 1-OSE	MS System Center Essentials 2010 Managed Server License 1 OSE Pack., OSE = Operating System Environment					x	x	x	x				x	x	x	x				x	x	x	x	x								x	x	x				x	x		S26361-F2567-L31	90,00	
	MS SysCtr Essntls 2010 Server ML 5-OSE	MS System Center Essentials 2010 Managed Server License 5 OSE Pack., OSE = Operating System Environment					x	x	x	x				x	x	x	x				x	x	x	x	x								x	x	x				x	x		S26361-F2567-L32	430,00	
	MS SysCtr Essntls 2010 Client ML 5-Pack	MS System Center Essentials 2010 Managed Client License 5 Pack.					x	x	x	x				x	x	x	x				x	x	x	x	x								x	x	x				x	x		S26361-F2567-L33	75,00	
	Win Svr 2008 R2 SP1 Datactr 4CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.																																	x					x	x	S26361-F2567-L333	5.932,00	
	MS SysCtr Essntls 2010 Client ML 20-Pack	MS System Center Essentials 2010 Managed Client License 20 Pack.					x	x	x	x				x	x	x	x				x	x	x	x	x								x	x	x				x	x		S26361-F2567-L34	295,00	
	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device, License.					x	x	x	x				x	x	x	x				x	x	x	x	x	x							x	x	x				x	x		S26361-F2567-L340	85,00	
	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.					x	x	x	x				x	x	x	x				x	x	x	x	x	x							x	x	x				x	x		S26361-F2567-L341	385,00	
	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.					x	x	x	x				x	x	x	x				x	x	x	x	x	x							x	x	x				x	x		S26361-F2567-L342	85,00	
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License für 5 users, License.					x	x	x	x				x	x	x	x				x	x	x	x	x	x							x	x	x				x	x		S26361-F2567-L343	385,00	
	Win HPC Srv 2008 R2 Suite ROK	Only for Fujitsu Distributors. Win HPC Srv 2008 R2 Suite (1-4 CPU) ROK EN, JA, XT. ROK Recovery DVD Media Kit, COA, License															x	x						x		x		x														S26361-F2567-L360	750,00	
	USB Flash Module 16GB intern	USB Flash Module 16GB intern																						x																		S26361-F3299-L16	345,00	
	ServerView Deployment Mgr 6 Single Lic.	Single license for operation of one client server (managed node) - no software!			x	x	x	x	x	x				x	x	x	x				x	x	x	x		x	x						x	x	x			x	x	x		U15000-C302	140,00	
	ServerView Depl. Mgr. 6 Single Upgrade	for upgrades of one 5.x single license to version 6.x - no software!			x	x	x	x	x	x				x	x	x	x				x	x	x	x		x	x						x	x	x			x	x	x		U15000-C303	70,00	
	FF4O-RE-AN Mono Server 2-Core	FF4O RE ApplicationNode RTU for server with one 2-core CPU												x						x	x												x	x	x				x	x		U26004-C401	2.000,00	
	FF4O-RE-AN Mono Server 4-Core	FF4O RE ApplicationNode RTU for server with one 4-core CPU												x						x	x												x	x	x				x	x		U26004-C402	4.000,00	
	FF4O-RE-AN Dual Server 2-Core	FF4O RE ApplicationNode RTU for Server with two 2-core CPU												x						x	x												x	x	x				x	x		U26004-C403	4.000,00	
	FF4O-RE-AN Dual Server 4-Core	FF4O RE ApplicationNode RTU for Server with two 4-core CPU												x						x	x												x	x	x				x	x		U26004-C404	7.000,00	
	FF4O-RE Spare Mono Server 2-Core	FF4O RE RTU for spare server with one 2-core CPU												x						x	x												x	x	x				x	x		U26004-C405	1.000,00	
	FF4O-RE Spare Mono Server 4-Core	FF4O RE RTU for spare server with one 4-core CPU												x						x	x												x	x	x				x	x		U26004-C406	2.000,00	
	FF4O-RE Spare Dual Server 2-Core	FF4O RE RTU for spare server with two 2-core CPU												x						x	x												x	x	x				x	x		U26004-C407	2.000,00	
	FF4O-RE Spare Dual Server 4-Core	FF4O RE RTU for spare server with two 4-core CPU												x						x	x												x	x	x				x	x		U26004-C408	3.500,00	
	PRIMERGY MultiPath MPIO Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.					x	x	x	x				x	x	x	x				x	x	x	x	x								x	x	x				x	x		S26361-F2565-L592	440,00	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.					x	x	x	x				x	x	x	x				x	x	x	x	x								x	x	x				x	x		S26361-F2565-L593	875,00	
	PRIMERGY MultiPath Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath. CD-ROM and License.					x	x	x	x				x	x	x	x				x	x	x	x	x								x	x	x				x	x		S26361-F2565-L594	440,00	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.					x	x	x	x				x	x	x	x				x	x	x	x	x								x	x	x				x	x		S26361-F2565-L595	875,00	
	Win Svr 2008 R2 SP1 Datactr 2CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.							x	x	x					x	x							x		x									x	x				x	x		S26361-F2567-L331	2.966,00	
	Win Srv 2008 R2 SP1 Enterpr w/10CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.							x	x	x					x	x							x		x									x	x				x	x		S26361-F2567-L321	2.509,00	
	Win Srv 2008 R2 SP1 Standard w/5CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and woldwide language packs. ROK DVD, License.							x	x	x					x	x							x		x									x	x					x		S26361-F2567-L311	771,00	
	Win SBS Standard 2011 w/5CAL ROK EN	Windows Small Business Server Standard 2011 with 5 CAL, ROK, English, DVD Media set, COA, License							x	x	x					x	x							x		x									x	x							S26361-F2567-L350	630,00	
	Win SBS Standard 2011 w/5CAL ROK DE	Windows Small Business Server Standard 2011 with 5 CAL, ROK, German, DVD Media set, COA, License							x	x	x					x	x							x		x									x	x							S26361-F2567-L351	630,00	
	Win SBS Standard 2011 w/5CAL ROK IT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Italian, DVD Media set, COA, License							x	x	x					x	x							x		x									x	x							S26361-F2567-L352	849,00	
	Win SBS Standard 2011 w/5CAL ROK FR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, French, DVD Media set, COA, License							x	x	x					x	x							x		x									x	x							S26361-F2567-L353	630,00	
	Win SBS Standard 2011 w/5CAL ROK ES	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Spanish, DVD Media set, COA, License							x	x	x					x	x							x		x									x	x							S26361-F2567-L354	630,00	
	Win SBS Standard 2011 w/5CAL ROK CS	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Czech, DVD Media set, COA, License							x	x	x					x	x							x		x									x	x							S26361-F2567-L355	630,00	
	Win SBS Standard 2011 w/5CAL ROK PT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Portuguese, DVD Media set, COA, License							x	x	x					x	x							x		x									x	x							S26361-F2567-L356	630,00	
	Win SBS Standard 2011 w/5CAL ROK NL	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Dutch, DVD Media set, COA, License							x	x	x					x	x							x		x									x	x							S26361-F2567-L357	630,00	
	Win SBS Standard 2011 w/5CAL ROK TR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Turkish, DVD Media set, COA, License							x	x	x					x	x							x		x									x	x							S26361-F2567-L358	630,00	
	Win SBS Standard 2011 w/5CAL ROK HU	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Hungarian, DVD Media set, COA, License							x	x	x					x	x							x		x									x	x							S26361-F2567-L359	630,00	
	Win SBS 2011 Prem Add-On w/5CAL ROK EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, English, DVD Media set, COA, License							x	x	x					x	x							x		x									x	x							S26361-F2567-L370	925,00	
	Win SBS 2011 Prem Add-On w/5CAL ROK DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, German, DVD Media set, COA, License							x	x	x					x	x							x		x									x	x							S26361-F2567-L371	925,00	
	Win SBS 2011 Prem Add-On w/5CAL ROK IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Italian, DVD Media set, COA, License							x	x	x					x	x							x		x									x	x							S26361-F2567-L372	925,00	
	Win SBS 2011 Prem Add-On w/5CAL ROK FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, French, DVD Media set, COA, License							x	x	x					x	x							x		x									x	x							S26361-F2567-L373	925,00	
	Win SBS 2011 Prem Add-On w/5CAL ROK ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Spanish, DVD Media set, COA, License							x	x	x					x	x							x		x									x	x							S26361-F2567-L374	925,00	

Rack Servers Accessories

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX100 S7p	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX200 S7	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX330 S1	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code	EUP (€)	Comments
Accessories & services matrix																																										
PRIMERGY-Software (Continued)																																										
	Win SBS 2011 CAL Suite (1 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 Device); multi-language CAL;						x	x	x						x	x					x	x	x		x														S26361-F2567-L380	46,00	
	Win SBS 2011 CAL Suite (1 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 User); multi-language CAL;						x	x	x						x	x					x	x	x		x														S26361-F2567-L381	46,00	
	Win SBS 2011 CAL Suite (5 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Devices); multi-language CAL;						x	x	x						x	x					x	x	x		x														S26361-F2567-L382	210,00	
	Win SBS 2011 CAL Suite (5 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Users); multi-language CAL;						x	x	x						x	x					x	x	x		x														S26361-F2567-L383	210,00	
	Win SBS 2011 Prem Add-on CAL (1 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 Device); multi-language CAL;						x	x	x						x	x					x	x	x		x														S26361-F2567-L384	56,00	
	Win SBS 2011 Prem Add-on CAL (1 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 User); multi-language CAL;						x	x	x						x	x					x	x	x		x														S26361-F2567-L385	56,00	
	Win SBS 2011 Prem Add-on CAL (5 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Devices); multi-language CAL;						x	x	x						x	x					x	x	x		x														S26361-F2567-L386	265,00	
	Win SBS 2011 Prem Add-on CAL (5 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Users); multi-language CAL;						x	x	x						x	x					x	x	x		x														S26361-F2567-L387	265,00	
	Win Srv 2008 R2 Datacenter 2CPU MUL ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.				x		x	x	x				x	x	x						x	x		x				x											S26361-F2567-L330	3.315,00	Phased out
	Win Srv 2008 R2 Enterprise 10CAL MUL ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.				x		x	x	x				x	x	x						x	x		x				x	x	x			x						S26361-F2567-L320	2.085,00	Phased out
	Win Srv 2008 R2 Standard 5CAL MULI ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.				x		x	x	x				x	x	x						x	x		x				x	x	x			x						S26361-F2567-L310	655,00	Phased out
	Win Srv 2008 R2 Standard 5CAL PRC ROK	Only for Fujitsu distributors for distribution in People's Republic of China. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) Simplified Chinese. ROK DVD, License.						x	x	x						x	x					x	x	x						x	x			x						S26361-F2567-L318	530,00	
	Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.						x	x	x						x	x							x		x								x	x				x	x		S26361-F2567-L391	25,00	
	Win Srvs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.						x	x	x						x	x							x		x								x	x				x	x		S26361-F2567-L390	25,00	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system				x		x	x	x					x	x	x					x	x	x	x								x	x				x	x		S26361-F2565-L328	25,00	Phased out
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system				x		x	x	x					x	x	x					x	x	x	x								x	x				x	x		S26361-F2565-L318	25,00	Phased out
	PRIMERGY ServerView Suite subscription.	Subscription for 1 year with about 10 releases., The subscription is licensed only for PRIMERGY servers.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x					x	x				x	x		U15000-C176	215,00	
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x					x	x					x		U15000-C289	25,00	
	ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x		x			x		x	x	x	x	x	x	x	x	x	x	x	U15000-C300	140,00	Phased out
	SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year subscription renewal.				x		x	x	x				x	x	x	x					x	x	x	x	x	x						x	x	x				x	x		S26361-F2346-L611	249,00	
	SUSE Linux E 11 HAE 32SOC +1Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1 year subscription renewal.				x		x	x	x				x	x	x	x					x	x	x	x	x	x						x	x	x				x	x		S26361-F2346-L621	499,00	
	SUSE Linux ES4SAP APPS +1Y	SUSE Linux Enterprise Server for SAP Applications per Server up to 32-CPU sockets 1 year subscription renewal.							x	x																								x	x				x	x		S26361-F2346-L661	1.101,00	
	SUSE Linux ES4SAP APPS +3y	SUSE Linux Enterprise Server for SAP Applications per Server up to 32-CPU sockets 3 years subscription renewal.							x	x																								x	x				x	x		S26361-F2346-L662	2.958,00	
	SUSE Linux ES SAP All-in-One 3Y	SUSE Linux Enterprise Server for SAP Business All-in-One Basic Subscription 3 years																					x																			S26361-F2346-L669	1.023,00	
	Debian-Ubuntu FSE Basic Support 1Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year				x	x							x	x	x	x					x	x	x		x															S26361-F2346-L411	95,00	
	Debian-Ubuntu FSE Basic Support 3Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years				x	x							x	x	x	x					x	x	x	x	x															S26361-F2346-L412	228,00	
	Debian-Ubuntu FSE Standard Support 1Y	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year				x	x							x	x	x	x					x	x	x	x	x															S26361-F2346-L415	245,00	
	Debian-Ubuntu FSE Standard Support 3Y	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years				x	x							x	x	x	x					x	x	x	x	x															S26361-F2346-L416	588,00	
	Debian-Ubuntu FSE Priority Support 1Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year				x	x							x	x	x	x					x	x	x	x	x															S26361-F2346-L417	495,00	
	Debian-Ubuntu FSE Priority Support 3Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years				x	x							x	x	x	x					x	x	x	x	x															S26361-F2346-L418	1.188,00	
	VMware Upgrade ESXi to STD w/o SP-3yr	VMware Upgrade ESXi to STD for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!						x	x	x						x	x					x	x	x		x	x						x	x				x	x		S26361-F2341-S702	895,00	
	VMware Upgrade ESXi to ENT w/o SP-1yr	VMware Upgrade ESXi to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!						x	x	x						x	x					x	x	x		x	x						x	x				x	x		S26361-F2341-S703	2.585,00	
	VMware Upgrade ESXi to ENT w/o SP-3yr	VMware Upgrade ESXi to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!						x	x	x						x	x					x	x	x		x	x						x	x				x	x		S26361-F2341-S704	2.585,00	
	VMware Upgrade ESXi to ENT-PL w/o SP-1yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!						x	x	x						x	x					x	x	x		x	x						x	x				x	x		S26361-F2341-S705	3.145,00	
	VMware Upgrade ESXi to ENT-PL w/o SP-3yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!						x	x	x						x	x					x	x	x		x	x						x	x				x	x		S26361-F2341-S706	3.145,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!						x	x	x						x	x					x	x	x		x							x	x				x	x		S26361-F2341-L707	950,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!						x	x	x						x	x					x	x	x		x							x	x				x	x		S26361-F2341-L708	950,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!						x	x	x						x	x					x	x	x		x							x	x				x	x		S26361-F2341-L709	2.735,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!						x	x	x						x	x					x	x	x		x							x	x				x	x		S26361-F2341-L710	2.735,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!						x	x	x						x	x					x	x	x		x							x	x				x	x		S26361-F2341-L711	3.330,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!						x	x	x						x	x					x	x	x		x							x	x				x	x		S26361-F2341-L712	3.330,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!						x	x	x						x	x					x	x	x		x							x	x				x	x		S26361-F2341-L730	9.520,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!						x	x	x						x	x					x	x	x		x							x	x				x	x		S26361-F2341-L731	9.520,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!						x	x	x						x	x					x	x	x		x							x	x				x	x		S26361-F2341-L732	16.665,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!						x	x	x						x	x					x	x	x		x							x	x				x	x		S26361-F2341-L733	16.665,00	

Rack Servers Accessories

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX100 S7p	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX200 S7	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX330 S1	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code	ELIP (€)	Comments
Accessories & services matrix																																											
PRIMERGY-Software (Continued)																																											
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!						x	x	x					x	x						x	x	x								x	x			x	x			S26361-F2341-L734	20.900,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!						x	x	x					x	x						x	x	x								x	x			x	x			S26361-F2341-L735	20.900,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!						x	x	x					x	x						x	x	x								x	x			x	x			S26361-F2341-L740	4.280,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 3 year Service Pack needed!						x	x	x					x	x						x	x	x								x	x			x	x			S26361-F2341-L741	4.280,00	
	VMware Upgrade STD to ENT w/o SP-1yr	VMware Upgrade vSphere STD to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!					x	x							x	x						x	x	x	x	x							x	x			x	x			S26361-F2341-S716	1.855,00	
	VMware Upgrade STD to ENT w/o SP-3yr	VMware Upgrade vSphere STD to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!						x	x	x					x	x						x	x	x	x	x							x	x			x	x			S26361-F2341-S717	1.855,00	
	VMware Upgrade STD to ENT-PL w/o SP-1yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!						x	x	x					x	x						x	x	x	x	x							x	x			x	x			S26361-F2341-S718	2.475,00	
	VMware Upgrade STD to ENT-PL w/o SP-3yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!						x	x	x					x	x						x	x	x	x	x							x	x			x	x			S26361-F2341-S719	2.475,00	
	VMware Upgrade ENT to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!						x	x	x					x	x						x	x	x	x	x							x	x			x	x			S26361-F2341-S720	614,00	
	VMware Upgrade ENT to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!						x	x	x					x	x						x	x	x	x	x							x	x			x	x			S26361-F2341-S721	614,00	
	VMware Upgrade VCS FND to STD w/o SP-1yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!						x	x	x					x	x						x	x	x	x	x							x	x			x	x			S26361-F2341-S728	3.465,00	
	VMware Upgrade VCS FND to STD w/o SP-3yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!						x	x	x					x	x						x	x	x	x	x							x	x			x	x			S26361-F2341-S729	3.465,00	
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4,vCenter 5,vShield,Backup-Restore , VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore - No License						x	x	x			x	x	x	x			x	x	x	x	x	x	x	x				x	x	x	x	x	x		x	x	x			S26361-F2341-L300	80,00	
	VMware UG ESS-PL to STD-AK w/o SP-1yr	VMware Upgrade ESS-PL to STD-AK for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!							x	x						x	x						x	x		x	x						x	x				x	x			S26361-F2341-S722	6.435,00	
	VMware UG ESS-PL to STD-AK w/o SP-3yr	VMware Upgrade ESS-PL to STD-AK for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!							x	x						x	x						x	x		x	x						x	x				x	x			S26361-F2341-S723	6.435,00	
	VMware UG ESS-PL to ENT-AK w/o SP-1yr	VMware Upgrade ESS-PL to ENT-AK for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!							x	x						x	x						x	x		x	x						x	x				x	x			S26361-F2341-S724	13.850,00	
	VMware UG ESS-PL to ENT-AK w/o SP-3yr	VMware Upgrade ESS-PL to ENT-AK for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!							x	x						x	x						x	x		x	x						x	x				x	x			S26361-F2341-S725	13.850,00	
	VMware UG ESS-PL / ENT-PL-AK w/o SP-1yr	VMware Upgrade ESS-PL to ENT-PL-AK for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!							x	x						x	x						x	x		x	x						x	x				x	x			S26361-F2341-S726	17.350,00	
	VMware UG ESS-PL / ENT-PL-AK w/o SP-3yr	VMware Upgrade ESS-PL to ENT-PL-AK for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!							x	x						x	x						x	x		x	x						x	x				x	x			S26361-F2341-S727	17.350,00	
	VMware vSphere Embedded UFM Device DIS	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Single SRV Lic. (w/o SP)						x	x	x					x	x						x	x	x								x						x			S26361-F2341-D431	60,00	
OS/Application-SW																																											
	CA Client Automation	CA Client Automation - Licensing per managed System						x	x	x						x	x						x	x									x	x			x	x			U24552-C418	63,98	
	CA Server Automation Base Configuration	CA Server Automation Base Configuration - Licensing: 100 Physical Socket Pack						x	x	x						x	x						x	x									x	x			x	x			U24552-C424	52.686,90	
	CA AutomSuite for DataCenters BaseConfig	CA AutomSuite for DataCenters BaseConfig - Licensing: 100 Physical Socket Pack						x	x	x						x	x						x	x									x	x			x	x			U24552-C428	########	
	CA ServiceDeskManager Full LicenseConcur	CA ServiceDeskManager Full LicenseConcur - Licensing: Minimum Licensing Requirements apply to New Sales and Capacity: Minimum purchase of 15 Concurrent Users required for Full license.						x	x	x						x	x						x	x									x	x			x	x			U24581-C150	4.516,02	
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x					x				x				x						x					x									U15355-C720	395,00	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x					x				x				x						x					x									U15355-C723	250,00	
	ManageNow!® for NSM Base							x	x	x						x	x						x	x									x	x			x	x			U24533-C405	20.000,00	
	ManageNow!® for NSM Remote Manager							x	x	x						x	x						x	x									x	x			x	x			U24533-C406	12.500,00	
	ManageNow!® for NSM Portal							x	x	x						x	x						x	x									x	x			x	x			U24533-C407	9.000,00	
	ManageNow!® for NSM AgilessMoni HostResMIB							x	x	x						x	x						x	x									x	x			x	x			U24533-C425	9.000,00	
	ManageNow!® for NSM CA Agent Integration							x	x	x						x	x						x	x									x	x			x	x			U24533-C421	3.000,00	
	ManageNow!® for NSM HP InsightMgr Integr.							x	x	x						x	x						x	x									x	x			x	x			U24533-C408	5.000,00	
	ManageNow!® for NSM ETERNUS Storage Monit							x	x	x						x	x						x	x									x	x			x	x			U24533-C404	4.500,00	
	ManageNow!® for NSM ETERNUS CS Monit							x	x	x						x	x						x	x									x	x			x	x			U24533-C410	5.000,00	
	ManageNow!® for NSM NetApp Monitoring							x	x	x						x	x						x	x									x	x			x	x			U24533-C411	4.500,00	
	ManageNow!® for NSM SAN Monit up to 64p							x	x	x						x	x						x	x									x	x			x	x			U24533-C409	3.000,00	
	ManageNow!® for NSM SAN Monit.more as 64p							x	x	x						x	x						x	x									x	x			x	x			U24533-C412	6.250,00	
	ManageNow!® for NSM VMware							x	x	x						x	x						x	x									x	x			x	x			U24533-C413	4.500,00	
	ManageNow!® for NSM UPS							x	x	x						x	x						x	x									x	x			x	x			U24533-C414	5.000,00	
	ManageNow!® for NSM Microsoft Cluster							x	x	x						x	x						x	x									x	x			x	x			U24533-C415	4.500,00	
	ManageNow!® for NSM BladeFrameMonit BF200							x	x	x						x	x						x	x									x	x			x	x			U24533-C416	9.000,00	
	ManageNow!® for NSM BladeFrameMonit BF400							x	x	x						x	x						x	x									x	x			x	x			U24533-C424	20.000,00	
	ManageNow!® for NSM Connector CA eHealth							x	x	x						x	x						x	x									x	x			x	x			U24533-C417	5.000,00	
	ManageNow!® for NSM Connector MS SCOM							x	x	x						x	x						x	x									x	x			x	x			U24533-C418	5.000,00	
	ManageNow!® for NSM Connector HP OV NNM							x	x	x						x	x						x	x									x	x			x	x			U24533-C419	5.000,00	
	ManageNow!® for NSM Connector Lotus Notes							x	x	x						x	x						x	x									x	x			x	x			U24533-C420	5.000,00	
	ManageNow!® for NSM Con. 3rd PartyManager							x	x	x						x	x						x	x									x	x			x	x			U24533-C422	5.000,00	
	ManageNow!® for NSM Connector OoS							x	x	x						x	x						x	x									x	x			x	x			U24533-C433	5.000,00	
	ManageNow!® for NSM Connector EMC CC							x	x	x						x	x						x	x									x	x			x	x			U24533-C434	5.000,00	
	ManageNow!® for NSM Connector NetApp OM							x	x	x						x	x						x	x									x	x			x	x			U24533-C435	5.000,00	
	ManageNow!® for NSM Data Media							x	x	x						x	x						x	x									x	x			x	x			U24533-C423	40,00	
	ManageNow!® for ITCM ManagedObjectsLicens							x	x	x						x	x					x	x	x									x	x			x	x			U24533-C400	2.000,00	
	ManageNow!® for ITCM Manager License							x	x	x						x	x						x	x									x	x			x	x			U24533-C401	5.000,00	
	ManageNow!® for ITCM Win7 OS Install Lic.							x	x	x						x	x						x	x									x	x			x	x			U24533-C402	3.000,00	
	ManageNow!® for ITCM Vista OS Install Lic							x	x	x						x	x						x	x									x	x			x	x			U24533-C426	3.000,00	
	ManageNow!® for ITCM WinXP Prof OSInstLic							x	x	x						x	x						x	x									x	x			x	x			U24533-C427	3.000,00	
	ManageNow!® for ITCM Win2003Svr OSInstLic							x	x	x						x	x						x	x									x	x			x	x			U24533-C428	3.000,00	
	ManageNow!® for ITCM Win2008Svr OSInstLic							x	x	x						x	x						x	x									x	x			x	x			U24533-C429	3.000,00	
	ManageNow!® for ITCM Win2008R2SvrOSInstLic							x	x	x						x	x						x	x									x	x			x	x			U24533-C436	3.000,00	
	ManageNow!® for ITCM SUSE10.1 OS Inst Lic							x	x	x						x	x						x	x									x	x			x	x			U24533-C432	3.000,00	
	ManageNow!® for ITCM SLES9.0 OS Inst Lic							x	x	x						x	x						x	x									x	x			x	x			U24533-C430	3.000,00	
	ManageNow!® for ITCM data medium							x	x	x						x	x						x	x									x	x			x	x			U24533-C403	40,00	
UPS/Power supply																																											
	Power Supply Module 770W silver hp	for optional PS redundancy incl. mounting kit													x	x																									S26113-F539-L1	260.00	Phased out
	RX100 S7 conversion kit to hot-plug PSU	platinum PSU hp for redundancy							x	x																															S26113-F547-L10	275.00	
	Power Supply Module 800W gold hp	2nd gold PS hp for redundancy																					x	x																	S26113-F555-L10	230.00	Phased out
	Power Supply Module 850W	hot-plug Power Supply Module, 850W, 92% efficiency (CSCI gold)																																x							S26113-F561-L10	450,00	Phased out
	Power Supply Module 850W (w/o power cord	hot-plug Power Supply Module, 850W, 92% efficiency (CSCI gold)																																x							S26113-F561-L20	295,00	

Rack Servers Accessories

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX100 S7p	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX200 S7	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX330 S1	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code	EUP (€)	Comments
Accessories & services matrix																																											
UPS/Power supply (Continued)																																											
	Power Supply Module 450W gold hp	1st or 2nd PSU hp for redundancy for RX200S6 gold PSU														x																									S26113-F570-L1	200,00	Phased out
	Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)																																				x			S26113-F573-L10	1.100,00	Phased out
	Modular PSU 800W platinum hp	800W modular Power Supply Module , hot plug, platinum (94% efficiency)														x									x		x													S26113-F574-L10	255,00	
	Modular PSU 800W platinum hp new rev	800W modular Power Supply Module , hot plug, platinum (94% efficiency) new Revision																										x													S26113-F574-L11	255,00	New product,Orderable from: 30/07/2012
	Modular PSU 450W platinum hp	450W modular Power Supply Module , hot plug, platinum (94% efficiency)							x	x						x									x		x													S26113-F575-L10	225,00	
	Power Supply Module DC -48V 800W gold hp	DC -48V gold PS hp for redundancy																						x																S26113-F576-L50	650,00	Phased out
	Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)																																				x			S26113-F608-L10	880,00	
	APC-UPS WEB Management Adapter	10 / 100 Mbit autosence AP9630 for APC-USV, use one smart slot		x	x	x	x	x				x	x	x	x	x				x	x	x	x	x		x			x	x	x				x	x				S26113-F80-L30	255,00	
	Fan upgrade kit hot-plug redundancy	consists of two additional fans for fan redundancy																									x														S26361-F3667-L1	45,00	
	Cable powercord (D,..), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR					x	x	x	x					x	x	x				x	x	x	x	x						x	x	x							T26139-Y1740-L10	15,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x			x	x	x	x	x	x			x	x	T26139-Y1742-L10	15,00	
	Cable powercord (UK, IR), 1.8m, grey	suitable for UK, IR					x	x	x	x					x	x	x				x	x	x	x	x						x	x	x							T26139-Y1744-L10	15,00	
	Cable powercord (I), 1.8m, grey	suitable for I					x	x	x	x					x	x	x				x	x	x	x	x						x	x	x							T26139-Y1745-L10	15,00	
Miscellaneous																																											
	LocalView Option Kit S2	LCD display with adapter																								x															S26361-F2557-L105	70,00	
	LocalView Option Kit S2	LCD display with installation kit																				x	x	x		x															S26361-F2557-L106	70,00	
	Customer Self Service Module RX Server	Support for Customer Self Service (CSS), incl. mounting kit																				x	x																		S26361-F2557-L205	25,00	
	Service LAN Option	integrated in the front operating panel														x									x		x	x													S26361-F2571-L27	20,00	
	Opt. Front VGA + Service LAN	VGA and Service LAN connector, instead of Local Service Panel							x	x																															S26361-F2571-L37	50,00	
	Fan upgrade kit hot-plug redundancy	Redundant hot plug fans option, incl. 5 fans																						x																S26361-F2621-L5	115,00	Phased out
	cable Serial port option	Cable for 2nd RS-232-C 9 pin interface														x			x	x	x																			S26361-F3120-L3	40,00	
	TPM Module add-on kit	Trusted Platform Module on motherboard, be aware of import restrictions!						x	x	x					x	x	x						x	x	x								x	x				x	x	S26361-F3552-L1	50,00	
	T-HANDLES RX300S6																							x																S26361-F4000-L1	25,00	Phased out
	Fan upgrade kit hot-plug redundancy	Redundant hot plug fans option, incl. 4 fans, cage and electronics																		x	x	x																		S26361-F2621-L4	95,00	Phased out
	ServerView Local Service Panel Kit	Support for Customer Self Service (CSS)						x	x	x				x								x																		S26361-F2557-L204	40,00	
Media																																										
	DAT160 cleaning cartridge no label	DAT160 cleaning cartridge without label																														x	x	x				x	x		D:CL-DAT160-MX-01	22,00	
	DAT72 cleaning cartridge no label	DAT72 cleaning cartridge without label																	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x		D:CL-DAT72-MX-01	5,00	
	Fuji-LTO cleaning cartridge unlabelled	Cleaning cartridge without label from Fuji for LTO drives																								x		x	x			x	x	x				x	x		D:CL-FJ-LTO-01	37,00	
	Fuji cleaning cartridge LTO labelled	cleaning cartridge with label from Fuji for LTO drives																								x		x	x			x	x	x				x	x		D:CL-FJ-LTO-01L	37,00	
	LTO cleaning cartridge IBM no label	Cleaning cartridge without label from IBM for LTO drives																										x	x			x	x	x				x	x		D:CL-LTO2-IB-01	45,00	
	LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO - drives															x									x	x	x	x			x	x	x				x	x		D:CL-LTO2-IB-01L	46,00	
	VXA cleaning label	Label for VXA cleaning cartridge																												x	x										D:CL-VXA2-LAB	2,00	
	VXA cleaning cartridge	VXA cleaning cartridge																								x				x	x										D:CL-VXA2-X-01	34,00	
	VXA cleaning cartridge with label	VXA cleaning cartridge																								x				x	x										D:CL-VXA2-X-01L	34,00	
	DAT160 data cartridge no label	DAT160 data cartridge without label																									x					x	x	x				x	x		D:CR-DAT160-MX-01	21,00	
	DAT72 data cartridge no label	DAT72 data cartridge without label																	x	x	x	x	x	x	x	x		x	x	x	x	x	x				x	x		D:CR-DAT72-MX-01	14,00	
	LTO2 data cartridge Fuji no label	LTO-2 data cartridge without label from Fuji, 200 GB native capacity																													x										D:CR-FJ-LTO2-01	21,00	
	LTO2 data cartridge Fuji with label	LTO-2 data cartridge with label from Fuji, 200 GB native capacity																													x										D:CR-FJ-LTO2-01L	21,00	
	LTO3 data cartridge Fuji no label	LTO-3 data cartridge without label from Fuji, 400 GB native capacity															x					x				x		x	x			x	x	x				x	x		D:CR-FJ-LTO3-01	21,00	
	LTO3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity																														x	x	x				x	x		D:CR-FJ-LTO3-01L	21,00	
	LTO4 data cartridge Fuji no label	LTO-4 data cartridge without label from Fuji, 800 GB native capacity																								x		x	x			x	x	x				x	x		D:CR-FJ-LTO4-01	22,00	
	LTO4 data cartridge Fuji with label	LTO-4 data cartridge with label from Fuji, 800 GB native capacity														x	x					x	x	x		x						x	x	x				x	x		D:CR-FJ-LTO4-01L	22,00	
	LTO5 data cartridge Fuji no label	LTO-5 data cartridge without label from Fuji, 1500 GB native capacity																								x		x	x					x	x							D:CR-FJ-LTO5-01	44,00	
	LTO5 data cartridge Fuji with label	LTO-5 data cartridge with label from Fuji, 1500 GB native capacity																								x		x	x					x	x							D:CR-FJ-LTO5-01L	44,00	
	LTO2 data cartridge IBM no label	LTO-2 data cartridge without label from IBM, 200 GB native capacity														x	x						x	x	x						x										D:CR-LTO2-IB-01	30,00	
	LTO2 data cartridge IBM with label	LTO 2 data cartridge with label from IBM, 200 GB native capacity																													x										D:CR-LTO2-IB-01L	31,00	
	LTO2 barcode label horizontal	label for LTO-2 data cartridges																													x										D:CR-LTO2-LAB	2,00	
	LTO2 data cartridge Maxell no label	LTO-2 data cartridge without label from Maxell, 200 GB native capacity																													x										D:CR-LTO2-MX-01	22,00	
	LTO2 data cartridge Maxell with label	LTO-2 data cartridge with label from Maxell, 200 GB native capacity																													x										D:CR-LTO2-MX-01L	23,00	
	LTO3 data cartridge Quantum no label	LTO-3 data cartridge without label from Quantum, 400 GB native capacity																									x		x	x											D:CR-LTO3-QM-01	25,00	
	LTO3 data cartridge Quantum with label	LTO-3 data cartridge with label from Quantum, 400 GB native capacity																									x		x	x											D:CR-LTO3-QM-01L	25,00	
	VXA barcode label	Label for VXA data cartridge																												x	x										D:CR-VXA2-LAB	2,00	
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB																												x	x										D:CR-VXA2-X10-01	37,00	
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB																								x				x	x										D:CR-VXA2-X10-01L	38,00	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB																								x				x	x										D:CR-VXA2-X23-01	72,00	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB																								x				x	x										D:CR-VXA2-X23-01L	73,00	
	RDX Cartridge 160/320GB	RDX Cartridge 160GB uncompressed / 320GB compressed																			x	x	x	x	x		x				x	x	x	x				x			S26361-F3857-L160	140,00	Phased out
	RDX Cartridge Pack 10x 160/320GB	Package 10x RDX Cartridge 160GB uncompressed / 320GB compressed																	x		x	x	x	x	x		x				x	x	x	x				x			S26361-F3857-L169	1.330,00	Phased out
	RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed																	x		x	x	x	x	x		x				x	x	x	x				x			S26361-F3857-L320	175,00	
	RDX Cartridge Pack 10x 320/640GB	Package 10x RDX Cartridge 320GB uncompressed / 640GB compressed																	x		x	x	x	x	x		x				x	x	x	x				x			S26361-F3857-L329	1.665,00	
	LTO cleaning cartridge Quantum no label	Cleaning cartridge without label from Quantum for LTO drives																								x		x	x													D:CL-LTO-QM-01	39,00	
	LTO4 data cartridge Quantum no label	LTO-4 data cartridge without label from Quantum, 800 GB native capacity																								x		x	x											D:CR-LTO4-QM-01	25,00	
	LTO cleaning cartrid. Quantum with label	cleaning cartridge with label from Quantum for LTO drives																								x		x	x											D:CL-LTO-QM-01L	40,00	
	LTO3 data cartridge IBM no label	LTO-3 data cartridge without label from IBM, 400 GB native capacity																								x		x	x			x	x	x				x	x		D:CR-LTO3-IB-01	24,00	
	LTO4 data cartridge IBM no label	LTO-4 data cartridge without label from IBM, 800 GB native capacity																									x					x	x	x				x	x		D:CR-LTO4-IB-01	24,00	
	LTO4 data cartridge Quantum with label	LTO-4 data cartridge with label from Quantum, 800 GB native capacity																								x		x	x											D:CR-LTO4-QM-01L	26,00	
	LTO3 data cartridge IBM with label	LTO-3 data cartridge with label from IBM, 400 GB native capacity														x	x						x	x	x		x				x	x	x	x				x	x		D:CR-LTO3-IB-01L	25,00	
	LTO4 data cartridge IBM with label	LTO-4-- Data cartridges with Label from IBM, Kapazity 800 GByte native																								x		x					x	x	x				x	x		D:CR-LTO4-IB-01L	25,00	
	LTO5 data cartridge Quantum no label	LTO-5 data cartridge without label from Quantum, 1500 GB native capacity																								x		x	x											D:CR-LTO5-QM-01	47,00	
	LTO5 data cartridge Quantum with label	LTO-5 data cartridge with label from Quantum, 1500 GB native capacity																								x		x	x											D:CR-LTO5-QM-01L	48,00	
	LTO cleaning label horizontal	label for LTO cleaning cartridges																													x	x	x	x				x	x		D:CL-LTO-LAB	2,00	
	LTO3 barcode label horizontal	label for LTO-3 data cartridges																													x	x	x	x				x	x		D:CR-LTO3-LAB	2,00	
	LTO4 barcode label horizontal	label for LTO-4 data cartridges																														x	x	x				x	x		D:CR-LTO4-LAB	2,00	
	LTO5 barcode label horizontal	label for LTO-5 data cartridges																														x	x	x				x	x		D:CR-LTO5-LAB	2,00	
	RDX Cartridge 500GB/1000GB	RDX Cartridge 500GB uncompressed / 1000GB compressed																	x		x	x	x	x	x		x				x	x	x	x				x			S26361-F3857-L500	205,00	
	RDX Cartridge 1TB	RDX Cartridge 1TB uncompressed / 2TB compressed																	x		x	x	x	x	x		x				x	x	x	x				x			S26361-F3857-L600	300,00	
Cables																																											
	Cable powercord (IND), 1.8m, black	black, 1.8m, suitable for: India, 3 wire														x											x														T26139-Y1752-L10	23,00	
	Cable powercord rack, 4m	with Euro socket connector	x	x	x	x			x	x						x	x	x								x		x	x						x				x	x	T26139-Y1968-L10	15,00	
Additional Software																																											
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x	x						x	x					x	x	x									x	x					x	x				x	x	U11081-C157	15,00	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x						x	x					x	x	x									x	x					x	x				x	x	U11081-C171	1.125,00	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x						x	x					x	x	x									x	x					x	x				x	x	U11081-C177	562,00	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x	x						x	x					x	x	x									x	x					x	x				x	x	U11081-C183	30,00	

Rack Servers Accessories

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX100 S7p	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX200 S7	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX330 S1	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code	EUP (€)	Comments
Accessories & services matrix																																											
Additional Software (Continued)																																											
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x						x	x						x	x	x									x	x				x	x				x	x	U11081-C186	1.125,00	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	x						x	x						x	x	x									x	x				x	x				x	x	U11081-C192	451,00	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x	x						x	x						x	x	x									x	x				x	x				x	x	U11081-C199	15,00	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x	x						x	x					x	x	x	x			x	x	x				x	x				x	x				x	x	U11081-C201	30,00	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x						x	x						x	x	x									x	x				x	x				x	x	U11081-C202	1.225,00	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x						x	x						x	x	x									x	x				x	x				x	x	U11081-C203	1.994,00	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x						x	x						x	x	x									x	x				x	x				x	x	U11081-C204	3.988,00	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x						x	x						x	x	x									x	x				x	x				x	x	U11081-C207	710,00	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x						x	x						x	x	x									x	x				x	x				x	x	U11081-C212	1.225,00	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x						x	x						x	x	x									x	x				x	x				x	x	U11081-C213	1.994,00	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x						x	x						x	x	x									x	x				x	x				x	x	U11081-C214	3.988,00	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	x						x	x						x	x	x									x	x				x	x				x	x	U11081-C217	710,00	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x			x			x	x				x	x				x	x	U11081-C301	1.225,00	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x			x			x	x				x	x				x	x	U11081-C311	1.225,00	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x			x			x	x				x	x				x	x	U11081-C321	500,00	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x						x	x				x	x	x	x	x				x	x				x	x				x	x				x	x	U11081-C302	1.994,00	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x						x	x				x	x	x	x	x				x	x				x	x				x	x				x	x	U11081-C312	1.994,00	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x						x	x				x	x	x	x	x				x	x				x	x				x	x				x	x	U11081-C322	814,00	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x						x	x						x	x	x									x	x		x	x	x	x	x		x	x	x	x	U11081-C303	3.988,00	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x						x	x						x	x	x									x	x		x	x	x	x	x		x	x	x	x	U11081-C313	3.988,00	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x						x	x						x	x	x									x	x		x	x	x	x	x		x	x	x	x	U11081-C323	1.628,00	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x		x	x	x	x	U11081-C300	30,00	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x		x	x	x	x	U11081-C299	15,00	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x			x			x	x				x	x				x	x	U10987-C501	1.225,00	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x			x			x	x				x	x				x	x	U10987-C513	1.225,00	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x			x			x	x				x	x				x	x	U10987-C525	500,00	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x						x	x				x	x	x	x	x				x	x				x	x				x	x				x	x	U10987-C502	1.994,00	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x						x	x				x	x	x	x	x				x	x				x	x				x	x				x	x	U10987-C514	1.994,00	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x						x	x				x	x	x	x	x				x	x				x	x				x	x				x	x	U10987-C526	814,00	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x						x	x						x	x	x									x	x		x	x	x	x	x		x	x	x	x	U10987-C503	3.988,00	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x						x	x						x	x	x									x	x		x	x	x	x	x		x	x	x	x	U10987-C515	3.988,00	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x						x	x						x	x	x									x	x		x	x	x	x	x		x	x	x	x	U10987-C527	1.628,00	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x						x	x						x	x	x									x	x				x	x				x	x	U10987-C504	4.618,00	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x						x	x						x	x	x									x	x				x	x				x	x	U10987-C516	4.618,00	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x						x	x						x	x	x									x	x				x	x				x	x	U10987-C528	1.885,00	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x						x	x						x	x	x									x	x				x	x				x	x	U10987-C505	5.982,00	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x						x	x						x	x	x									x	x				x	x				x	x	U10987-C517	5.982,00	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x						x	x						x	x	x									x	x				x	x				x	x	U10987-C529	2.442,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x		x	x	x	x	U10987-C500	36,00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x		x	x	x	x	U10987-C499	15,00	

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
Processor													
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel Xeon processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink			x						S26361-F3277-E200	275,00	Phased out
	Intel Pentium G640 2C/2T 2.80 GHz 3 MB	Intel Pentium processor G640 (2C/2T, 2.80 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 65 W) without heat sink	x								S26361-F3579-E264	105,00	
	Intel Xeon E3-1220Lv2 2C/4T 2.30GHz 3MB	Intel Xeon processor E3-1220Lv2 (2C/4T, 2.30 GHz, TLC: 3 MB, Turbo: Yes, 1600 MHz, 17 W) without heat sink	x								S26361-F3580-E312	330,00	
	Intel Xeon E3-1265Lv2 4C/8T 2.50GHz 8 MB	Intel Xeon processor E3-1265Lv2 (4C/8T, 2.50 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 45 W) without heat sink	x								S26361-F3580-E316	475,00	
	Intel Xeon E3-1220v2 4C/4T 3.10 GHz 8 MB	Intel Xeon processor E3-1220v2 (4C/4T, 3.10 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink	x								S26361-F3580-E322	330,00	
	Intel Xeon E3-1230v2 4C/8T 3.30 GHz 8 MB	Intel Xeon processor E3-1230v2 (4C/8T, 3.30 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink	x								S26361-F3580-E323	365,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x						S26361-F3618-E240	470,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x						S26361-F3618-E266	905,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			x						S26361-F3619-E266	1.080,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			x						S26361-F3619-E280	1.300,00	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel Xeon processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			x						S26361-F3619-E306	1.500,00	
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel Xeon processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink			x						S26361-F3619-E346	1.805,00	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel Xeon processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink			x						S26361-F3620-E293	885,00	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel Xeon processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink			x						S26361-F3620-E360	1.805,00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink			x						S26361-F3622-E213	665,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink			x						S26361-F3622-E226	1.135,00	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink			x						S26361-F3633-E240	625,00	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x						S26361-F3648-E160	255,00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x						S26361-F3648-E213	280,00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink			x						S26361-F3649-E253	880,00	
	Intel Xeon E7-2803 6C/12T 1.73 GHz 18 MB	Intel Xeon processor E7-2803 (6C/12T, 1.73 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 105 W) incl. heat sink							x		S26361-F3999-E280	840,00	
	Intel Xeon E7-2850 10C/20T 2.00GHz 24MB	Intel Xeon processor E7-2850 (10C/20T, 2.00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink							x		S26361-F3999-E285	2.850,00	
	Intel Xeon E7-4807 6C/12T 1.86 GHz 18 MB	Intel Xeon processor E7-4807 (6C/12T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink							x		S26361-F3999-E480	1.165,00	

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
Processor (Continued)													
	Intel Xeon E7-4820 8C/16T 2.00 GHz 18 MB	Intel Xeon processor E7-4820 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1/2, 5.86 GT/s, 105 W) incl. heat sink							x		S26361-F3999-E482	1.680,00	
	Intel Xeon E7-4830 8C/16T 2.13 GHz 24 MB	Intel Xeon processor E7-4830 (8C/16T, 2.13 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink							x		S26361-F3999-E483	2.240,00	
	Intel Xeon E7-4850 10C/20T 2.00GHz 24MB	Intel Xeon processor E7-4850 (10C/20T, 2.00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink							x		S26361-F3999-E485	2.965,00	
	Intel Xeon E7-4860 10C/20T 2.26GHz 24MB	Intel Xeon processor E7-4860 (10C/20T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink							x		S26361-F3999-E486	3.915,00	
	Intel Xeon E7-4870 10C/20T 2.40GHz 30MB	Intel Xeon processor E7-4870 (10C/20T, 2.40 GHz, SLC: -, TLC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink							x		S26361-F3999-E487	4.810,00	
	Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB	Intel Xeon processor E7-8837 (8C/8T, 2.67 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink							x		S26361-F3999-E837	2.575,00	
	Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB	Intel Xeon processor E7-8837 (8C/8T, 2.67 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink								x	S26361-F4471-E837	2.575,00	
	Intel Xeon E7-8830 8C/16T 2.13 GHz 24 MB	Intel Xeon processor E7-8830 (8C/16T, 2.13 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink								x	S26361-F4471-E883	2.725,00	
	Intel Xeon E7-8850 10C/20T 2.00GHz 24MB	Intel Xeon processor E7-8850 (10C/20T, 2.00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink								x	S26361-F4471-E885	3.690,00	
	Intel Xeon E7-8860 10C/20T 2.26GHz 24MB	Intel Xeon processor E7-8860 (10C/20T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink								x	S26361-F4471-E886	4.885,00	
	Intel Xeon E7-8870 10C/20T 2.40GHz 30MB	Intel Xeon processor E7-8870 (10C/20T, 2.40 GHz, SLC: -, TLC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink								x	S26361-F4471-E887	5.560,00	
	CPU MEMORY Riser Board	CPU Memory Riser Board for 1 processor and 16 DIMM modules DDR3								x	S26361-F4524-E100	1.995,00	
	CPU Mezzanine Board RX500 S7	CPU Mezzanine Board for two additonal CPU´s and 24 DIMM Modules						x			S26361-F4570-E100	600,00	New product,Orderable from: 30/07/2012
	Intel Xeon E5-4603 4C/8T 2.00 GHz 10 MB	Intel Xeon processor E5-4603 (4C/8T, 2.00 GHz, TLC: 10 MB, Turbo: Yes, 6.4 GT/s, Mem bus: 1066 MHz, 95 W) incl. heat sink						x			S26361-F4570-E603	665,00	New product,Orderable from: 30/07/2012
	Intel Xeon E5-4607 6C/12T 2.20 GHz 12 MB	Intel Xeon processor E5-4607 (6C/12T, 2.20 GHz, TLC: 12 MB, Turbo: Yes, 6.4 GT/s, Mem bus: 1066 MHz, 95 W) incl. heat sink						x			S26361-F4570-E607	1.040,00	New product,Orderable from: 30/07/2012
	Intel Xeon E5-4610 6C/12T 2.40 GHz 15 MB	Intel Xeon processor E5-4610 (6C/12T, 2.40 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink						x			S26361-F4570-E610	1.395,00	New product,Orderable from: 30/07/2012
	Intel Xeon E5-4617 6C/6T 2.90 GHz 15 MB	Intel Xeon processor E5-4617 (6C/6T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink						x			S26361-F4570-E617	1.860,00	New product,Orderable from: 30/07/2012
	Intel Xeon E5-4620 8C/16T 2.20 GHz 16 MB	Intel Xeon processor E5-4620 (8C/16T, 2.20 GHz, TLC: 16 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink						x			S26361-F4570-E620	1.860,00	New product,Orderable from: 30/07/2012
	Intel Xeon E5-4640 8C/16T 2.40 GHz 20 MB	Intel Xeon processor E5-4640 (8C/16T, 2.40 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink						x			S26361-F4570-E640	3.270,00	New product,Orderable from: 30/07/2012
	Intel Xeon E5-4650 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-4650 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink						x			S26361-F4570-E650	4.320,00	New product,Orderable from: 30/07/2012
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink				x	x				S26361-F3685-E180	310,00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink				x	x				S26361-F3685-E240	395,00	
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		x							S26361-F3689-E180	310,00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		x							S26361-F3689-E240	395,00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink				x	x				S26361-F3676-E200	515,00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink				x	x				S26361-F3676-E230	750,00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink				x	x				S26361-F3676-E250	1.095,00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink		x							S26361-F3690-E200	515,00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink		x							S26361-F3690-E230	750,00	

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
Processor (Continued)													
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink		x							S26361-F3690-E250	1.095,00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink				x	x				S26361-F3686-E200	1.305,00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink				x	x				S26361-F3686-E220	1.575,00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 115 W) incl. heat sink				x	x				S26361-F3686-E260	1.810,00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink				x	x				S26361-F3686-E270	2.035,00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 135 W) incl. heat sink				x	x				S26361-F3686-E290	2.395,00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink		x							S26361-F3691-E200	1.305,00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink		x							S26361-F3691-E220	1.575,00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 115 W) incl. heat sink		x							S26361-F3691-E260	1.810,00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink		x							S26361-F3691-E270	2.035,00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 135 W) incl. heat sink		x							S26361-F3691-E290	2.395,00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink				x	x				S26361-F3687-E290	1.810,00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 80 W) incl. heat sink				x	x				S26361-F3687-E300	1.095,00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink				x	x				S26361-F3687-E330	1.095,00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink		x							S26361-F3692-E290	1.810,00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 80 W) incl. heat sink		x							S26361-F3692-E300	1.095,00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink		x							S26361-F3692-E330	1.095,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink				x	x				S26361-F3688-E180	1.305,00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink				x	x				S26361-F3688-E200	815,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink		x							S26361-F3693-E180	1.305,00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink		x							S26361-F3693-E200	815,00	
Memory													
	4GB (1x4GB) 2Rx8 DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM	x								S26361-F3719-E514	65,00	
	8GB (1x8GB) 2Rx8 DDR3-1600 U ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM	x								S26361-F3719-E515	320,00	
	Memory Board RX600 S6	Memory board for up to two set´s of DDR3 LV memory (with 4 DIMMs each)							x		S26361-F3990-E600	240,00	
	Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory								x	S26361-F4472-E3	5,00	
	16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x		S26361-F4523-E642	340,00	
	32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x		S26361-F4523-E643	540,00	
	64GB 4x16 DDR3 LV 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM							x		S26361-F4523-E645	1.220,00	
	128GB 4x32 DDR3 LV 1066 MHz PC3-8500 rg	128 GB (4 module(s) 32 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM							x		S26361-F4523-E646	6.820,00	

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
Memory (Continued)													
	16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x	S26361-F4523-E942	340,00	
	32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x	S26361-F4523-E943	540,00	
	64GB 4x16 DDR3 LV 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM								x	S26361-F4523-E945	1.220,00	
	128GB 4x32 DDR3 LV 1066 MHz PC3-8500 rg	128 GB (4 module(s) 32 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM								x	S26361-F4523-E946	6.820,00	Orderable from: 06/07/2012
	Spare Mode Installation	BIOS setup for Spare mode, preinstallation ex factory							x		S26361-F4003-E1	5,00	
	Interleaving Mode Installation	BIOS setup for Interleaving mode, preinstallation ex factory							x		S26361-F4003-E2	5,00	
	Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory							x		S26361-F4003-E3	5,00	
Memory Modules													
	Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex factory			x						S26361-F3284-E1	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory			x						S26361-F3284-E3	5,00	
	Independent Mode Installation	No specific memory RAS features are defined		x		x	x	x			S26361-F3694-E10	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory			x						S26361-F3284-E2	5,00	
	MM 4GB 2x2 DDR3 1333 MHz PC3-10600 rg s	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode			x						S26361-F3604-E523	160,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory		x		x	x	x			S26361-F3694-E2	5,00	
	MM 8GB 2x4 DDR31333 MHz PC3-10600 rg s/d	2 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode			x						S26361-F3604-E524	170,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d	1 module 2GB 1333MHz, unbufferes DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x						S26361-F3606-E513	40,00	
	Rank Sparing Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory		x		x	x	x			S26361-F3694-E1	5,00	
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x						S26361-F3604-E513	80,00	
	MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	2 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode			x						S26361-F3604-E525	270,00	
	4 GB DDR3 1333 MHz PC3-10600 rg s/d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x						S26361-F3604-E514	85,00	
	MM 32GB 2x16 DDR3 1066 MHz PC3-8500 rg q	2 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 16GB usable memory for Mirrored Mode			x						S26361-F3604-E526	610,00	
	SP 6GB 3x2 DDR3 1333 MHz PC3-10600 rg s	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode			x						S26361-F3604-E533	240,00	
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x						S26361-F3604-E515	135,00	
	MM 64GB 2x32 DDR3 1066 MHz PC3-8500 rg q	2 modules 32GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 32GB usable memory for Mirrored Mode			x						S26361-F3604-E527	3.410,00	
	SP12GB 3x4 DDR3 1333MHz PC3-10600 rg s/d	3 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode			x						S26361-F3604-E534	255,00	
	MM 8GB 2x4 DDR3LV 1333 MHz 10600 rg s/d	2 LV modules 4GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode			x						S26361-F3605-E524	170,00	
	16 GB DDR3 LV 1333MHz PC3-10600 rg d ECC	16 GB (1 module(s) 16 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM			x						S26361-F4492-E516	305,00	
	16 GB DDR3 1066 MHz PC3-8500 rg q	1 module 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x						S26361-F3604-E516	305,00	
	SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	3 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode			x						S26361-F3604-E535	405,00	
	MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	2 LV modules 8GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode			x						S26361-F3605-E525	270,00	
	SP 48GB 3x16 DDR3 1066 MHz PC3-8500 rg q	3 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=32GB Spare or 48GB Performance Mode			x						S26361-F3604-E536	915,00	
	32 GB DDR3 1066 MHz PC3-8500 rg q ECC	1 module 32GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x						S26361-F3604-E517	1.705,00	

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
Memory Modules (Continued)													
	SP 96GB 3x32 DDR3 1066 MHz PC3-8500 rg q	3 modules 32GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=64GB Spare or 96GB Performance Mode			x						S26361-F3604-E537	5.115,00	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg s/d	1 LV module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x						S26361-F3605-E514	85,00	
	SP12GB 3x4 DDR3 LV1333 MHz 10600 rg s/d	3 LV modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode			x						S26361-F3605-E534	255,00	
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 LV module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x						S26361-F3605-E515	135,00	
	SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	3 LV modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode			x						S26361-F3605-E535	405,00	
	2GB (1x2GB) 1Rx8 L DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x		x	x				S26361-F3694-E513	40,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x		x	x				S26361-F3694-E514	65,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 R ECC			x		x	x	x			S26361-F3695-E514	95,00	
	4GB (1x4GB) 1Rx4 L DDR3-1333 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM		x		x	x				S26361-F3696-E514	85,00	
	8GB (1x8GB) 2Rx4 L DDR3-1333 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM		x		x	x				S26361-F3696-E515	135,00	
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM		x		x	x	x			S26361-F3697-E514	95,00	
	8GB (1x8GB) 2Rx4 L DDR3-1600 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM		x		x	x	x			S26361-F3697-E515	155,00	
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC	16 GB (1 module(s) 16 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM		x		x	x	x			S26361-F3697-E516	335,00	
	16GB (1x16GB) 4Rx4 L DDR3-1333 LR ECC	16 GB (1 module(s) 16 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM		x		x	x	x			S26361-F3698-E516	395,00	
	32GB (1x32GB) 4Rx4 L DDR3-1333 LR ECC	32 GB (1 module(s) 32 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM		x		x	x	x			S26361-F3698-E517	1.850,00	
Graphics													
	Front-VGA interface	2nd optional VGA interface front side			x						S26361-F2571-E16	20,00	Phased out
	Front-VGA Interface	2nd optional VGA interface front side		x		x	x	x			S26361-F2571-E26	20,00	
	PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card					x				S26361-F2748-E537	135,00	
	PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card, low profile	x	x	x	x					S26361-F2748-E637	135,00	
	PY NVIDIA Tesla C2075 GPGPU	NVIDIA Tesla C2075 PCIe-x16 GPGPU Karte for TX300 S7 / RX350 S7					x				S26361-F2856-E997	2.650,00	
	PY GPGPU Cable Kit	Cable Kit to install up to 2 GPGPUs;, Includes an universal PCI card holder and screws					x				S26361-F3736-E1	80,00	
Removable Media Drives													
	Blu-ray Triple Writer 1.6" SATA	Read: 8x BD-ROM, 16x DVD, 40x CD, Write: 6x BD, 16x DVD, 32x CD, BD DL and all CD/DVD formats, 1.6" fitting height					x				S26361-F3585-E2	345,00	Phased out
	Mounting Kit for 5,25" USB backup drives	Mounting kit for the 5,25" USB backup drives ,					x				S26361-F3753-E1	5,00	
	Config 2: 4x 2.5" HDD	RX300S7 with config 2: 4x 2.5" HDD				x					S26361-F1373-E420	90,00	
	MountingKit DVD(sl) + LSD	for slim DVD, 1x Local Service Display					x				S26361-F2826-E205	30,00	
	Config 3: 4x 2.5" HDD + LTO	RX300S7 with config 3: 4x 2.5" HDD + LTO				x					S26361-F1373-E430	175,00	
	ExtensionKit 4x SAS LFF HDD	HDD Extension for 4x LFF hotplug HDD					x				S26361-F2826-E335	75,00	
	Config 5: 8x 2.5" HDD + 3.5" drive	RX300S7 with config 5: 8x 2.5" HDD + 3.5" drive				x					S26361-F1373-E450	230,00	
	MountingKit DVD(sl)+LSD+2x SAS LFF HDD	for slim DVD, 1x Local Service Display, 2x HDD					x				S26361-F2826-E105	60,00	
	Config 6: 8x 2.5" HDD + LTO	RX300S7 with config 6: 8x 2.5" HDD + LTO				x					S26361-F1373-E460	230,00	
	ExtensionKit 8x SAS SFF HDD	HDD Extension for 8x SFF hotplug HDD					x				S26361-F2826-E325	85,00	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM,slimline 0.5" fitting height, black	x	x	x	x	x	x	x	x	S26361-F3269-E2	90,00	
	Config 8: 16x 2.5" HDD	RX300S7 with config 8: 16x 2.5" HDD				x					S26361-F1373-E480	420,00	
	MountingKit 8x SAS SFF HDD	Extension Box for 8x 2,5" hotplug HDD					x				S26361-F2826-E425	85,00	
	MountingKit DVD(sl)+4x SAS LFF HDD	for slim DVD, 4x HDD					x				S26361-F2826-E435	85,00	
	SAS Expander 2x4 In / 6x4 Out	SAS Expander 2x4 In / 6x4 Out					x				S26361-F3668-E1	250,00	
	Adapter Kit for 2nd RAID Controller	Adapter Kit for 2nd RAID Controller					x				S26361-F3673-E1	20,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height	x		x			x	x	x	S26361-F3641-E2	165,00	
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel					x				S26361-F3266-E2	35,00	
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel					x				S26361-F3267-E2	55,00	

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
Removable Media Drives (Continued)													
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)					x	x	x		S26361-F3857-E4	160,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)			x	x					S26361-F3857-E5	160,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0, with USB cable , 1.6" black, within tape cage 2 x 3.5", with specific USB cable				x					S26361-F3857-E7	210,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, black bezel, with description (G/US) and cleaning cartridge					x	x	x		S26361-F3324-E4	500,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US) and cleaning cartridge			x	x					S26361-F3324-E5	500,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	data transfer: 3MB/s, USB 2.0, 1.6" black, within tape cage 2 x 3.5", with specific USB cable, with description (G/US), with cleaning cartridge				x					S26361-F3324-E7	550,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge					x	x	x		S26361-F3325-E4	685,00	
	Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge				x					S26361-F3325-E2	685,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge				x	x	x	x		S26361-F3561-E4	1.395,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge				x	x	x	x		S26361-F3626-E2	2.030,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge				x	x	x	x		S26361-F3627-E1	2.980,00	
Hard Disks													
	HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic	x								S26361-F3700-E250	160,00	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, economic	x								S26361-F3700-E500	205,00	
	SSD SAS 6G 100GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 100 GB, SLC, hot-plug, 2.5-inch, enterprise		x	x	x	x	x	x	x	S26361-F4541-E100	1.775,00	
	SSD SAS 6G 200GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, SLC, hot-plug, 2.5-inch, enterprise		x	x	x	x	x	x	x	S26361-F4541-E200	3.450,00	
	SSD SAS 6G 400GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, SLC, hot-plug, 2.5-inch, enterprise		x	x	x	x	x	x	x	S26361-F4541-E400	6.630,00	
	SSD SATA 6G 100GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, hot-plug, 2.5-inch, enterprise	x	x		x	x	x	x		S26361-F5225-E100	555,00	New product,Orderable from: 01/08/2012
	SSD SATA 6G 200GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise	x	x		x	x	x	x		S26361-F5225-E200	1.095,00	New product,Orderable from: 01/08/2012
	SSD SATA 6G 400GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 400 GB, MLC, hot-plug, 2.5-inch, enterprise	x	x		x	x	x	x		S26361-F5225-E400	2.645,00	New product,Orderable from: 01/08/2012
	HD SATA 6G 500GB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical	x			x	x				S26361-F3670-E500	210,00	
	HD SATA 6G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x		x	x				S26361-F3708-E250	225,00	
	PCIe-SSD 320GB MLC	PCIe SSD, 320 GB, MLC, Flash drive		x					x	x	S26361-F4522-E321	6.915,00	
	HD SATA 6G 1TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x			x	x				S26361-F3670-E100	265,00	
	HD SATA 6G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x		x	x				S26361-F3708-E500	235,00	
	PCIe-SSD 640GB MLC	PCIe SSD, 640 GB, MLC, Flash drive		x					x	x	S26361-F4522-E641	10.630,00	
	HD SATA 6G 2TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x			x	x				S26361-F3670-E200	435,00	
	HD SATA 6G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x		x	x				S26361-F3708-E100	405,00	
	HD SATA 6G 3TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x			x	x				S26361-F3670-E300	690,00	
	HD SATA 3G 2TB 7.2K HOT PL 3.5" BC	HDD SATA, 3 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical				x	x				S26361-F3294-E200	435,00	
	HD SATA 3G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical			x						S26361-F3601-E250	225,00	
	HD SATA 3G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical			x						S26361-F3601-E500	235,00	
	HD SATA 3G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical			x						S26361-F3601-E100	405,00	
	HD SAS 6G 300GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x			x	x				S26361-F4005-E530	365,00	
	HD SAS 6G 450GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x			x	x				S26361-F4005-E545	420,00	
	HD SAS 6G 600GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x			x	x				S26361-F4005-E560	500,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	x	S26361-F4482-E130	285,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	x	S26361-F4482-E145	410,00	

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
Hard Disks (Continued)													
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	x	S26361-F4482-E160	530,00	
	HD SAS 6G 900GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	x	S26361-F4482-E190	835,00	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x		x	x	S26361-F4482-E573	250,00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	x	S26361-F4482-E514	325,00	
	HD SAS 6G 300GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	x	S26361-F4482-E530	565,00	
SCSI/RAID/SAS controller													
	RAID Contr BBU Upgrade for RAID 5/6 V16	BBU Upgrade for LSI SAS1078 and LSI SAS2108			x						S26361-F3257-E116	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 V55	BBU Upgrade for LSI SAS1078 and LSI SAS2108			x						S26361-F3257-E155	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 V70	BBU Upgrade for LSI SAS1078 and LSI SAS2108							x		S26361-F3257-E170	165,00	
	RAID Contr BBU Erweiterung RAID 5/6 C16	BBU Upgrade for LSI SAS1078 and LSI SAS2108,		x		x					S26361-F3257-E216	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 C55	BBU Upgrade for LSI SAS1078 and LSI SAS2108,	x	x							S26361-F3257-E255	165,00	
	RAID Contr BBU Erweiterung RAID 5/6 C70	BBU Upgrade for LSI SAS1078 and LSI SAS2108,					x			x	S26361-F3257-E270	165,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports	x						x		S26361-F3257-E4	110,00	
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports			x						S26361-F3257-E8	135,00	
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI							x		S26361-F3270-E1	195,00	Phased out
	SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile	x		x						S26361-F3270-E201	195,00	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R							x		S26361-F3271-E1	210,00	Phased out
	SAS Ctrl 3GB/s 8 port PCIe FH EFI	SAS Controller 3GB/s 8 port, LSI SAS3442E-R full height UEFI RX900								x	S26361-F3271-E2	210,00	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, LSI SAS3442E-R Low Profile	x		x						S26361-F3271-E201	210,00	Phased out
	SAS Ctrl 6G 8ext PCIe	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e					x	x	x	x	S26361-F3628-E1	260,00	
	SAS Ctrl 6G 8ext PCIe lp	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e LP	x	x	x	x	x				S26361-F3628-E201	260,00	
	SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS,		x		x	x	x			S26361-F3674-E1	95,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports	x	x	x	x	x		x		S26361-F3554-E8	165,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports	x	x	x	x	x		x	x	S26361-F3554-E512	385,00	
	RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports				x	x	x			S26361-F3669-E1	430,00	
	RAID Ctrl SAS 6G 8Port ex 512MB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU					x		x	x	S26361-F3593-E1	590,00	
	RAID Ctrl SAS 6G 8Port ex 512MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU	x	x	x	x					S26361-F3593-E201	590,00	
	RAID Ctrl SAS 6G 8Port ex 1GB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9285-8e, PCIe2.0 x8, 1GB Cache with ECC, , 8 external ports, optional FBU, LP bracket				x					S26361-F3713-E201	790,00	Orderable from: 13/07/2012
Fibre Channel													
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber					x	x	x	x	S26361-F3961-E1	840,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber					x	x	x	x	S26361-F3961-E2	1.370,00	
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC LP	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber		x	x	x					S26361-F3961-E201	840,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber		x	x	x					S26361-F3961-E202	1.370,00	
	FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber					x	x	x	x	S26361-F3631-E1	935,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber					x	x	x	x	S26361-F3631-E2	1.500,00	
	FC Ctrl 8GB/s 1 channel QLE2560MMF LC LP	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber		x	x	x					S26361-F3631-E201	935,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LCLP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber		x	x	x					S26361-F3631-E202	1.500,00	
Connection Blades													

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
Connection Blades (Continued)													
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755., For multi-mode short-range fiber optic cables up to 300m.	x	x	x	x	x	x	x	x	S26361-F3986-E3	405,00	
	SFP+ Module Single Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blade and LAN adapter D2755., For single-mode long-range fiber optic cables up to 10km.	x	x	x	x	x	x	x	x	S26361-F3986-E4	1.180,00	
	InfiniBand Cu Cable 40GB, customized	Cable IB QSFP, length is customized (depends on mounting requirements), incl. assembly						x			S26361-F3996-E500	110,00	
	InfiniBand Cu Cable 56GB, customized	Cable FDR IB QSFP, length is customized (depends on mounting requirements), incl. assembly						x			S26361-F3996-E556	155,00	
Communication/Network													
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel® Pro 1000PT 1 Port Server Adapter			x						S26361-F3241-E201	90,00	
	Upgrade-Kit to 4x GBit on-board	Upgrade-Kit to 4x GBit on-board, Based on Intel LAN controller chip 82576NS, Usable with original Intel driver kit, Extends the available two onboard 1GB LAN connectors with two additional 1GB LAN connectors.		x		x	x	x			S26361-F3610-E702	155,00	
	Upgrade-Kit to 6x GBit on-board	Upgrade-Kit to 6x GBit on-board, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with four additional 1GB LAN connectors.		x		x	x	x			S26361-F3611-E701	375,00	
	Upgrade-Kit to 2xGB and 2x10GB on-board	Upgrade-Kit to 2x GBit and 2x 10GBit on-board, Based on Intel LAN controller chip 82599, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with two additional 10GB LAN connectors (SFP+).		x		x	x	x			S26361-F3629-E702	500,00	
	Shared 10GB Management LAN kit			x		x	x	x			S26361-F3629-E750	25,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel® Pro 1000PF 1 Port Server Adapter	x	x	x	x					S26361-F3242-E201	240,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp	Intel® GBit CT 1 Port Desktop Adapter lp	x	x	x	x					S26361-F3516-E201	45,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu lp	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu lp, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit	x	x	x	x					S26361-F3610-E202	155,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu lp	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu lp, Based on Intel® LAN controller chip 82580EB, Usable with original Intel® driver kit	x	x	x	x					S26361-F3611-E201	375,00	
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+ lp	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+ lp	x	x	x	x					S26361-F3629-E202	500,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller , PCIe 2.0 x 8 , SFP+ for opt. module or Twinax cable					x	x	x	x	S26361-F3592-E2	1.180,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable		x	x	x					S26361-F3592-E202	1.180,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102		x	x	x	x	x	x	x	S26361-F3592-E108	400,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel® GBit CT 1 Port Desktop Adapter					x				S26361-F3516-E1	45,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel® Pro 1000PF 1 Port Server Adapter					x	x	x	x	S26361-F3242-E1	240,00	
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+					x	x	x	x	S26361-F3629-E2	500,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit					x	x	x	x	S26361-F3610-E2	155,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu, Based on Intel® LAN controller chip 82580EB, Usable with original Intel® driver kit					x	x	x	x	S26361-F3611-E1	375,00	
	IB HCA 40GB 1 port QDR	InfiniBand HCA 40GB/s, 1-port, QDR		x	x	x	x	x	x	x	S26361-F4475-E102	620,00	
	IB HCA 40GB 2 port QDR	InfiniBand HCA 40GB/s, 2-port, QDR		x	x	x	x	x	x	x	S26361-F4475-E202	850,00	
	IB HCA 56GB 1 port FDR	InfiniBand HCA 56GB/s, 1-port, FDR		x		x	x	x			S26361-F4533-E102	1.030,00	
	IB HCA 56GB 2 port FDR	InfiniBand HCA 56GB/s, 2-port, FDR		x		x	x	x			S26361-F4533-E202	1.590,00	
Rack-Infrastructure													
	RMK-F1_DI_CMA	Telescopic drop-in rails, full extraction with vario-carrier, pre-assembled with centre screw; with cable management adapter for tool less mountable cable management arm., Rack installation depth (19" pillar distance) between 714mm and 785mm			x						S26361-F2735-E140	55,00	

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
Rack-Infrastructure (Continued)													
	RMK-F2_DI_QRL	Telescopic rails full extraction; drop-in mount.; vario-carrier for tool less mounting with quick release lever; for rack pillars with square holes (9.5mm) or round holes (7.1mm); max. load 50 kg;, Rack installation depth (19" pillar distance) between 714mm and 785mm							x		S26361-F2735-E245	115,00	
	Rack Mount Kit F2-C S7 LV	RMK for server more than 2U or more than 35Kg, Drop-in-Rails with Cable Management Adapter. , , , Vario Carrier length variable 714-785mm with Quick-Release-Lever-support. , , , Adjustable mounting depth for racks until 783mm rack pillar distance (depth)., load capacity: max. 50 kg					x	x			S26361-F2735-E285	100,00	
	Rack Mount Kit F1-C S7 LV	RMK for server max. 2U or max. 35 Kg, Drop-in-Rails with Cable Management Adapter. , , Variocarrier length variable 714-785mm with Quick-Release-Lever-support. , , Adjustable mounting depth for racks until 783mm rack pillar distance (depth).	x	x		x					S26361-F2735-E175	90,00	
	Mounting in symmetrical Racks	Rack server mounting in symmetrical racks without support bracket	x	x		x	x	x	x	x	S26361-F4530-E10	5,00	
	Mounting 1U in asymmetrical Racks	Rack server mounting in asymmetrical rack with 1U support bracket	x	x		x					S26361-F4530-E11	5,00	
	Mounting 2U in asymmetrical racks	Rack server mounting in asymmetrical rack with 2U support bracket					x				S26361-F4530-E12	5,00	
	Mounting 3U in asymmetrical racks	Rack server mounting in asymmetrical rack with 2U support bracket						x	x	x	S26361-F4530-E13	5,00	
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.	x	x							S26361-F1647-E302	65,00	
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.			x	x	x	x	x	x	SNP:SY-F1647E301-P	130,00	
	Rack Cable Arm 1U	Cable management arm, dragged with bracket, can be used for PRIMERGY servers 1U. Can be mounted in PRIMECENTER party racks, can only be mounted at RMKs with CMA adapter.	x	x							S26361-F2735-E81	20,00	
	Rack Cable Arm 2U	Cable management arm, dragged with bracket, can be used for PRIMERGY servers 2U or higher. Can be mounted in PRIMECENTER party racks, can only be mounted at RMKs with CMA adapter.			x	x	x	x			S26361-F2735-E82	30,00	
	Cable mgmt. lateral for asym. PC racks	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER racks			x						S26361-F2735-E7	30,00	
	Cable mgmt. lateral for asym. PC racks M	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER M1 racks				x	x	x	x		S26361-F2735-E71	30,00	
	cable arm 2U PCR M1 S and 3rd partyracks	Cable arm 2U to be mounted at right or left rack pillar behind servers higher oder equal 2U. Released for symmetrical PRIMECENTER M1 or 3rd party racks.			x				x	x	S26361-F2201-E20	50,00	
	Cable mgmt. RX900 für asym. 19" Racks	Cable mgmt. RX900 for asym. 19" Rack								x	S26361-F2735-E17	30,00	
	RMK-F1_1-2U Server	telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw;, Rack installation depth (19" pillar distance) between 714mm and 785mm			x						S26361-F2735-E101	55,00	Phased out
	Rack Mount Kit for RX900									x	S26361-F2735-E109	180,00	
Country kits													
	CCC Certification for China	CCC Certification for China	x	x							S26361-F3301-E120	10,00	
	region kit APAC/America/EMEA/India	Region-kit APAC/ America/EMEA/ India	x	x		x	x	x	x	x	S26361-F1452-E100	10,00	
PRIMERGY-Software													
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection			x				x	x	S26361-F1790-E241	300,00	
	iRMC S3 advanced pack		x	x		x	x	x			S26361-F1790-E242	300,00	
	ooB HDD monitoring by iRMC			x							S26361-F2557-E301	20,00	
	PRIMERGY DuplexDataManager 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	S26361-F2565-L596	2.745,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. OEM DVD, License.	x	x	x	x	x	x	x		S26361-F2567-E20	380,00	
	MS SysCtr Essntls 2010 OEM	MS System Center Essentials 2010. English. OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E30	115,00	
	Win Svr 2008 R2 SP1 Foundation 1CPU OEM	Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x								S26361-F2567-E301	165,00	

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	Win Svr 2008 R2 SP1 Datactr 4CPU OEM	Win Srv 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.						x	x	x	S26361-F2567-E333	5.932,00	
	Win Svr 2008 R2 SP1 Datactr 8CPU OEM	Win Srv 2008 R2 SP1 Dtc (8 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.								x	S26361-F2567-E335	11.864,00	
	USB Flash Module 16GB intern	USB Flash Module 16GB intern		x	x	x					S26361-F3299-E16	345,00	
	VIOM License f. operation of one server,	VIOM License for operation of one server, Service Pack mandatory		x		x	x	x			U15000-C311	315,00	
	VIOM License for operation of 8 servers,	VIOM License for operation of 8 servers, Service Pack mandatory		x		x	x	x			U15000-C312	1.890,00	
	VIOM License f. operation of 18 servers,	VIOM License for operation of 18 servers, Service Pack mandatory		x		x	x	x			U15000-C313	3.795,00	
	FF4S V5.1A Media-Set	FlexFrame V5.1A media set			x	x					U21348-C5100	80,00	
	Red Hat EL HPC 1-2SOC Self-Support 1Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year		x	x	x					S26361-F2346-C851	57,00	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	S26361-F2565-E593	875,00	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	S26361-F2565-E595	875,00	
	Win Svr 2008 R2 SP1 Datactr 2CPU OEM	Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E331	2.966,00	
	PCM Fujitsu Basic per node 1Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 1 year.		x	x	x					S26361-F2346-C951	157,00	
	Win Srv 2008 R2 SP1 Enterpr w/10CAL OEM	Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E321	1.870,00	
	PCM Fujitsu Basic Services 1Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 1-Year.		x	x	x					S26361-F2346-S951	7,00	
	Win Srv 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and woldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E311	585,00	
	PCM Fujitsu Enterprise per node 1y	Platform Cluster Manager Fujitsu Enterprise Edition pro Knoten (Kopf- und Arbeitsknoten) 5x9 level3 Support 1 Jahr.		x	x	x					S26361-F2346-C961	466,00	
	Win SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E350	630,00	
	Win SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E351	630,00	
	Win SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E352	630,00	
	Win SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E353	630,00	
	Win SBS Standard 2011 w/5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E354	630,00	
	Win SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E355	630,00	
	Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E356	630,00	
	Win SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E357	630,00	
	Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E358	630,00	
	Win SBS Standard 2011 w/5CAL OEM HU	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E359	630,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E370	925,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E371	925,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E372	925,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E373	925,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License	x	x	x	x	x				S26361-F2567-E374	925,00	
	Identifier	FlexFrame Identifier, has to be ordered one time per FF configuration			x	x					D:FF4SAP-ID-V041	0,01	

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	PCM Fujitsu Enterprise Services 1y	Platform Cluster Maneger Fujitsu Enterprise Services entitlement per HPC configuration 1 year.		x	x	x					S26361-F2346-S961	7,00	
	Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.			x						S26361-F2567-E330	3.315,00	Phased out
	Win Srv 2008 R2 Enterprise 10CAL MUL OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.			x						S26361-F2567-E320	2.085,00	Phased out
	Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.			x						S26361-F2567-E310	655,00	Phased out
	Win Srv 2008 R2 Standard 5CAL PRC OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) Simplified Chinese. OEM DVD, License.	x	x	x	x	x	x	x		S26361-F2567-E318	530,00	
	Win Web Srv 2008 R2 MULI OEM	Win Web Srv 2008 R2 1-4 CPU EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x	x				S26361-F2567-E302	305,00	
	Red Hat EL HPC 1-2SOC Self-Support 3Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year		x	x	x					S26361-F2346-C852	170,00	
	Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.	x	x	x	x	x	x	x	x	S26361-F2567-E391	25,00	
	FF-CN-SW RTU	FlexFrame ControlNode Right to use			x	x					U21348-C101	5.451,65	
	PCM Fujitsu Basic per node 3Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 3 years.		x	x	x					S26361-F2346-C952	470,00	
	Win Srvs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.	x	x	x	x	x	x	x	x	S26361-F2567-E390	25,00	
	FF4S V5.0A Media-Set	FlexFrame V5.0A media set			x						U21348-C5000	80,00	
	PCM Fujitsu Basic Services 3Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 3 years.		x	x	x					S26361-F2346-S952	7,00	
	PCM Fujitsu Enterprise per node 3Y	Platform Cluster Manager Fujitsu Enterprise Edition per node (head and compute node) 5x9 level3 support 3 years.		x	x	x					S26361-F2346-C962	1.394,00	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x		x	S26361-F2565-E328	25,00	Phased out
	PCM Fujitsu Enterprise Services 3Y	, Platform Cluster Maneger Fujitsu Enterprise Services entitlement per HPC configuration 3 years.		x	x	x					S26361-F2346-S962	7,00	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x		x	S26361-F2565-E318	25,00	Phased out
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		x	x	x	x	x			S26361-F2567-E360	750,00	
	FF-CN back level support 1 year	1 year backlevel support (3rd level) for FlexFrame for SAP ControlCenter Management Software.			x	x					U21348-C101-W1	1.470,00	
	FF-Staging-Identifier	FlexFrame staging identifier. Has to be oredered one time per configuration for preinstall and test of the configuration in the factory			x	x					U21348-C105	0,01	
	Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		x	x	x	x	x			S26361-F2567-E361	375,00	
	Win HPC Pack 2008 R2 Express MUL OEM	Win HPC Pack 2008 R2 Express (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		x	x	x	x	x			S26361-F2567-E362	25,00	
	Win HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		x	x	x	x	x			S26361-F2567-E363	110,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC USA	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for USA. Ships per Request for Special Release only. Only for Qualified Educational Users in the U.S., only for shipments to U.S.A. OEM Recovery DVD Media Kit, COA, License.		x	x	x	x	x			S26361-F2567-E366	30,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC PRC	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for PRC. Ships per Request for Special Release only. Only for Qualified Educational Users in the PRC, only for shipments to PRC. OEM Recovery DVD Media Kit, COA, License.		x	x	x	x	x			S26361-F2567-E368	30,00	
	FF-CN back level support 3 years	3 year backlevel support (3rd level) for FlexFrame for SAP ControlCenter Management Software.			x	x					U21348-C101-W3	4.415,84	
	FF4S RBAC Package Small	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for up to 10 application nodes.			x	x					U21348-C108	1.099,00	

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	FF-CN RBAC S back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC small option.			x	x					U21348-C108-W1	272,00	
	FF-CN RBAC S back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC small option.			x	x					U21348-C108-W3	742,00	
	FF4S RBAC Package Medium	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for up to 50 application nodes.			x	x					U21348-C109	5.500,00	
	FF-CN RBAC M back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC medium option.			x	x					U21348-C109-W1	1.362,00	
	FF4S RBAC Package Large	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for more than 50 application nodes.			x	x					U21348-C110	11.000,00	
	FF-CN RBAC M back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC medium option.			x	x					U21348-C109-W3	3.713,00	
	FF-CN RBAC L back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC large option.			x	x					U21348-C110-W1	2.723,00	
	FF-CN RBAC L back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC large option.			x	x					U21348-C110-W3	7.425,00	
	FF-AN RTU for RX600 S5/S6	FF4SAP RTU							x		U21348-C231	10.520,00	
	FF RTU RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame ApplicationNode RTU for RX300 S5/S6, BX620 S5/S6 aund BX920 S1/S2.		x	x	x					U21348-C291	4.785,00	
	FF-AN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.			x						U21348-C291-W1	1.357,00	
	FF SAN RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2), which is connected via SAN to the database			x						U21348-C292	2.393,00	
	FF-AN Accounting RTU RX600	FF4SAP Accounting RTU							x		U21348-C233	5.260,00	
	FF-AN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.			x						U21348-C291-W3	3.876,00	
	FF Acnt RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node Accounting RTU for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2.		x	x	x					U21348-C293	2.393,00	
	FF-AN Messenger RTU RX600 and BX960	FF4SAP Messenger RTU							x		U21348-C234	5.260,00	
	FF-AN SAN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.			x						U21348-C292-W1	678,00	
	FF Msg RX300S5/S6, BX620S5, BX920S1/S2	FF4SAP Application Node Messenger Expert Right to use for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2		x	x	x					U21348-C294	2.393,00	
	FF-AN SAN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – SAN option.			x						U21348-C292-W3	1.938,00	
	FF VMware vSphere ESXi 5.0 Standard	FlexFrame VMware vSphere ESXi 5.0 Standard RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Standard licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)							x		U21348-C434	3.943,00	
	FF VMware vSphere ESXi 5.0 Standard	FlexFrame VMware vSphere ESXi 5.0 Standard RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Standard licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)		x	x	x					U21348-C494	1.892,00	
	FF-AN Acc back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.			x						U21348-C293-W1	678,00	
	FF VMware vSphere ESXi 5.0 Enterprise	FlexFrame VMware vSphere ESXi 5.0 Enterprise RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)							x		U21348-C435	8.068,00	

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	FF VMware vSphere ESXi 5.0 Enterprise	FlexFrame VMware vSphere ESXi 5.0 Enterprise RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)		x	x	x					U21348-C495	3.954,00	
	FF-AN Acc back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.			x						U21348-C293-W3	1.938,00	
	FF VMware vSphere ESXi 5.0 ENT PL	FlexFrame VMware vSphere ESXi 5.0 Enterprise Plus RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise Plus licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service packages (SnS)							x		U21348-C436	9.434,00	
	FF VMware vSphere ESXi 5.0 ENT PL	FlexFrame VMware vSphere ESXi 5.0 Enterprise Plus RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise Plus licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)		x	x	x					U21348-C496	4.637,00	
	FF-AN Mes back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.			x						U21348-C294-W1	678,00	
	FF-VMware Option	FlexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support contracts have to be ordered via the local Vmware contacts., These licenses can also be ordered, when the customer already has its own Vmware vSphere licenses and support		x	x	x					U21348-C490	800,00	
	FF-AN Mes back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.			x						U21348-C294-W3	1.938,00	
	FF-AN VMware back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.			x						U21348-C490-W1	132,00	
	SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year subscription.	x	x	x	x	x	x	x	x	S26361-F2346-E611	249,00	
	SUSE Linux ES 32SOC 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 3 years subscription.	x	x	x	x	x	x	x	x	S26361-F2346-E612	670,00	
	SUSE Linux E 11 HAE 32SOC 3Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 3 years subscription.	x	x	x	x	x	x	x	x	S26361-F2346-E622	1.350,00	
	SUSE Linux ES4SAP APPS 3Y	SUSE Linux Enterprise Server for SAP Applications per Server up to 32-CPU sockets 3 years subscription.	x						x	x	S26361-F2346-E662	2.958,00	
	FF-AN VMware back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.			x						U21348-C490-W3	360,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year	x	x	x	x	x	x			S26361-F2346-S101	331,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years	x	x	x	x	x	x			S26361-F2346-S102	889,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year	x	x	x	x	x	x			S26361-F2346-S103	497,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years	x	x	x	x	x	x			S26361-F2346-S104	1.334,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year	x	x	x	x	x	x			S26361-F2346-S105	830,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years	x	x	x	x	x	x			S26361-F2346-S106	2.224,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year	x	x	x	x	x	x			S26361-F2346-S111	538,00	

Rack Servers Options

Options matrix

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)													
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years	x	x	x	x	x	x			S26361-F2346-S112	1.445,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year	x	x	x	x	x	x			S26361-F2346-S113	808,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years	x	x	x	x	x	x			S26361-F2346-S114	2.169,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year	x	x	x	x	x	x			S26361-F2346-S115	1.347,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years	x	x	x	x	x	x			S26361-F2346-S116	3.615,00	
	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x			S26361-F2346-S121	220,00	
	Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x			S26361-F2346-S122	607,00	
	Red Hat EL RS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x			S26361-F2346-S131	441,00	
	Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x			S26361-F2346-S132	1.215,00	
	Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x			S26361-F2346-S141	110,00	
	Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x			S26361-F2346-S142	303,00	
	Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x			S26361-F2346-S151	110,00	
	Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x			S26361-F2346-S152	303,00	
	Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x			S26361-F2346-S161	110,00	
	Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x			S26361-F2346-S162	303,00	
	Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x			S26361-F2346-S171	138,00	
	Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x			S26361-F2346-S172	380,00	
	Red Hat ELS 4SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 1 year						x	x		S26361-F2346-S201	663,00	
	Red Hat ELS 4SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 3 years						x	x		S26361-F2346-S202	1.778,00	
	Red Hat ELS 4SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 1 year						x	x		S26361-F2346-S203	994,00	
	Red Hat ELS 4SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 3 years						x	x		S26361-F2346-S204	2.668,00	
	Red Hat ELS 4SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 1 year						x	x		S26361-F2346-S205	1.657,00	
	Red Hat ELS 4SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 3 years						x	x		S26361-F2346-S206	4.449,00	
	Red Hat ELS 8SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Standard Support 1 year								x	S26361-F2346-S301	1.325,00	
	Red Hat ELS 8SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Standard Support 3 years								x	S26361-F2346-S302	3.556,00	
	Red Hat ELS 8SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Standard Support 1 year								x	S26361-F2346-S303	1.988,00	
	Red Hat ELS 8SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Standard Support 3 years								x	S26361-F2346-S304	5.338,00	
	Red Hat ELS 8SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Standard Support 1 year								x	S26361-F2346-S305	3.315,00	
	Red Hat ELS 8SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Standard Support 3 years								x	S26361-F2346-S306	8.897,00	
	Red Hat ELS 4SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 1 year						x	x		S26361-F2346-S211	1.077,00	
	Red Hat ELS 4SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 3 years						x	x		S26361-F2346-S212	2.891,00	
	Red Hat ELS 4SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 1 year						x	x		S26361-F2346-S213	1.616,00	
	Red Hat ELS 4SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 3 years						x	x		S26361-F2346-S214	4.338,00	
	Red Hat ELS 4SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 1 year						x	x		S26361-F2346-S215	2.694,00	

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	Red Hat ELS 4SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 3 years						x	x		S26361-F2346-S216	7.231,00	
	Red Hat ELS 8SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Premium Support 1 year								x	S26361-F2346-S311	2.155,00	
	Red Hat ELS 8SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Premium Support 3 years								x	S26361-F2346-S312	5.782,00	
	Red Hat ELS 8SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Premium Support 1 year								x	S26361-F2346-S313	3.232,00	
	Red Hat ELS 8SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Premium Support 3 years								x	S26361-F2346-S314	8.675,00	
	Red Hat ELS 8SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Premium Support 1 year								x	S26361-F2346-S315	5.388,00	
	Red Hat ELS 8SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Premium Support 3 years								x	S26361-F2346-S316	14.461,00	
	Red Hat EL HA 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 1 year						x	x		S26361-F2346-S221	441,00	
	Red Hat EL HA 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 3 years						x	x		S26361-F2346-S222	1.214,00	
	Red Hat EL HA 8SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (8 sockets) I3 Support 1 year								x	S26361-F2346-S321	882,00	
	Red Hat EL HA 8SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (8 sockets) I3 Support 3 years								x	S26361-F2346-S322	2.427,00	
	Red Hat EL RS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 1 year							x		S26361-F2346-S231	883,00	
	Red Hat EL RS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 3 years							x		S26361-F2346-S232	2.430,00	
	Red Hat EL RS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (8 sockets) I3 Support 1 year						x		x	S26361-F2346-S331	1.767,00	
	Red Hat EL RS 8SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (8 sockets) I3 Support 3 years						x		x	S26361-F2346-S332	4.860,00	
	Red Hat EL SFS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (4 sockets) I3 Support 1 year						x	x		S26361-F2346-S241	220,00	
	Red Hat EL SFS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (4 sockets) I3 Support 3 years						x	x		S26361-F2346-S242	605,00	
	Red Hat EL SFS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (8 sockets) I3 Support 1 year								x	S26361-F2346-S341	440,00	
	Red Hat EL SFS 8SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (8 sockets) I3 Support 3 years								x	S26361-F2346-S342	1.211,00	
	Red Hat EL LB 4SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (4 sockets) I3 Support 1 year						x	x		S26361-F2346-S251	220,00	
	Red Hat EL LB 4SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (4 sockets) I3 Support 3 years						x	x		S26361-F2346-S252	605,00	
	Red Hat EL LB 8SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (8 sockets) I3 Support 1 year								x	S26361-F2346-S351	440,00	
	Red Hat EL LB 8SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (8 sockets) I3 Support 3 years								x	S26361-F2346-S352	1.211,00	
	Red Hat EL HPN 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 1 year						x	x		S26361-F2346-S261	220,00	
	Red Hat EL HPN 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 3 years						x	x		S26361-F2346-S262	605,00	
	Red Hat EL HPN 8SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (8 sockets) I3 Support 1 year								x	S26361-F2346-S361	440,00	
	Red Hat EL HPN 8SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (8 sockets) I3 Support 3 years								x	S26361-F2346-S362	1.211,00	
	Red Hat EL EUS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) I3 Support 1 year						x	x		S26361-F2346-S271	275,00	
	Red Hat EL EUS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) I3 Support 3 years						x	x		S26361-F2346-S272	757,00	
	Red Hat EL EUS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (8 sockets) I3 Support 1 year								x	S26361-F2346-S371	551,00	
	Red Hat EL EUS 8SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (8 sockets) I3 Support 3 years								x	S26361-F2346-S372	1.515,00	
	Citrix XS AE, 3yr SA	Citrix XS AE, 3yr SA; XenServer V5.6+ Advanced Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download		x	x	x	x	x	x		S26361-F2341-S980	1.050,00	
	Citrix XS EE, 3yr SA	Citrix XS EE, 3yr SA; XenServer V5.6+ Enterprise Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download		x	x	x	x	x	x		S26361-F2341-S981	2.630,00	
	Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download		x	x	x	x	x	x		S26361-F2341-S982	5.290,00	
	Citrix XS AE-EE upgr, 3yr SA	Citrix XS AE-EE upgr, 3yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 3 years Subscription Advantage; SW and Lizence key per Download		x	x	x	x	x	x	x	S26361-F2341-S983	2.000,00	

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	Citrix XS AE-PE upgr, 3yr SA	Citrix XS AE-PE upgr, 3yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizence key per Download		x	x	x	x	x	x		S26361-F2341-S984	4.880,00	
	Citrix XS EE-PE upgr, 3yr SA	Citrix XS EE-PE upgr, 3yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizence key per Download		x	x	x	x	x	x		S26361-F2341-S985	3.540,00	
	Citrix XS AE, 1yr SA	Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download		x	x	x	x	x	x		S26361-F2341-S986	830,00	
	Citrix XS EE, 1yr SA	Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download		x	x	x	x	x	x		S26361-F2341-S987	2.080,00	
	Citrix XS PE, 1yr SA	Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download		x	x	x	x	x	x		S26361-F2341-S988	4.170,00	
	Citrix XS AE-EE upgr, 1yr SA	Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and Lizence key per Download		x	x	x	x	x	x		S26361-F2341-S989	1.460,00	
	Citrix XS AE-PE upgr, 1yr SA	Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizence key per Download		x	x	x	x	x	x		S26361-F2341-S990	3.750,00	
	Citrix XS EE-PE upgr, 1yr SA	Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizence key per Download		x	x	x	x	x	x		S26361-F2341-S991	2.420,00	
	VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Single SRV Lic. (w/o SP)	x	x	x	x	x	x	x	x	S26361-F2341-E431	60,00	
	VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S700	10,00	
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4,vCenter 5,vShield,Backup-Restore , VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore - No License	x	x	x	x	x	x	x	x	S26361-F2341-E300	80,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E707	895,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E708	895,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E709	2.585,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E710	2.585,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E711	3.145,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E712	3.145,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E730	8.995,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E731	8.995,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E732	15.750,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E733	15.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E734	19.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E735	19.750,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S736	4.495,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S737	4.495,00	

Rack Servers Options

Options matrix

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)													
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S738	1.345,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S739	1.345,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E740	4.045,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-E741	4.045,00	
	VMware Essentials w/1yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 1 year VMware Sub. - no Support	x	x	x	x	x	x	x	x	S26361-F2341-S800	504,00	
	VMware Essentials w/3yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 3 year VMware Sub. - no Support	x	x	x	x	x	x	x	x	S26361-F2341-S801	600,00	
	VMware SRM STD 25 VM Pack w/7x24-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S802	4.969,00	
	VMware SRM STD 25 VM Pack w/7x24-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S803	6.510,00	
	VMware SRM STD 25 VM Pack w/5x9-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S804	4.810,00	
	VMware SRM STD 25 VM Pack w/5x9-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S805	6.104,00	
	VMware SRM ENT 25 VM Pack w/7x24-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S806	12.573,00	
	VMware SRM ENT 25 VM Pack w/7x24-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S807	16.483,00	
	VMware SRM ENT 25 VM Pack w/5x9-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S808	12.169,00	
	VMware SRM ENT 25 VM Pack w/5x9-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S809	15.454,00	
	VMware View ENT Start 10 CLI w/o SP-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S742	1.220,00	
	VMware View ENT Start 10 CLI w/o SP-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S743	1.220,00	
	VMware View ENT 100 CLI w/o SP-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S744	12.195,00	
	VMware View ENT 100 CLI w/o SP-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S745	12.195,00	
	VMware View ENT Add 10 CLI w/o SP-1yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S746	1.220,00	Phased out
	VMware View ENT Add 10 CLI w/o SP-3yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S747	1.220,00	Phased out
	VMware View ENT Add-On 10 CLI w/o SP-1yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S748	730,00	
	VMware View ENT Add-On 10 CLI w/o SP-3yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S749	730,00	
	VMware View PRE Start 10 CLI w/o SP-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S750	2.030,00	
	VMware View PRE Start 10 CLI w/o SP-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S751	2.030,00	
	VMware View PRE 100 CLI w/o SP-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S752	20.295,00	
	VMware View PRE 100 CLI w/o SP-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S753	20.295,00	
	VMware View PRE Add 10 CLI w/o SP-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S754	2.030,00	Phased out
	VMware View PRE Add 10 CLI w/o SP-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S755	2.030,00	Phased out
	VMware View PRE Add-On 10 CLI w/o SP-1yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S756	1.540,00	

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	VMware View PRE Add-On 10 CLI w/o SP-3yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	x	S26361-F2341-S757	1.540,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S810	3.992,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S811	5.299,00	
	VMware Chargeback 25 VM Pack w/7x24-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S812	1.275,00	
	VMware Chargeback 25 VM Pack w/7x24-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S813	1.694,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S814	3.865,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S815	4.963,00	
	VMware Chargeback 25 VM Pack w/5x9-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S816	1.234,00	
	VMware Chargeback 25 VM Pack w/5x9-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	x	S26361-F2341-S817	1.586,00	
	VMware vCloud Director 25 VM's	VMware vCloud Director 25 VM Pack Manage 25 VM's - for use in Dynamic Infrastructures		x							S26361-F2341-S820	5.227,00	Orderable from: 01/04/2012
	VMware vCenter Chargeback 25 VM's	VMware Chargeback 25 VM Pack Monitor 25 VM's - for use in Dynamic Infrastructures		x							S26361-F2341-S821	1.671,00	Orderable from: 01/04/2012
UPS/Power supply													
	Power Supply Module 800W gold hp	gold PS hp for redundancy			x						S26113-F555-E10	230,00	Phased out
	Power Supply Module 850W (w/o power cord	hot-plug Power Supply Module, 850W, 92% efficiency (CSCI gold), without power cord							x		S26113-F561-E20	295,00	
	Modular PSU 800W platinum hp new rev	800W modular Power Supply Module , hot plug, platinum (94% efficiency) new Revision						x			S26113-F574-E11	255,00	New product,Orderable from: 30/07/2012
	Power Supply Dummy			x		x	x	x			S26113-F574-E99	3,00	
	Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)								x	S26113-F608-E10	880,00	
	Fan upgrade kit hot-plug redundancy	consists of two additional fans for fan redundancy					x				S26361-F3667-E1	45,00	
	Modular PSU 800W platinum hp	800W modular Power Supply Module , hot plug, platinum (94% efficiency)		x		x	x				S26113-F574-E10	255,00	
	Modular PSU 450W platinum hp	450W modular Power Supply Module , hot plug, platinum (94% efficiency)	x	x		x	x				S26113-F575-E10	225,00	
	Cable powercord rack, 4m, grey	Powercord for rackmounting, IEC 320 C14 -> C13 (10A plug), 4m	x	x		x	x	x	x		T26139-Y1968-E100	10,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x	x	x		T26139-Y1742-E10	10,00	
	No powercord as order option	For Countries without specific cable orderable like e.g. China	x	x		x	x	x	x		T26139-Y3850-E10	2,00	
Miscellaneous													
	HANA Single Node Staging	HANA Infrastructure Staging Single Node based							x	x	D:HANA-STAGE-001	6.670,00	
	Fan upgrade kit 2nd CPU	Fan upgrade RX200S7 for 2nd CPU, incl. 2 fans		x							S26361-F1386-E120	45,00	
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order	x	x	x	x			x	x	S26361-F1647-E410	25,00	
	LocalView Option Kit S2	LCD display with adapter					x				S26361-F2557-E105	70,00	
	LocalView Option Kit S2	LCD display with installation kit			x	x	x				S26361-F2557-E106	70,00	
	Customer Self Service Module RX Server	Support for Customer Self Service (CSS), incl. mounting kit			x						S26361-F2557-E205	25,00	
	Service LAN Option	ntegriert in die vordere Bedieneinheit		x		x	x	x			S26361-F2571-E27	20,00	
	Opt. Front VGA + Service LAN	VGA and Service LAN connector, instead of Local Service Panel	x								S26361-F2571-E37	50,00	
	Serial port option	Cable for 2nd RS-232-C 9 pin interface		x							S26361-F3120-E3	40,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!	x	x	x	x	x	x	x	x	S26361-F3552-E1	50,00	
	T-HANDLES RX300S6				x						S26361-F4000-E1	20,00	Phased out
	ServerView Local Service Panel Kit	Support for Customer Self Service (CSS)	x								S26361-F2557-E204	30,00	
	No RMK	no Rackmount-Kit - only with loose server order without rack mounting ex factory	x	x	x	x	x	x	x	x	S26361-F2735-E111	5,00	
SW Data Center Products													
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	x	S26361-F2341-E913	1.040,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	x	S26361-F2341-E914	5.210,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	x	S26361-F2341-E915	10.420,00	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	x	S26361-F2341-E923	2.460,00	

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
SW Data Center Products (Continued)													
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	x	S26361-F2341-E924	12.290,00	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	x	S26361-F2341-E925	24.580,00	
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	x	S26361-F2341-E933	3.750,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	x	S26361-F2341-E934	18.750,00	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	x	S26361-F2341-E935	37.500,00	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	x	S26361-F2341-E960	2.170,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	x	S26361-F2341-E961	10.830,00	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	x	S26361-F2341-E962	21.670,00	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	x	S26361-F2341-E963	3.460,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	x	S26361-F2341-E964	17.290,00	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	x	S26361-F2341-E965	34.580,00	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	x	S26361-F2341-E966	2.210,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	x	S26361-F2341-E967	11.040,00	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	x	S26361-F2341-E968	22.080,00	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	x	S26361-F2341-S913	790,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	x	S26361-F2341-S914	3.960,00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	x	S26361-F2341-S915	7.920,00	
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	x	S26361-F2341-S923	1.880,00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	x	S26361-F2341-S924	9.380,00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	x	S26361-F2341-S925	18.750,00	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	x	S26361-F2341-S933	2.920,00	

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
SW Data Center Products (Continued)													
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	x	S26361-F2341-S934	14.580,00	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	x	S26361-F2341-S935	29.170,00	
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	x	S26361-F2341-S960	1.580,00	
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	x	S26361-F2341-S961	7.920,00	
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	x	S26361-F2341-S962	15.830,00	
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	x	S26361-F2341-S963	2.630,00	
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	x	S26361-F2341-S964	13.130,00	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	x	S26361-F2341-S965	26.250,00	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	x	S26361-F2341-S966	1.380,00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	x	S26361-F2341-S967	6.880,00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	x	S26361-F2341-S968	13.750,00	
	SVRCVEFCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows)	x		x		x	x	x	x	U11420-C906	100,00	
	SVRCVEMCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows)	x		x		x	x	x	x	U11420-C936	100,00	
	XTN-CD V32 (PS) MED CD	x10sure CD 3.2; (Binaries / Documents) 1 Medium, German & English Version	x		x		x	x		x	U11420-C775	50,00	
	XTN-B V32 (PS) RTU -1CN1AN	x10sure 3.2 - Base License (RtU for 1 Control Node + 1 Application Node; no support nor updates included)	x		x		x	x		x	U11420-C877	1.400,00	
	XTN-B V32 (PS) UgRTU -1CN1AN	x10sure 3.2 - Upgrade Base License (Upgrade RtU for 1 Control Node + 1 Application Node from x10sure 2.x or 3.0; for maintenance renewal only)	x		x		x	x		x	U11420-C773-U	1,00	
	XTN-N V32 (PS) RtU -1 Node	x10sure 3.2 RtU for 1 additional Application- or Spare Node; no support nor updates included	x		x		x	x		x	U11420-C878	1.100,00	
	XTN-N V32 (PS) UgRtU -1 Node	x10sure 3.2 - Upgrade License (Upgrade RtU for 1 additional Application or Spare Node from x10sure 2.x or 3.0; for maintenance renewal only)	x		x		x	x		x	U11420-C774-U	1,00	
	XTNIS-CD V31 (PS) MED CD	x10sure IS CD 3.1; (Binaries / Documents) 1 Medium, German & English Version			x		x	x			U11420-C776	50,00	
	XTNIS-B V31 (PS) RTU -1CN1AN	x10sure IS 3.1 - License (RtU for one x10sure IS (Internal Storage) configuration consisting of 2 servers with internal RAID-storage; no support nor updates included)			x		x	x			U11420-C879	2.500,00	
	SVRORVEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator VE Demo License (1 Server) V3	x	x	x	x	x	x	x	x	U11420-C954	0,01	
	SVRORCEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator CE Demo License (1 Server) V3	x	x	x	x	x	x	x	x	U11420-C955	0,01	
	SVRORDVD V30 (WIN/LIN/SOL) MED DVD	ServerView Resource Orchestrator Media Pack V2.3 for Windows&Linux&Solaris	x	x	x	x	x	x	x	x	U11420-C956	50,00	
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator CE Server License (1 Server) 4CPU Class V3	x	x	x	x	x	x	x		U11420-C960	1.530,00	
	SVRORCESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class V3	x	x	x	x	x	x	x		U11420-C961	11.383,00	
	SVRORCESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator CE Server License (18 Server) 4CPU Class V3	x	x	x	x	x	x	x		U11420-C963	25.659,00	
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 8C	ServerView Resource Orchestrator CE Server License (1 Server) 8CPU Class V3								x	U11420-C964	3.060,00	
	SVRORVESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator VE Server License (1 Server) 4CPU Class V3	x	x	x	x	x	x	x		U11420-C966	779,00	

Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix													
SW Data Center Products (Continued)													
	SVRORVESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator VE Server License (8 Server) 4CPU Class V3	x	x	x	x	x	x	x		U11420-C967	5.538,00	
	SVRORVESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator VE Server License (18 Server) 4CPU Class V3	x	x	x	x	x	x	x		U11420-C969	12.462,00	
	SVRORVESVR V3 (WIN/LIN) RTU 1SVR 8C	ServerView Resource Orchestrator VE Server License (1 Server) 8CPU Class V3								x	U11420-C970	1.988,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class Upgrade from ROR VE V3	x	x	x	x	x	x	x		U11420-C978	751,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 8CSVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class Upgrade from ROR VE V3	x	x	x	x	x	x	x		U11420-C979	5.845,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class Upgrade from ROR VE V3	x	x	x	x	x	x	x		U11420-C981	13.198,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 1SVR 8C	ServerView Resource Orchestrator CE Server License (1 Server) 8CPU Class Upgrade from ROR VE V3								x	U11420-C982	1.072,00	
Solution identifier													
	ID HANA APPLIANCE SINGLE NODE RX600	HANA Single Node V1.0 Solution Identifier RX600							x		FTS:HANA-ID-V101	0,01	
	ID HANA APPLIANCE MULTI NODE RX600	HANA Multi Node V1.0 Solution Identifier RX600							x		FTS:HANA-ID-V201	0,01	
	HPC Solution Identifier				x	x	x				FTS:HPC-ID-V001	30,00	
	HPC Head Node Inst. ex works incl ICR	Please note configuration hints			x	x	x				S26361-F3638-E1	1.195,00	
	HPC Compute Node Inst. ex works incl ICR	Please note configuration hints		x	x	x					S26361-F3638-E2	205,00	

Positioning PRIMERGY Blade Servers

PRIMERGY BX900 S1

The PRIMERGY BX900 S1 is a rack unit that has an installed height of 10U and accommodates 1 to 18 server blades and 1 to 6 storage blades. The energy-efficient Intel Nehalem Quad-Core processors are used in the server blades. Ethernet, Fibre Channel and Infiniband networks are accessed via 8 switch bays. Switches from Cisco, Brocade and Emulex can be used. With its transfer rate of 6.4 Gb/s, the midplane used is the fastest on the market. 100V and 200V power supplies are available. This hardware platform is ideal for server consolidation and virtualization in the datacenter.

PRIMERGY BX600 S3

The PRIMERGY Blade Ecosystem provide high performance and maximum redundancy with minimum rack space, power consumption and cabling effort. PRIMERGY BX600 S3 can be equiped with up to ten Intel or AMD server blades, and are excellently suited for consolidation projects and for front- and mid-tier applications requiring enterprise-class availability, extreme flexibility and power efficiency. Due to its versatile design the system is ideal suited for smaller and mid market companies.

PRIMERGY SX650

This storage blade for PRIMERGY BX600 offers an easy and cost effective opportunity for server consolidation.
Rack and tower servers with high capacity of local hard disks are operating primarily in the area of small and medium enterprises. Very often it is essential having local access on large amounts of data; this for example applies to the wide area of Computer Aided Engineering (CAE), where smaller workgroups locally have to work on and create very large models.
Operation within confined environments as file servers as well as for Microsoft SharePoint Servers and Microsoft SQL Servers are popular usage cases.

PRIMERGY SX940 S1

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades. A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.

PRIMERGY BladeFrame BF200

PRIMERGY BladeFrame BF400 S2

PRIMERGY BladeFrame is the platform to set up an application-independent and service-oriented IT infrastructure. The Processing Area Network (PAN) combines stateless servers (pBlades) with unique virtualization and management software, thus reducing the existing infrastructure complexity and providing a dynamic, high-availability system.
PRIMERGY BladeFrame uses the PAN architecture to manage a pool of computing, storage and network resources which can be dynamically allocated depending on business requirements. The PAN Manager is the central instance for configuring, managing and monitoring both the physical as well as virtual servers. With the PAN Manager a server is no longer a device with a defined configuration, operating system and application, but a software-based definition that can be dynamically assigned as needed. The PAN architecture thus expands the benefits of server virtualization and provides an integrated concept for high-availability (N+1 failover) and disaster recovery. The result is considerable savings in operational and total costs.

PRIMERGY BX400 S1

The Fujitsu PRIMERGY BX400 is a fully-featured blade system built from the ground up to be userfriendly and versatile, helping you meet large-scale computing and storage requirements. It provides an optimum combination of up to eight server or storage blades in a small enclosure, supported by a comprehensive set of solutions and services.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BX400 S1					
	PY BX400 S1 System Unit	6 U Systemunit without Server Blades, 1x MMB, 1xPSU without power cord, ServerView Suite, All emtpy slots closed with Blind-Blades, 1 Y-Cable to connect USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)	S26361-K1335-V201	3.235,00	
PROJECT BX400 S1					
	SAG BLADE alt. Enclosure BX400 S1 SU	6 U Systemunit without Server Blades, 1x MMB, 1xPSU without power cord, ServerView Suite, All emtpy slots closed with Blind-Blades, 1 Y-Cable to connect USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)	CZK:1335V201-BFS15	5.625,00	

PRIMERGY BX620 S4

PRIMERGY BX server blades represent the workhorses within the PRIMERGY BX600 blade server system. Server blades may also optionally be equipped with local hard disk drives and additional mezzanine cards as prerequisites for enhanced external connectivity. Based on those capabilities the PRIMERGY server blades enable customers to run various types of applications in either physical or virtualized environments. With their modular design for different requirements, the customer can create specific configurations to meet different usage scenarios.
The PRIMERGY BX620 S4 delivers optimal performance for enterprise environments with optimal memory and processor performance. This high-density server blade features low-voltage processors for better energy management. Up to ten dual socket server blades equipped with one to two Dual-Core CPUs of the Intel® Xeon® processor 5200 series with 6 MB shared second level cache or up to two Quad-Core CPUs of the Intel® Xeon® processor 5400 series with 2x 6 MB shared second level cache these server blades are designed for an optimal performance/watt ratio.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BLADE BX620 S6					
	PY BX620 S6 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for internal HDD`s, graphics controller is part of iRMC S2 management controller.	S26361-K1355-V200	1.105,00	

PRIMERGY BX620 S5

The PRIMERGY BX620 S5 provides optimal functions for enterprise environments and offers improved features as regards main memory and processors. Up to ten of the dual socket server blades can be installed in a PRIMERGY BX600 S3 system unit. The BX620 S5 systems offer an efficient Cool-safe™ design with the latest generation of Dual- and Quad-Core Intel® Xeon® processor 5500 series CPUs as low-voltage, standard and high-performance versions so as to minimize power consumption and reduce cooling requirements in data centers. Due to the support of a high storage capacity with 12 DIMM slots, main memory of up to 96GB and memory speed of 1,333 MHz the BX620 S5 is ideally suited for front and mid-tier applications that require high availability, flexibility and performance efficiency.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BLADE BX620 S6					
	PY BX620 S6 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for internal HDD`s, graphics controller is part of iRMC S2 management controller.	S26361-K1355-V200	1.105,00	

PRIMERGY BX92x S2

The PRIMERGY BX Blade Servers are the ideal choice for data center solutions of today and tomorrow. Our blade servers provide maximum performance and maximum redundancy, but with only minimum space requirements, low power consumption and a reduction in the time and effort required for cabling. The PRIMERGY BX system family is designed to share components between chassis in order to react quickly and easily to changing business requirements. Storage and server blades can be added without any extra effort, as would be needed when cabling or adding management software.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BX960 S1					
	PY BX960 S1 Quad Server Blade	Quad Server Blade, base unit without processor and memory, max 4x CPU, max. 32 DIMM, w/o SSD, for PRIMERGY BX900 S1 (max. 9 server blades)	S26361-K1293-V200	3.685,00	Phased out

PRIMERGY BX960 S1

The PRIMERGY BX960 S1 server blade enables the use of the next generation Intel® Xeon® processors with up to 8 cores à two threads. In conjunction with the QuickPath architecture and the on-chip memory controllers, these processors enable a greatly increased Server Blade performance in contrast to the predecessor generations.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BX960 S1					
	PY BX960 S1 Quad Server Blade	Quad Server Blade, base unit without processor and memory, max 4x CPU, max. 32 DIMM, w/o SSD, for PRIMERGY BX900 S1 (max. 9 server blades)	S26361-K1293-V200	3.685,00	Phased out

PRIMERGY SX910 S1

The PRIMERGY SX910 S1 Storage Blade Tape module can be used to archive and backup local data in the PRIMERGY BX400 and 900 system units. The SX910 S1 Storage Blade Tape can be equipped with one LTO tape drive. It requires a blade slot in the PRIMERGY blade enclosure. The built-in tape drive is operated via an integrated SAS Controller. It can be connected to a BX9xx Server Blade which is located directly left to it.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX910 S1					
	PY SX910 S1 Storage Blade Tape	1 x tape drive, max 1x SAS Controller, 5,25-inch half-height tape drive	S26361-K1290-V200	1.325,00	

PRIMERGY SX940 S1

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades.
A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BBU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX940 S1					
	PY SX940 S1 Storage Blade Disk	max 4x SAS HDD, max 2x SAS Controller	S26361-K1292-V200	945,00	

PRIMERGY SX960 S1

The Fujitsu PRIMERGY SX960 Storage Blade offers direct-attached storage for the PRIMERGY BX Blade Server with support of up to 10 hot-plug SAS or SATA hard disks. The storage blade can be inserted, like a server blade, in the front of the blade server housing. It can be hot-plugged and used with various types of server blades. The BX Blade Servers' midplanes offer PCI Express connections to the adjacent server blades, enabling top-quality memory access without using additional cables. The PRIMERGY SX960 Storage Blade has an onboard LSI MegaRAID controller with 512 MB Write Back Cache and optional Battery Backup Unit, for top performance and data security.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX960 S1					
	PY SX960 S1 Storage Blade Disk	max. 10x SAS/SATA HDD/SSD, max. 1x SAS Mega RAID Controller, The SX960S1 can be installed max. 2x in BX400/900	S26361-K1382-V202	1.625,00	

PRIMERGY SX980 S1

The Fujitsu PRIMERGY SX980 Storage Blade Disk is a SAS 2.0 storage solution that helps customers easily transition from direct attached to centralized storage. This storage blade is connected via midplane to a SAS Connection Blade (CB), holds up to 10 hot-plug SAS hard disks or SAS SSDs, and may be made accessible by any PRIMERGY BX Server Blade installed in the same enclosure. With currently available HDDs, the internal storage capacity may be extended to up to 27 TB (3x SX980) in PRIMERGY BX400 systems, and to up to 54 TB (6x SX980) in the PRIMERGY BX900 chassis. The storage blade can be inserted, like a server blade, in the front of the lade server housing. It is hot-pluggable and shares the power and cooling infrastructure.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX960 S1					
	PY SX960 S1 Storage Blade Disk	max. 10x SAS/SATA HDD/SSD, max. 1x SAS Mega RAID Controller, The SX960S1 can be installed max. 2x in BX400/900	S26361-K1382-V202	1.625,00	

Blade Servers Accessories

| Category | Description | Details | FC Switch Port Blade BRCD Serv | Fibre CAT 6Gb | Fibre CAT 6Gb S4 | Fibre CAT SW40 | Fibre CAT SW60 | Fibre CAT SW80 | Fibre CAT SW88 | PRIMERGY BLADE BX300 | PRIMERGY BLADE BX620 | PRIMERGY BLADE BX620 S2 | PRIMERGY BLADE BX620 S3 | PRIMERGY BLADE BX620 S4 | PRIMERGY BLADE BX620 S4Blade | PRIMERGY BLADE BX630 S5 | PRIMERGY BLADE BX630 S6 | PRIMERGY BLADE BX630 8-way | PRIMERGY BLADE BX630 Dual DP | PRIMERGY BLADE BX630 Dual MP | PRIMERGY BLADE BX630 Quad | PRIMERGY BLADE BX630 S2 Dual | PRIMERGY BLADE BX630 S2 Quad | PRIMERGY BLADE BX660 | PRIMERGY BLADE N1k/8K | PRIMERGY BladeFrame BF Upgrade | PRIMERGY BladeFrame BF200 | PRIMERGY BladeFrame BF400 | PRIMERGY BladeFrame BF400 S2 | PRIMERGY BX300 | PRIMERGY BX400 S1 | PRIMERGY BX600 | PRIMERGY BX600 S2 | PRIMERGY BX600 S3 | PRIMERGY BX900 S1 | PRIMERGY BX900 S2 | PRIMERGY BX920 S1 | PRIMERGY BX920 S2 | PRIMERGY BX920 S3 | PRIMERGY BX922 S2 | PRIMERGY BX924 S2 | PRIMERGY BX924 S3 | PRIMERGY BX960 S1 | PRIMERGY BX960 S2 | PRIMERGY Connection Blades | PRIMERGY pRLADE BFe20 | PRIMERGY pRLADE BFe40 | PRIMERGY pRLADE BFE20 | PRIMERGY pRLADE BFe40 | PRIMERGY SK10 S1 | PRIMERGY SK20 | PRIMERGY SK30 | PRIMERGY SK910 S1 | PRIMERGY SK940 S1 | PRIMERGY SK960 S1 | Product Code | EUP (€) | Comments |
|---|---|---

Blade Servers Accessories

Category	Description	Details	FC-Switch Port Blade BX/CD Serv	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX40	FibreCAT SX60	FibreCAT SX80	FibreCAT SX88	PRIMERGY BLADE BX900	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BLADE GX660	PRIMERGY BladeFrame BF10 Upgrade	PRIMERGY BladeFrame BF2000	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX200	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY Connection Blades	PRIMERGY pRL-ADE BF420	PRIMERGY pRL-ADE BF40	PRIMERGY pRL-ADE BF40	PRIMERGY pRL-ADE BF540	PRIMERGY SX10 S1	PRIMERGY SX30	PRIMERGY SX30 S1	PRIMERGY SX960 S1	PRIMERGY SX960 S2	Product Code	EUP (€)	Comments
Accessories & services matrix																																																						
Processor (Continued)																																																					
	Intel Xeon E5-2450 8C/16T 2.10 GHz 20 MB	Intel Xeon processor E5-2450 (8C/16T, 2.10 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink																																																				
	Intel Xeon E5-2470 8C/16T 2.30 GHz 20 MB	Intel Xeon processor E5-2470 (8C/16T, 2.30 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink																																																			
	Intel Xeon E5-2450L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2450L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink																																																			
	Intel Xeon E5-2430L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2430L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink																																																			
Memory																																																					
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC												x	x																																							S26361-F3230-L524	570,00	Phased out
	16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																																																		S26361-F4523-L642	340,00	
	32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																																																		S26361-F4523-L643	540,00	
	64GB 4x16 DDR3 LV 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM																																																		S26361-F4523-L645	1.220,00	
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg d	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																																		S26361-F4003-L643	320,00	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																																		S26361-F4003-L642	340,00	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3, registered, ECC. 1333 MHz. PC3-10600. DIMM																																																		S26361-F4003-L644	825,00	Phased out
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																																		S26361-F4003-L645	540,00	
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3, registered, ECC. 1066 MHz. PC3-8500. DIMM																																																		S26361-F4003-L646	1.220,00	
Removable Media Drives																																																					
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM,slimline 0.5" fitting height, black																																																		S26361-F3269-L2	90,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height																																																		S26361-F3641-L2	165,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern., USB 2.0 Connector: USB "B" with USB cable , 1,6" fitting height, black bezel, with description (GUS)																																																			S26361-F3857-L4	160,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with USB cables for Econel, TX150, TX200 and TX300, with description (GUS) and cleaning cartridge																																																			S26361-F3324-L4	500,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge																																																			S26361-F3325-L4	685,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge																																																			S26361-F3561-L4	1.395,00	
	Tape Kit LTO44HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge																																																			S26361-F3626-L2	2.030,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge																																																			S26361-F3627-L1	2.980,00	
SCSI/RAID/SAS controller																																																					
	SCSI Ctrl U160 1-ch intext lp	Adaptec 29160LP, 1x U160 SCSI		x									x	x																																							S26361-F2737-L201	295,00	Phased out
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for LSI SAS1078 and LSI SAS2108 incl. cable 16cm, 55cm, 70cm																																																		S26361-F3257-L110	165,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports																																																			S26361-F3257-L4	110,00	
	SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile			x																																															S26361-F3270-L201	195,00	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R			x																																															S26361-F3271-L1	210,00	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile			x											x	x																																			S26361-F3271-L201	210,00	Phased out
	SAS Ctrl 6G 8ext PCIe FH/LP	SAS Controller 6GB/s 8 port, based on chip LSI SAS2008														x																																				S26361-F3628-L501	260,00	
	RAID Ctrl SAS 8Port ext Onboard BBU L2	optional BBU for LSI MegaRAID SAS8880E												x	x	x																																				S26361-F3890-L12	175,00	
	RAID Ctrl SAS 8Port 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, without iBBU												x	x																																				S26361-F3890-L501	740,00	Phased out
	PY FBU Module	FBU Uporade for LSI SAS2208																																																		S26361-F4531-L10	125,00	
	PY SAS RAID HDD Module w/o cache	SAS RAID HDD Module based on LSI MegaRAID SAS2208, PCIe 3.0 x8, SAS 2.0,without Cache																																																		S26361-F4531-L100	430,00	
	PY RAID HDD Module Connection Kit	SAS HDD backplane for BX920S3 to connect to SAS RAID HDD Module. Thereby RAID 0,1 functionality can be realized on BX920S3.																																																		S26361-F4531-L50	30,00	
	PY SAS RAID HDD Module	SAS RAID HDD Module based on LSI MegaRAID SAS2208, PCIe 3.0 x8, SAS 2.0, 512MB Cache																																																		S26361-F4531-L512	650,00	
	RAID Ctrl SAS 6G 8Port ex 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID based on Controller SAS2108, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU														x																																			S26361-F3593-L501	590,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports																																																		S26361-F3554-L8	165,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal port																																																		S26361-F3554-L512	385,00	
	SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS,																																																		S26361-F3674-L1	95,00	
SATA/SAS controller																																																					
	SAS/PCIe Storage Module	SAS Controller, PCIe slot for lp cards incl. mounting kit, RAID1support for 2 SAS hard disks													x		x																																				S26361-F3207-L41	345,00	Phased out
	SAS/PCIe Storage Modul for BX620 S6	SAS Controller, PCIe slot for lp cards incl. mounting kit, RAID1support for 2 SAS hard disks															x																																				S26361-F3207-L42	325,00	
	SAS/RAID Storage Module 4M	SAS/RAID Controller, iTBBU/256MB Cache incl. mounting kit, RAID1support for 2 SAS hard disks													x		x	x																																				S26361-F3207-L51	885,00	
Fibre Channel																																																					
	PY BX600 FC Mezz Card 4GB 2Port (FC42E)	FC module 2x4GBit/s BX600-FC42E, exclusively in combination with the Fibre Channel Switches PY BX600 4/4GB FC Switch 12Port (SW4016-D4) or PY BX600 4/4GB FC Switch 16Port (SW4016-D4)													x		x	x					x	x		x																											S26361-F3306-L601	660,00	
	PY BX600 Eth Mezz Card 1GB 2Port (PCIe)	Broadcom Ethernet LAN, 1GBit/s, PCIe, 2-channel													x		x	x					x	x		x																											S26361-F3451-L1	320,00	
	FC Ctrl 2x4GBit/s QLE2462 MMF LC LP	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, low profile, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.													x		x																																			S26361-F3483-L202	1.895,00	Phased out
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber													x		x																																			S26361-F3961-L202	1.370,00	
	FC Ctrl 4GBit/s LPe1150 MMF LC LP	LPe1150 , 4GBit/s, 1-channel FC controller, PCIe x4, low profile, MMF LC inteface		x	x										x																																						S26361-F3306-L201	1.170,00	Phased out
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, low profile, MMF LC interface		x	x										x		x																																					S26361-F3306-L202	1.795,00	Phased out
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LCLP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber															x																																			S26361-F3631-L202	1.500,00	
Communication/Network																																																					
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu lp	Intel Pro 1000GT Dual Port Server Adapter, low profile PCI			x									x	x																																						S26361-F3227-L202	225,00	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter		x	x									x	x		x																																				S26361-F3228-L201	175,00	Phased out
	Eth Ctrl 1x1GBit PCIe Pro/1000PT LC lp	Intel® Pro 1000PF 1 Port Server Adapter		x	x									x	x																																						S26361-F3242-L201	240,00	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket												x	x																																						S26361-F3462-L1	490,00	Phased out
	Eth Ctrl 4x1GBit PCIex4 PRO/1000PT Cu lp	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket			x									x	x																																						S26361-F3462-L201	490,00	Phased out
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel® Pro 1000PT 1 Port Server Adapter		x	x									x	x																																						S26361-F3241-L201	110,00	Phased out
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit															x																																					S26361-F3610-L502	155,00	
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables															x																																					S26361-F3555-L501	810,00	Phased out
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable															x																																					S26361-F3592-L202	1.180,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE OCe10102	SFP+ module only for use in FCoE Ctrl OCe10102															x																																					S26361-F3592-L108	400,00	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter		x						x	x								x	x	x																																	S26361-F3011-L1	225,00	Phased out
Rack infrastructure																																																					
	RMK-F1_1-2U Server	telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw;, Rack installation depth (19" pillar distance) between 714mm and 785mm			x																																																S26361-F2735-L101	70,00	Phased out
	Adapter angle PC/DC-Rack, till 150Kg	Adapter angle for PRIMECENTER and DC rack, 2U up to 150kg																														x																				S26361-F2735-L15	25,00	
	Adapter angle PC-Rack, 10U till 200Kg	Adapter angle PC/DC-Rack, 10U till 200Kg																															x	x																S26361-F2735-L41	55,00	
	Server Blade Dummy BX92x	Dummy CPU Blade for BX92x Server Blade																														x		x	x																S26361-F3025-L2	35,00	
	Connection Blade Dummy BX400/BX900	Dummy CPU Blade for BX92x Server Blade																														x		x	x																S26361-F3025-L3	35,00	
	Management Blade Dummy BX400/BX900	Dummy CPU Blade for BX92x Server Blade																														x		x	x																S26361-F3025-L4	35,00	
	Cable mgmt. lateral for asym. PC racks	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER racks			x																																																	S26361-F2735-L7	30,00	
	cable arm 2U PCR M1 S and 3rd partyracks	Cable arm 2U to be mounted at right or left rack pillar behind servers higher oder equal 2U. Released for symmetrical PRIMECENTER M1 or 3rd party racks.			x																												x		x	x	x														S26361-F2201-L20	50,00	
PRIMERGY-Software																																																					
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection		x																		x	x																														S26361-F1790-L240	300,00	

Blade Servers Accessories

Category	Description	Details	FC-Switch Port Blade BiDi3 Serv	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX40	FibreCAT SX60	FibreCAT SX80	FibreCAT SX88	PRIMERGY BLADE BX900	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 eBlade	PRIMERGY BLADE BX630 S1	PRIMERGY BLADE BX630 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF10 Upgrade	PRIMERGY BladeFrame BF2000	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S1	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY Connection Blades	PRIMERGY pRL-ADE BFe20	PRIMERGY pRL-ADE BFe40	PRIMERGY pRL-ADE BF20	PRIMERGY pRL-ADE BF40	PRIMERGY SX10 S1	PRIMERGY SX20	PRIMERGY SX30	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																						
PRIMERGY-Software (Continued)																																																						
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection			x																																																S26361-F1790-L241	300,00	
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual													x		x	x					x	x														x		x			x												S26361-F2565-L340	25,00	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual													x		x	x					x	x														x		x			x												S26361-F2565-L341	107,00	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual													x		x	x					x	x														x		x			x												S26361-F2565-L342	25,00	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual													x		x	x					x	x														x		x			x												S26361-F2565-L343	107,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., Englsh. ROK DVD, License.													x		x	x					x	x														x	x	x	x	x	x	x	x									S26361-F2567-L20	380,00	
	MS SysCtr Essntls 2010 ROK	MS System Center Essentials 2010. English. ROK DVD, License.													x		x	x					x	x														x	x	x	x	x	x	x	x									S26361-F2567-L30	115,00	
	MS SysCtr Essntls 2010 Server ML 1-OSE	MS System Center Essentials 2010 Managed Server License 1 OSE Pack., OSE = Operating System Environment													x		x	x					x	x														x	x	x	x	x	x	x	x									S26361-F2567-L31	90,00	
	MS SysCtr Essntls 2010 Server ML 5-OSE	MS System Center Essentials 2010 Managed Server License 5 OSE Pack., OSE = Operating System Environment													x		x	x					x	x														x	x	x	x	x	x	x	x									S26361-F2567-L32	430,00	
	MS SysCtr Essntls 2010 Client ML 5-Pack	MS System Center Essentials 2010 Managed Client License 5 Pack.													x		x	x					x	x														x	x	x	x	x	x	x	x									S26361-F2567-L33	75,00	
	Win Svr 2008 R2 SP1 Datactr 4CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.																																																		S26361-F2567-L333	5.932,00	
	MS SysCtr Essntls 2010 Client ML 20-Pack	MS System Center Essentials 2010 Managed Client License 20 Pack.													x		x	x					x	x														x	x	x	x	x	x	x	x									S26361-F2567-L34	295,00	
	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device. License.													x		x	x					x	x														x		x			x												S26361-F2567-L340	85,00	
	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.													x		x	x					x	x														x		x			x												S26361-F2567-L341	385,00	
	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.													x		x	x					x	x														x		x			x												S26361-F2567-L342	85,00	
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License für 5 users. License.													x		x	x					x	x														x		x			x												S26361-F2567-L343	385,00	
	Win HPC Srv 2008 R2 Suite ROK	Only for Fujitsu Distributors. Win HPC Srv 2008 R2 Suite (1-4 CPU) ROK EN, JA, XT. ROK Recovery DVD Media Kit, COA, License																																					x	x	x	x											S26361-F2567-L360	750,00	
	ServerView Deployment Mgr 6 Single Lic.	Single license for operation of one client server (managed node) - no software!													x		x	x					x	x														x	x	x	x	x		x								x	x	U15000-C302	140,00	
	ServerView Depl. Mgr. 6 Single Upgrade	for upgrades of one 5.x single license to version 6.x - no software!													x		x	x					x	x														x	x	x	x	x		x								x	x	U15000-C303	70,00	
	FF4O-RE-AN Mono Server 2-Core	FF4O RE ApplicationNode RTU for server with one 2-core CPU													x		x	x																																				U26004-C401	2.000,00	
	FF4O-RE-AN Mono Server 4-Core	FF4O RE ApplicationNode RTU for server with one 4-core CPU													x		x	x																																				U26004-C402	4.000,00	
	FF4O-RE-AN Dual Server 2-Core	FF4O RE ApplicationNode RTU for server with two 2-core CPU													x		x	x																																				U26004-C403	4.000,00	
	FF4O-RE-AN Dual Server 4-Core	FF4O RE ApplicationNode RTU for Server with two 4-core CPU													x		x	x																																				U26004-C404	7.000,00	
	FF4O-RE Spare Mono Server 2-Core	FF4O RE RTU for spare server with one 2-core CPU													x		x	x																																				U26004-C405	1.000,00	
	FF4O-RE Spare Mono Server 4-Core	FF4O RE RTU for spare server with one 4-core CPU													x		x	x																																				U26004-C406	2.000,00	
	FF4O-RE Spare Dual Server 2-Core	FF4O RE RTU for spare server with two 2-core CPU													x		x	x																																				U26004-C407	2.000,00	
	FF4O-RE Spare Dual Server 4-Core	FF4O RE RTU for spare server with two 4-core CPU													x		x	x																																				U26004-C408	3.500,00	
	PRIMERGY MultiPath MPIO Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.													x		x	x					x	x														x	x	x	x	x	x	x	x									S26361-F2565-L592	440,00	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.													x		x	x					x	x														x	x	x	x	x	x	x	x									S26361-F2565-L593	875,00	
	PRIMERGY MultiPath Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath. CD-ROM and License.													x		x	x					x	x														x	x	x	x	x	x	x	x									S26361-F2565-L594	440,00	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.													x		x	x					x	x														x	x	x	x	x	x	x	x									S26361-F2565-L595	875,00	
	Win Svr 2008 R2 SP1 Datactr 2CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.																x																																				S26361-F2567-L331	2.966,00	
	Win Srv 2008 R2 SP1 Enterpr w/10CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.																x																																				S26361-F2567-L321	2.509,00	
	Win Srv 2008 R2 SP1 Standard w/5CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.																x																																				S26361-F2567-L311	771,00	
	Win SBS Standard 2011 w/5CAL ROK EN	Windows Small Business Server Standard 2011 with 5 CAL, ROK, English, DVD Media set, COA, License																																																				S26361-F2567-L350	630,00	
	Win SBS Standard 2011 w/5CAL ROK DE	Windows Small Business Server Standard 2011 with 5 CAL, ROK, German, DVD Media set, COA, License																																																				S26361-F2567-L351	630,00	
	Win SBS Standard 2011 w/5CAL ROK IT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Italian, DVD Media set, COA, License																																																				S26361-F2567-L352	849,00	
	Win SBS Standard 2011 w/5CAL ROK FR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, French, DVD Media set, COA, License																																																				S26361-F2567-L353	630,00	
	Win SBS Standard 2011 w/5CAL ROK ES	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Spanish, DVD Media set, COA, License																																																				S26361-F2567-L354	630,00	
	Win SBS Standard 2011 w/5CAL ROK CS	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Czech, DVD Media set, COA, License																																																				S26361-F2567-L355	630,00	
	Win SBS Standard 2011 w/5CAL ROK PT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Portuguese, DVD Media set, COA, License																																																				S26361-F2567-L356	630,00	
	Win SBS Standard 2011 w/5CAL ROK NL	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Dutch, DVD Media set, COA, License																																																					S26361-F2567-L357	630,00	
	Win SBS Standard 2011 w/5CAL ROK TR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Turkish, DVD Media set, COA, License																																																					S26361-F2567-L358	630,00	
	Win SBS Standard 2011 w/5CAL ROK HU	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Hungarian, DVD Media set, COA, License																																																					S26361-F2567-L359	630,00	
	Win SBS 2011 Prem Add-On w/5CAL ROK EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, English, DVD Media set, COA, License																																																					S26361-F2567-L370	925,00	
	Win SBS 2011 Prem Add-On w/5CAL ROK DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, German, DVD Media set, COA, License																																																					S26361-F2567-L371	925,00	
	Win SBS 2011 Prem Add-On w/5CAL ROK IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Italian, DVD Media set, COA, License																																																						S26361-F2567-L372	925,00	
	Win SBS 2011 Prem Add-On w/5CAL ROK FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, French, DVD Media set, COA, License																																																					S26361-F2567-L373	925,00	
	Win SBS 2011 Prem Add-On w/5CAL ROK ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Spanish, DVD Media set, COA, License																																																					S26361-F2567-L374	925,00	
	Win SBS 2011 CAL Suite (1 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 Device); multi-language CAL;																																																					S26361-F2567-L380	46,00	
	Win SBS 2011 CAL Suite (1 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 User); multi-language CAL;																																																					S26361-F2567-L381	46,00	
	Win SBS 2011 CAL Suite (5 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Devices); multi-language CAL;																																																					S26361-F2567-L382	210,00	
	Win SBS 2011 CAL Suite (5 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Users); multi-language CAL;																																																					S26361-F2567-L383	210,00	
	Win SBS 2011 Prem Add-on CAL (1 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 Device); multi-language CAL;																																																						S26361-F2567-L384	56,00	
	Win SBS 2011 Prem Add-on CAL (1 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 User); multi-language CAL;																																																							S26361-F2567-L385	56,00	
	Win SBS 2011 Prem Add-on CAL (5 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Devices); multi-language CAL;																																																							S26361-F2567-L386	265,00	
	Win SBS 2011 Prem Add-on CAL (5 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Users); multi-language CAL;																																																								S26361-F2567-L387	265,00	
	Win Srv 2008 R2 Datacenter 2CPU MUL ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.															x	x																																						S26361-F2567-L330	3.315,00	Phased out
	Win Srv 2008 R2 Enterprise 10CAL MUL ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.															x	x																																						S26361-F2567-L320	2.085,00	Phased out
	Win Srv 2008 R2 Standard 5CAL MULI ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.															x	x																																						S26361-F2567-L310	655,00	Phased out
	Win Srv 2008 R2 Standard 5CAL PRC ROK	Only for Fujitsu distributors for distribution in People's Republic of China. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) Simplified Chinese. ROK DVD, License.																x																																						S26361-F2567-L318	530,00	
	Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.																x																																						S26361-F2567-L391	25,00	

Blade Servers Accessories

| Category | Description | Details | FC-Switch Port Blade BiDi3 Serv | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX80 | FibreCAT SX88 | PRIMERGY BLADE BX900 | PRIMERGY BLADE BX620 | PRIMERGY BLADE BX620 S2 | PRIMERGY BLADE BX620 S3 | PRIMERGY BLADE BX620 S4 | PRIMERGY BLADE BX620 S4 eBlade | PRIMERGY BLADE BX630 S5 | PRIMERGY BLADE BX630 S6 | PRIMERGY BLADE BX630 8-way | PRIMERGY BLADE BX630 Dual DP | PRIMERGY BLADE BX630 Dual MP | PRIMERGY BLADE BX630 Quad | PRIMERGY BLADE BX630 S2 Dual | PRIMERGY BLADE BX630 S2 Quad | PRIMERGY BLADE BX660 | PRIMERGY BladeFrame BF10 Upgrade | PRIMERGY BladeFrame BF2000 | PRIMERGY BladeFrame BF400 | PRIMERGY BladeFrame BF400 S2 | PRIMERGY BX300 | PRIMERGY BX400 S1 | PRIMERGY BX600 | PRIMERGY BX600 S2 | PRIMERGY BX600 S3 | PRIMERGY BX900 S1 | PRIMERGY BX900 S2 | PRIMERGY BX900 S1 | PRIMERGY BX920 S2 | PRIMERGY BX920 S3 | PRIMERGY BX922 S2 | PRIMERGY BX924 S2 | PRIMERGY BX924 S3 | PRIMERGY BX960 S1 | PRIMERGY BX960 S2 | PRIMERGY Connection Blades | PRIMERGY pBLADE BFa20 | PRIMERGY pBLADE BFa40 | PRIMERGY pBLADE BF20 | PRIMERGY pBLADE BF40 | PRIMERGY SX10 S1 | PRIMERGY SX10 | PRIMERGY SX30 | PRIMERGY SX10 S1 | PRIMERGY SX940 S1 | PRIMERGY SX960 S1 | Product Code | EUP (€) | Comments |
|---|---|---

Blade Servers Accessories

Category	Description	Details	FC-Switch Port Blade BHCD Serv	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX60	FibreCAT SX80	FibreCAT SX88	PRIMERGY BLADE BX900	PRIMERGY BLADE BX920	PRIMERGY BLADE BX920 S2	PRIMERGY BLADE BX920 S3	PRIMERGY BLADE BX920 S4	PRIMERGY BLADE BX920 S4 cBlade	PRIMERGY BLADE BX920 S5	PRIMERGY BLADE BX920 S6	PRIMERGY BLADE BX920 8-way	PRIMERGY BLADE BX920 Dual DP	PRIMERGY BLADE BX920 Dual MP	PRIMERGY BLADE BX920 Quad	PRIMERGY BLADE BX920 S2 Dual	PRIMERGY BLADE BX920 S2 Quad	PRIMERGY BLADE BX960	PRIMERGY BladeFrame BF10/gla de	PRIMERGY BladeFrame BF2000	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX400	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S1	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY Connection Blades	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	PRIMERGY SX10 S1	PRIMERGY SX10	PRIMERGY SX30	PRIMERGY SX960 S1	PRIMERGY SX965 S1	PRIMERGY SX965 S2	Product Code	EUP (€)	Comments
Accessories & services matrix																																																				
OS/Application-SW (Continued)																																																						
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x				x		x	x						x		x		x																	x	x	x	x						U15355-C720	395,00	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x				x		x							x		x		x																	x	x	x	x						U15355-C723	250,00	
	ManageNow!l for NSM Base																																																			U24533-C405	20.000,00	
	ManageNow!l for NSM Remote Manager																																																			U24533-C406	12.500,00	
	ManageNow!l for NSM Portal																																																		U24533-C407	9.000,00	
	ManageNow!l for NSM AgilesMont HostPrecMR																																																		U24533-C425	9.000,00	
	ManageNow!l for NSM CA Agent Integration																																																		U24533-C421	3.000,00	
	ManageNow!l for NSM HP InsightMgr Integr.																																																		U24533-C408	5.000,00	
	ManageNow!l for NSM ETERNUS Storage Monit																																																		U24533-C404	4.500,00	
	ManageNow!l for NSM ETERNUS CS Monit.																																																		U24533-C410	5.000,00	
	ManageNow!l for NSM Netapp Monitoring																																																		U24533-C411	4.500,00	
	ManageNow!l for NSM SAN Monit.more as 64p																																																		U24533-C409	3.000,00	
	ManageNow!l for NSM SAN Monit.more as 64p																																																		U24533-C412	6.250,00	
	ManageNow!l for NSM VMware																																																		U24533-C413	4.500,00	
	ManageNow!l for NSM UPS																																																		U24533-C414	5.000,00	
	ManageNow!l for NSM Microsoft Cluster																																																		U24533-C415	4.500,00	
	ManageNow!l for NSM BladeFrameMont BF400																																																		U24533-C416	9.000,00	
	ManageNow!l for NSM BladeFrameMont BF400																																																		U24533-C424	20.000,00	
	ManageNow!l for NSM Connector CA eHealth																																																		U24533-C417	5.000,00	
	ManageNow!l for NSM Connector MS SCOM																																																		U24533-C418	5.000,00	
	ManageNow!l for NSM Connector HP OV NNM																																																		U24533-C419	5.000,00	
	ManageNow!l for NSM Connector Lotus Notes																																																		U24533-C420	5.000,00	
	ManageNow!l for NSM Con. Sol.PwrManagem.																																																		U24533-C422	5.000,00	
	ManageNow!l for NSM Connector OoS																																																		U24533-C433	5.000,00	
	ManageNow!l for NSM Connector FMC-PC																																																		U24533-C434	5.000,00	
	ManageNow!l for NSM Connector Netiom OM																																																		U24533-C435	5.000,00	
	ManageNow!l for NSM Data Media																																																		U24533-C423	40,00	
	ManageNow!l for ITCM ManageObjects! Icons																																																		U24533-C400	2.000,00	
	ManageNow!l for ITCM Manager License																																																		U24533-C401	5.000,00	
	ManageNow!l for ITCM Win7 OS Install Lic.																																																		U24533-C402	3.000,00	
	ManageNow!l for ITCM Vista OS Install Lic																																																		U24533-C426	3.000,00	
	ManageNow!l for ITCM WinXP Prof OSInstLic																																																		U24533-C427	3.000,00	
	ManageNow!l for ITCM Win2003Svr OSInstLic																																																		U24533-C428	3.000,00	
	ManageNow!l for ITCM Win7RSvr OSInstLic																																																		U24533-C429	3.000,00	
	ManageNow!l for ITCM Win2008R2SvrOSInsLic																																																		U24533-C436	3.000,00	
	ManageNow!l for ITCM SLES10 OS Inst Lic																																																		U24533-C437	3.000,00	
	ManageNow!l for ITCM SLES9.0 OS Inst Lic																																																		U24533-C438	3.000,00	
	ManageNow!l for ITCM data medium																																																		U24533-C403	40,00	
UPS/Power supply																																																					
	Power Supply Module 770W silver hp	for optional PS redundancy incl. mounting kit	v																																																		Phased out
	conversion kit standard to hot plug PSU	conversion standard into hot plug PSU	x																																																S26113-F540-L1	255,00	
	Power Supply Module 450W (hot plug)	for optional PS redundancy	v																																																S26113-F540-L11	170,00	
	Power Supply Module 800W (hot plug)	for optional PS redundancy	x																																																S26113-F541-L10	265,00	Phased out
	Fan and PSU upgrade kit	conversion standard into hot plug PSU and conversion standard into redundant fans	x																																																S26113-F541-L11	530,00	
	BX100 S2 conversion kit to hot plug PSU	platinum PSU hp for redundancy	v																																															S26113-F542-L10	275,00	
	Power Supply Module 800W gold hp	2nd gold PS hp for redundancy	x																																															S26113-F555-L10	230,00	Phased out
	Power Supply Module 800W HE (hot plug)	2nd gold PS hp for redundancy	x																																															S26113-F556-L10	215,00	
	Power Supply Module 850W	hot-plug Power Supply Module, 850W, 92% efficiency (CSCI gold)	x																																															S26113-F561-L10	450,00	Phased out
	Power Supply Module 850W (w/o power cord	hot-plug Power Supply Module, 850W, 92% efficiency (CSCI gold)	x																																															S26113-F561-L20	295,00	
	Power Supply Module 450W gold hp	1st or 2nd PSU hp for redundancy for RX200S6 gold PSU	x																																															S26113-F570-L1	200,00	Phased out
	Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)	x																																															S26113-F573-L10	1.100,00	Phased out
	Modular PSU 800W platinum hp	800W modular Power Supply Module , hot plug, platinum (94% efficiency)	x																																															S26113-F574-L10	255,00	
	Modular PSU 800W platinum hp new rev	800W modular Power Supply Module , hot plug, platinum (94% efficiency) new Revision	x																																															S26113-F574-L11	255,00	New product,Orderable from: 30/07/2012
	Modular PSU 450W platinum hp	450W modular Power Supply Module , hot plug, platinum (94% efficiency)	x																																															S26113-F575-L10	225,00	
	Conversion kit standard to hot plug PSU	Conversion kit standard to hot plug PSU	v																																														S26113-F576-L141	310,00	
	Power Supply Module DC -48V 800W gold hp	DC -48V gold PS hp for redundancy	x																																														S26113-F576-L50	650,00	Phased out
	PY BX600 PSU 2100W (hot plug)	for PS redundancy (3,4. PSU), with power cord.	x																														x																S26113-F603-L2	785,00	Phased out
	PY BX400 PSU (1600W)	PY BX400 Power Supply (1600 W/1100 W) incl. power cable IEC320 C19 -> IEC320 C20	x																												x																		S26113-F607-L200	525,00	
	Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)	x																																															S26113-F608-L10	880,00	
	PY BX900 Rear Fan Unit	BX900 Rear Fan Unit with 4 Fans																																																S26361-F3962-L100	285,00	
	PY BX400 Fan Unit	BX400 Fan Unit with 2 Fans																													x																		S26361-F4474-L100	155,00	
	Redundant PSU for IB Switch	for PSU redundancy in external FDR IB Switch	v																																															S26361-F4576-L10	850,00	
	Redundant PSU for FDR IB Switch	for PSU redundancy in external FDR IB Switch	x																																															S26361-F4557-L10	1.345,00	
	CX400 PSU 1400W Gold hp	2nd PSU hp gold for redundancy for useage in CX400	x																																															S26361-F4574-L140	285,00	
	BX900 PSU 2.880W silver w/o power cord	BX900 Power supply 100-240V AC, w/o power cable	x																																															S26113-F606-L250	675,00	
	BX900 PSU 2.880W platinum hp w/o power c	BX900 Power Supply 2.880W platinum hp	x																																															S26113-F606-L300	860,00	
	Cable powercord (D,,), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR																																													x		T26139-Y1740-L10	15,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd																																													x	x	T26139-Y1742-L10	15,00	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20																													x	x	x	x	x														S26361-F3151-L300	30,00	
	Power cord IEC320 C19 - IEC320 C14	with connector IEC320 C20 ->plug IEC320 C14 for connection to socket strips (connector 10A IEC320 C13)																													x																		S26361-F3151-L350	15,00	
	Cable powercord (UK, IR), 1.8m, grey	suitable for UK, IR																																												v		T26139-Y1744-L10	15,00	
	Power Cord 16A IEC320 C19->C20 1 m	Power cord 16A IEC320 C20 -> IEC320 C19 length 1 meter																																																S26361-F3151-L10	30,00	
	Cable powercord (I), 1.8m, grey	suitable for I																																												v		T26139-Y1745-L10	15,00	
	Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19-> CEE 7/7 (Schuko)																													x		x	x	x														S26361-F3151-L100	30,00	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C19->16A CEE (IEC309) Length: 3.5m																													x		x	x	x														S26361-F3151-L200	30,00	
	Power cord IEC320 C19 -> US NEMA L6-20p	with connector IEC320 C20 -> US NEMA L6-20p																													x		x	x	x														S26361-F3151-L500	60,00	
Miscellaneous																																																					
	cable Serial port option	Cable for 2nd RS-232-C 9 pin interface			v																																														S26361-F3130-L3	40,00	
	PY BX600 4GB FC Switch Port Upgrade	Port Upgrade Lizenz for Brocade Silkworm 4016 and SW4016-04 from 12 to 16 Ports																																																	S26361-F3144-L46	1.925,00	Phased out
	TPM Module add-on kit	Trusted Platform Module on motherboard, be aware of import restrictions!														x																																			S26361-F3552-L1	50,00	
FC/IP-Infrastructure																																																					
	LAN Switch secound power supply, UPG	LAN IP Switch power supply, 100 to 240 VAC, 50 to 60 Hz, max 122 W	x																																																D:FCSW-648S-PSU-L	628,00	
	Power Supply Unit DCX upgrade	DCX, UPGRADE POWER SUPPLY for later mountino. 2000W 230VAC. 1000W 115VAC	x																																																D:FCSW-DCX-PSU-L	8.726,00	
	PY BX900 Management Blade S1	Redundant Management Blade																													x				x	x														S26361-F3962-L500	790,00	
	PY CB Storage License VDX 2730 (Brocade)	Upgrade license for the DCB SW 10GB 18/6 Base (Brocade VDX 2730 Base) Connection Blade for Fujitsu PRIMERGY Blade Servers, The upgrade license enables the Fibre-Channel ports and the support for direct attched FCoE storage. , This upgrade license can only be used with the switches S26361-K1429-V100 and -V300.																													x				x											x				S26361-F4554-L1	5.500,00	New product,Deliverable from: 16/07/2012,Orderable from: 03/08/2012
	PY CB VCS License VDX 2730 (Brocade)	Upgrade license for the DCB SW 10GB 18/6 Base (Brocade VDX 2730 Base) Connection Blade for Fujitsu PRIMERGY Blade Servers, The upgrade license is required for integration of the Connection Blade into a VCS cluster with more than 2 node. , This upgrade license can only be used with the switches S26361-K1429-V100 and -V300.																													x				x											x				S26361-F4554-L2	3.215,00	New product,Deliverable from: 16/07/2012,Orderable from: 03/08/2012
	SFP multi-mode 4G module (MME)	Short-Wavelength SFP Transceiver																														x	x																	S26361-F3924-L4	175,00	Phased out
	Adaptive Netw. (300) field activation	Brocade 300 Software License for Adaptive Networking,, This Produkt includes:, 1x (AN) Adaptive Networking License																													x				x	x														D:FCSW-SW300-AN-L	1.844,00	
	Fabric Watch (300) field activation	Brocade 300 Software License for Fabric Watch., This Produkt includes:, 1x (FW) Fabric Watch License, Not included in the Enterprise Bundle																													x				x	x														D:FCSW-SW300-FW-L	1.361,00	
Media																																																					
	DAT72 cleaning cartridge no label	DAT72 cleaning cartridge without label																																																		D:CL-DAT72-MX-01	5,00	
	Fuji-LTO cleaning cartridge unlabelled	Cleaning cartridge without label from Fuji for LTO drives																																																		D:CL-FJ-LTO-01	37,00	
	Fuji cleaning cartridge LTO labelled	cleaning cartridge with label from Fuji for LTO drives																																																		D:CL-FJ-LTO-01L	37,00	
	LTO cleaning cartridge IBM no label	Cleaning cartridge without label from IBM for LTO drives																																																		D:CL-LTO2-IB-01	45,00	
	LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO - drives																																																		D:CL-LTO2-IB-01L	46,00	
	VXA cleaning label	Label for VXA cleaning cartridge																																																		D:CL-VXA2-LAB	2,00	
	VXA cleaning cartridge	VXA cleaning cartridge																																																		D:CL-VXA2-X-01	34,00	
	VXA cleaning cartridge with label	VXA cleaning cartridge																																																		D:CL-VXA2-X-01L	34,00	
	DAT72 data cartridge no label	DAT72 data cartridge without label																																																		D:CR-DAT72-MX-01	14,00	
	LTO1 data cartridge Fuji no label	LTO-1 data cartridge without label from Fuji, 100 GB native capacity																																																		D:CR-FJ-LTO1-01	21,00	
	LTO1 data cartridge Fuji with label	LTO-1 data cartridge with label from Fuji, 100 GB native capacity																																																		D:CR-FJ-LTO1-01L	21,00	
	LTO2 data cartridge Fuji no label	LTO-2 data cartridge without label from Fuji, 200 GB native capacity																																																		D:CR-FJ-LTO2-01	21,00	
	LTO2 data cartridge Fuji with label	LTO-2 data cartridge with label from Fuji, 200 GB native capacity																																																		D:CR-FJ-LTO2-01L	21,00	
	LTO3 data cartridge Fuji no label	LTO-3 data cartridge without label from Fuji, 400 GB native capacity																																																		D:CR-FJ-LTO3-01	21,00	
	LTO3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity																																																		D:CR-FJ-LTO3-01L	21,00	

Blade Servers Accessories

Category	Description	Details	FC-Switch Port Blade BiDi3 Serv	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX40	FibreCAT SX60	FibreCAT SX80	FibreCAT SX88	PRIMERGY BLADE BX900	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 eBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF1/2plus4e	PRIMERGY BladeFrame BF2000	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY Connection Blades	PRIMERGY pBLADE BF620	PRIMERGY pBLADE BF620	PRIMERGY pBLADE BF640	PRIMERGY pBLADE BF640	PRIMERGY SX31	PRIMERGY SX31 S1	PRIMERGY SX35	PRIMERGY SX960	PRIMERGY SX960 S1	PRIMERGY SX965 S1	PRIMERGY SX965 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																						
Media (Continued)																																																						
	LTO4 data cartridge Fuji no label	LTO-4 data cartridge without label from Fuji, 800 GB native capacity																																																					
	LTO4 data cartridge Fuji with label	LTO-4 data cartridge with label from Fuji, 800 GB native capacity																																																				
	LTO5 data cartridge Fuji no label	LTO-5 data cartridge without label from Fuji, 1500 GB native capacity																																																				
	LTO5 data cartridge Fuji with label	LTO-5 data cartridge with label from Fuji, 1500 GB native capacity																																																				
	LTO1 data cartridge IBM no label	LTO-1 data cartridge without label from IBM, 100 GB native capacity																																																				
	LTO1 data cartridge IBM with label	LTO-1 data cartridge with label from IBM, 100 GB native capacity																																																				
	LTO1 barcode label horizontal	label for LTO-1 data cartridges																																																				
	LTO1 data cartridge Maxell no label	LTO-1 data cartridge without label from Maxell, 100 GB native capacity																																																				
	LTO1 data cartridge Maxell with label	LTO-1 data cartridge with label from Maxell, 100 GB native capacity																																																				
	LTO2 data cartridge IBM no label	LTO-2 data cartridge without label from IBM, 200 GB native capacity																																																				
	LTO2 data cartridge IBM with label	LTO-2 data cartridge with label from IBM, 200 GB native capacity																																																				
	LTO2 barcode label horizontal	label for LTO-2 data cartridges																																																			
	LTO2 data cartridge Maxell no label	LTO-2 data cartridge without label from Maxell, 200 GB native capacity																																																			
	LTO2 data cartridge Maxell with label	LTO-2 data cartridge with label from Maxell, 200 GB native capacity																																																			
	VXA barcode label	Label for VXA data cartridge																																																			
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB																																																			
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB																																																			
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB																																																			
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB																																																			
	RDX Cartridge 160/320GB	RDX Cartridge 160GB uncompressed / 320GB compressed																																																			
	RDX Cartridge Pack 10x 160/320GB	Package 10x RDX Cartridge 160GB uncompressed / 320GB compressed																																																		
	RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed																																																		
	RDX Cartridge Pack 10x 320/640GB	Package 10x RDX Cartridge 320GB uncompressed / 640GB compressed																																																		
	LTO3 data cartridge IBM no label	LTO-3 data cartridge without label from IBM, 400 GB native capacity																																																		
	LTO4 data cartridge IBM no label	LTO-4 data cartridge without label from IBM, 800 GB native capacity																																																		
	LTO3 data cartridge IBM with label	LTO-3 data cartridge with label from IBM, 400 GB native capacity																																																		
	LTO4 data cartridge IBM with label	LTO-4-- Data cartridges with Label from IBM, Kasazitv 800 GBvte native																																																		
	12 LTO4 data cartridges IBM random label	12 LTO-4 data cartridges with random label (Barcode with randomly created numbers) from IBM, 800 GB native capacity. This order position (bundle) is an order unit not a packing unit.																																																		
	LTO cleaning label horizontal	label for LTO cleaning cartridges																																																		
	LTO3 barcode label horizontal	label for LTO-3 data cartridges																																																		
	LTO4 barcode label horizontal	label for LTO-4 data cartridges																																																		
	LTO5 barcode label horizontal	label for LTO-5 data cartridges																																																		
	RDX Cartridge 500GB/1000GB	RDX Cartridge 500GB uncompressed / 1000GB compressed																																																		
	RDX Cartridge 1TB	RDX Cartridge 1TB uncompressed / 2TB compressed																																																		
Cables																																																					
	SAS cable external 2 m	SFF 8470-SFF 8470 with screw connection, 2.0m			x																																																
	SAS cable SFF 8088-SFF 8088 , 2.0m	SFF 8088-SFF 8088 , 2.0m																																																			
	SAS CBL EXT 4m 8088-8088	SFF 8088-SFF 8470 , 4.0m																																																			
	SAS cable external 0.5 m	SFF 8470-SFF 8470 with screw connection, 0.5m			x																																															
	SFP+ active Twinax Cable Brocade 1m	Brocade branded active Twinax cooper cable 10GBE, 1m, SFP+ plugs at both sides																								x			x												x											
	SFP+ active Twinax Cable Brocade 5m																								x			x												x											
	PY BX900 Y-Cable frontside	PY BX900 Y-Cable frontside																												x	x	x	x	x	x	x																
	FRONT Y-CABLE	PY BX900 S2 Y-Cable frontside																												x	x	x	x	x	x																
	Cable separated pack 4m	with Fiber socket connector																								x																											
	FC-Cable MMF, 5m, LC/SC, (1xSheat)	optical multimode- cable (50um) having LC-SC-connector combination), length 5 m	x																																																		
	SAS Cable 6GB 1x SFF 8088-1x SFF 8088 2m	SAS2.0 - Connection Cable, 2m up to 6GB , 1x SFF 8088-1x SFF 8088, MiniSAS to MiniSAS, The cable has a bandwidth of 4 SAS Lines (4 serial connections), see order no.:, e. g.: D:KBSAS6G-1S (SFF8088) - 1S (SFF8088)-2M, , Pay attention to the Cfg Hints please!																																																			
	FC-Cable MMF, 10m, LC/SC, (1xSheat)	optical multimode- cable (50um) having LC-SC-connector combination), length 10 m	x																																																	
	FC-Cable MMF, 20m, LC/SC, (2xSheat)	optical multimode- cable (50um) having LC-SC-connector combination), length 20 m	x																																																	
	FC-Kabel OM3, MMF, 5m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 5 m, optimized for multimode 8 GBit/s	x																																																	
	FC-Kabel OM3, MMF, 10m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 10 m, optimized for multimode 8 GBit/s	x																																																	
	SAS CBL EXT 2m 8088-8470	SFF 8088-SFF 8470 with screw connection, 2.0m			x																																															
	FC-Kabel OM3, MMF, 20m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 20 m, optimized for multimode 8 GBit/s	x																																																	
	FC-Kabel OM3, MMF, 50m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 50 m, optimized for multimode 8 GBit/s	x																																																	
	FC-Cable SMF, 10m, LC/LC, (1xSheat)	optical singlemode- cable (9um) having LC-LC-connector combination), length 10 m	x																																																	
	FC cable SMF, 20m, LC/LC, (2xSheat)	optical singlemode- cable (9um) having LC-LC-connector combination), length 20 m	x																																																	
	SAS CBL EXT 4m 8088-8470	SFF 8088-SFF 8470 with screw connection, 4.0m			x																																														
	SAS CBL EXT 6m 8088-8470	SFF 8088-SFF 8470 with screw connection, 6.0m			x																																														
	SCSI cable HD68(S)-HD68(S) 1,5m	HD68(S)-HD68(S) with screw connection, 1.5m																																																		
	SCSI cable HD68(S)-HD68(S) 5 m	HD68(S)-HD68(S) with screw connection, 5m																																																		
	SCSI cable UHD68(S)-HD68(S) 5m	UHD68(S)-HD68(S) with screw connection																																																		
	SCSI cable UHD68(S)-UHD68(S) 2m	UHD68(S)-UHD68(S) with screw connection																																																		
	SCSI cable UHD68(S)-UHD68(S) 5m	UHD68(S)-UHD68(S) with screw connection																																																		
Additional Software																																																					
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1								x	x	x				x	x	x		x		x		x	x	x																											U11081-C157	15,00	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs								x	x	x				x	x	x		x		x			x																											U11081-C171	1.125,00	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs								x	x	x				x	x	x		x		x			x																											U11081-C177	562,00	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME								x	x	x				x	x	x		x		x		x	x	x																											U11081-C183	30,00	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs								x	x	x				x	x	x		x		x		x	x	x																											U11081-C186	1.125,00	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs								x	x	x				x	x	x		x		x		x	x	x																											U11081-C192	451,00	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions								x	x	x				x	x	x		x		x		x	x	x																											U11081-C199	15,00	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0								x	x	x				x	x	x		x		x		x	x	x																											U11081-C201	30,00	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201								x	x	x				x	x	x		x		x		x	x	x																											U11081-C202	1.225,00	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201								x	x	x				x	x	x		x		x		x	x	x																											U11081-C203	1.994,00	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201								x	x	x				x	x	x		x		x		x	x	x																											U11081-C204	3.988,00	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201								x	x	x				x	x	x		x		x		x	x	x																											U11081-C207	710,00	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202								x	x	x				x	x	x		x		x		x	x	x																											U11081-C212	1.225,00	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203								x	x	x				x	x	x		x		x		x	x	x																											U11081-C213	1.994,00	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204								x	x	x				x	x	x		x		x		x	x	x																											U11081-C214	3.988,00	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207								x	x	x				x	x	x		x		x		x	x	x																											U11081-C217	710,00	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs								x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x									x	x	x													U11081-C301	1.225,00	

Blade Servers Accessories

Category	Description	Details	FC-Switch Port Blade BX/CO Serv	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX40	FibreCAT SX60	FibreCAT SX80	FibreCAT SX88	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 eBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF10 Upgrade	PRIMERGY BladeFrame BF2000	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY Connection Blades	PRIMERGY pBLADE BF620	PRIMERGY pBLADE BF640	PRIMERGY pBLADE BF720	PRIMERGY pBLADE BF740	PRIMERGY SX10	PRIMERGY SX10 S1	PRIMERGY SX30	PRIMERGY SX60 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																												
Additional Software (Continued)																																																												
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs								x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x			x						x	x	x																		



Blade Servers Options

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Options matrix																												
LCD-Display																												
	PY BX400 Front Panel	BX400 Front Panel w/o LCD Display									x															S26361-F4474-E400	55,00	
	PY BX400 LCD Unit Rack	Bx400 LCD Unit Rack									x															S26361-F4474-E200	185,00	
	PY BX400 Floorstand Kit	PY BX400 Floorstand Kit									x															S26361-F4474-E500	1.275,00	
Processor																												
	Intel Xeon E7520 4C/8T 1.86 GHz 18 MB	Intel Xeon processor E7520 (4C/8T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink																x								S26361-F4007-E520	1.220,00	
	Intel Xeon E7530 6C/12T 1.86 GHz 12 MB	Intel Xeon processor E7530 (6C/12T, 1.86 GHz, SLC: -, TLC: 12 MB, Turbo: 0/1/1/2, 5.86 GT/s, 105 W) incl. heat sink																x								S26361-F4007-E530	1.940,00	
	Intel Xeon E7540 6C/12T 2.00 GHz 18 MB	Intel Xeon processor E7540 (6C/12T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/2, 6.4 GT/s, 105 W) incl. heat sink																x								S26361-F4007-E540	2.750,00	
	Intel Xeon X7542 6C/6T 2.66 GHz 18 MB	Intel Xeon processor X7542 (6C/6T, 2.66 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1, 5.86 GT/s, 130 W) incl. heat sink																x								S26361-F4007-E542	2.750,00	
	Intel Xeon L7545 6C/12T 1.86 GHz 18 MB	Intel Xeon processor L7545 (6C/12T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/3/5, 5.86 GT/s, 95 W) incl. heat sink																x								S26361-F4007-E545	3.000,00	
	Intel Xeon X7550 8C/16T 2.00 GHz 18 MB	Intel Xeon processor X7550 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																x								S26361-F4007-E550	3.800,00	
	Intel Xeon L7555 8C/16T 1.86 GHz 24 MB	Intel Xeon processor L7555 (8C/16T, 1.86 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/4/5, 5.86 GT/s, 95 W) incl. heat sink																x								S26361-F4007-E555	4.400,00	
	Intel Xeon X7560 8C/16T 2.26 GHz 24 MB	Intel Xeon processor X7560 (8C/16T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																x								S26361-F4007-E560	5.100,00	
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel Xeon processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink								x																S26361-F4434-E200	275,00	Phased out
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x																S26361-F4435-E240	470,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x																S26361-F4435-E266	905,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x																S26361-F4436-E266	1.080,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x																S26361-F4436-E280	1.300,00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink								x																S26361-F4437-E213	665,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink								x																S26361-F4438-E226	1.135,00	
	2x Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel Xeon processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink														x										S26361-F4444-E200	550,00	Phased out
	2x Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink														x										S26361-F4445-E240	940,00	
	2x Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink														x										S26361-F4445-E266	1.810,00	
	2x Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink														x										S26361-F4446-E266	2.160,00	
	2x Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink														x										S26361-F4446-E280	2.600,00	
	2x Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink														x										S26361-F4447-E213	1.330,00	
	2x Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink														x										S26361-F4448-E226	2.270,00	
	2x Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel Xeon processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink														x										S26361-F4456-E200	550,00	Phased out
	2x Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink														x										S26361-F4457-E240	940,00	
	2x Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink														x										S26361-F4457-E266	1.810,00	
	2x Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink														x										S26361-F4458-E266	2.160,00	
	2x Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink														x										S26361-F4458-E280	2.600,00	
	2x Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink														x										S26361-F4459-E213	1.330,00	
	2x Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink														x										S26361-F4460-E226	2.270,00	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x																S26361-F4499-E160	255,00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x																S26361-F4499-E213	280,00	



Blade Servers Options

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Entcryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Options matrix																												
Processor (Continued)																												
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink								x																S26361-F4500-E240	625,00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink								x																S26361-F4500-E253	880,00	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel Xeon processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x																S26361-F4501-E306	1.500,00	
	Intel Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel Xeon processor X5672 (4C/8T, 3.20 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x																S26361-F4502-E320	1.610,00	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink											x													S26361-F4503-E160	255,00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink											x													S26361-F4503-E213	280,00	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink											x													S26361-F4504-E240	625,00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink											x													S26361-F4504-E253	880,00	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel Xeon processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x													S26361-F4505-E306	1.500,00	
	Intel Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel Xeon processor X5672 (4C/8T, 3.20 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x													S26361-F4506-E320	1.610,00	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink											x		x											S26361-F4507-E160	255,00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink											x		x											S26361-F4507-E213	280,00	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink											x		x											S26361-F4508-E240	625,00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink											x		x											S26361-F4508-E253	880,00	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel Xeon processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x		x											S26361-F4509-E306	1.500,00	
	Intel Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel Xeon processor X5672 (4C/8T, 3.20 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x													S26361-F4510-E320	1.610,00	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel Xeon processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink													x											S26361-F4512-E293	885,00	
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel Xeon processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink													x											S26361-F4512-E346	1.805,00	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel Xeon processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink													x											S26361-F4512-E360	1.805,00	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel Xeon processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink													x											S26361-F4513-E293	885,00	
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel Xeon processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink													x											S26361-F4513-E346	1.805,00	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel Xeon processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink													x											S26361-F4513-E360	1.805,00	
	2x Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink														x										S26361-F4514-E160	510,00	
	2x Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink														x										S26361-F4514-E213	560,00	
	2x Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink														x										S26361-F4515-E240	1.250,00	
	2x Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink														x										S26361-F4515-E253	1.760,00	
	2x Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel Xeon processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink														x										S26361-F4516-E306	3.000,00	
	2x Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel Xeon processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink														x										S26361-F4516-E346	3.610,00	
	2x Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel Xeon processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink														x										S26361-F4517-E293	1.770,00	
	2x Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel Xeon processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink														x										S26361-F4517-E360	3.610,00	
	2x Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink														x										S26361-F4518-E160	510,00	
	2x Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink														x										S26361-F4518-E213	560,00	



Blade Servers Options

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Entcryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Options matrix																												
Processor (Continued)																												
	2x Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink														x										S26361-F4519-E240	1.250,00	
	2x Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink														x										S26361-F4519-E253	1.760,00	
	2x Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel Xeon processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink														x										S26361-F4520-E306	3.000,00	
	2x Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel Xeon processor X5672 (4C/8T, 3.20 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink														x										S26361-F4521-E320	3.220,00	
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink															x									S26361-F4543-E180	310,00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink															x									S26361-F4543-E240	395,00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink															x									S26361-F4544-E200	515,00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink															x									S26361-F4544-E230	750,00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink															x									S26361-F4544-E250	1.095,00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink															x									S26361-F4545-E200	1.305,00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink															x									S26361-F4545-E220	1.575,00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 115 W) incl. heat sink															x									S26361-F4545-E260	1.810,00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink															x									S26361-F4545-E270	2.035,00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 135 W) incl. heat sink															x									S26361-F4545-E290	2.395,00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink															x									S26361-F4546-E290	1.810,00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 80 W) incl. heat sink															x									S26361-F4546-E300	1.095,00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink															x									S26361-F4546-E330	1.095,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink															x									S26361-F4547-E180	1.305,00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink															x									S26361-F4547-E200	815,00	
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink															x									S26361-F4548-E180	310,00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink															x									S26361-F4548-E240	395,00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink															x									S26361-F4549-E200	515,00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink															x									S26361-F4549-E230	750,00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink															x									S26361-F4549-E250	1.095,00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink															x									S26361-F4550-E200	1.305,00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink															x									S26361-F4550-E220	1.575,00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 115 W) incl. heat sink															x									S26361-F4550-E260	1.810,00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink															x									S26361-F4550-E270	2.035,00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 135 W) incl. heat sink															x									S26361-F4550-E290	2.395,00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink															x									S26361-F4551-E290	1.810,00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 80 W) incl. heat sink															x									S26361-F4551-E300	1.095,00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink															x									S26361-F4551-E330	1.095,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink															x									S26361-F4552-E180	1.305,00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink															x									S26361-F4552-E200	815,00	
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel Xeon processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink											x													S26361-F4422-E200	275,00	Phased out
	Intel Xeon E5-2403 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2403 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink												x												S26361-F4560-E180	265,00	
	2nd Xeon E5-2403 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2403 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink												x												S26361-F4564-E180	265,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink											x													S26361-F4424-E240	470,00	



Blade Servers Options

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Entcryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Options matrix																												
Processor (Continued)																												
	Intel Xeon E5-2407 4C/4T 2.20 GHz 10 MB	Intel Xeon processor E5-2407 (4C/4T, 2.20 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink												x												S26361-F4560-E220	305,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink											x													S26361-F4424-E266	905,00	
	2nd Xeon E5-2407 4C/4T 2.20 GHz 10 MB	Intel Xeon processor E5-2407 (4C/4T, 2.20 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink												x												S26361-F4564-E220	305,00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink											x													S26361-F4428-E213	665,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink											x													S26361-F4430-E226	1.135,00	
	Intel Xeon E5-2420 6C/12T 1.90 GHz 15 MB	Intel Xeon processor E5-2420 (6C/12T, 1.90 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink												x												S26361-F4561-E190	450,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x													S26361-F4426-E266	1.080,00	
	2nd Xeon E5-2420 6C/12T 1.90 GHz 15 MB	Intel Xeon processor E5-2420 (6C/12T, 1.90 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink												x												S26361-F4565-E190	450,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x													S26361-F4426-E280	1.300,00	
	Intel Xeon E5-2430 6C/12T 2.20 GHz 15 MB	Intel Xeon processor E5-2430 (6C/12T, 2.20 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink												x												S26361-F4561-E220	610,00	
	2nd Xeon E5-2430 6C/12T 2.20 GHz 15 MB	Intel Xeon processor E5-2430 (6C/12T, 2.20 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink												x												S26361-F4565-E220	610,00	
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel Xeon processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink											x		x											S26361-F4423-E200	275,00	Phased out
	Intel Xeon E5-2430L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2430L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink												x												S26361-F4563-E200	740,00	
	2nd Xeon E5-2430L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2430L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink												x												S26361-F4567-E200	740,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink											x		x											S26361-F4425-E240	470,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink											x		x											S26361-F4425-E266	905,00	
	Intel Xeon E5-2440 6C/12T 2.40 GHz 15 MB	Intel Xeon processor E5-2440 (6C/12T, 2.40 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink												x												S26361-F4561-E240	935,00	
	2nd Xeon E5-2440 6C/12T 2.40 GHz 15 MB	Intel Xeon processor E5-2440 (6C/12T, 2.40 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink												x												S26361-F4565-E240	935,00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink											x		x											S26361-F4429-E213	665,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink											x		x											S26361-F4431-E226	1.135,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x		x											S26361-F4427-E266	1.080,00	
	Intel Xeon E5-2450 8C/16T 2.10 GHz 20 MB	Intel Xeon processor E5-2450 (8C/16T, 2.10 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink												x												S26361-F4562-E210	1.185,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x		x											S26361-F4427-E280	1.300,00	
	2nd Xeon E5-2450 8C/16T 2.10 GHz 20 MB	Intel Xeon processor E5-2450 (8C/16T, 2.10 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink												x												S26361-F4566-E210	1.185,00	
	Intel Xeon E5-2450L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2450L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink												x												S26361-F4563-E180	1.185,00	
	2nd Xeon E5-2450L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2450L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink												x												S26361-F4567-E180	1.185,00	
	Intel Xeon E5-2470 8C/16T 2.30 GHz 20 MB	Intel Xeon processor E5-2470 (8C/16T, 2.30 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink												x												S26361-F4562-E230	1.530,00	
	2nd Xeon E5-2470 8C/16T 2.30 GHz 20 MB	Intel Xeon processor E5-2470 (8C/16T, 2.30 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink												x												S26361-F4566-E230	1.530,00	
Memory																												
	Interleaving Mode Installation	BIOS setup for Interleaving mode, preinstallation ex factory																x								S26361-F4003-E2	5,00	
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg d	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																x								S26361-F4003-E643	320,00	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																x								S26361-F4003-E642	340,00	
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																x								S26361-F4003-E645	540,00	
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																x								S26361-F4003-E646	1.220,00	
Memory Modules																												
	Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex factory								x			x		x	x										S26361-F3284-E1	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory								x			x		x	x										S26361-F3284-E3	5,00	
	Independent Mode Installation	No specific memory RAS features are defined															x									S26361-F3694-E10	5,00	
	Independent Mode Installation	No specific memory RAS features are defined												x												S26361-F3695-E10	5,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM								x			x		x	x										S26361-F4413-E513	40,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory								x			x		x	x										S26361-F3284-E2	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory																	x							S26361-F3694-E2	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory												x												S26361-F3695-E2	5,00	



Blade Servers Options

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Entcryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Options matrix																												
Memory Modules (Continued)																												
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x			x		x	x										S26361-F4412-E513	80,00	
	MM 4GB 2x2 DDR3 1333 MHz PC3-10600 rg s	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode								x			x		x	x										S26361-F4412-E523	160,00	
	SP 6GB 3x2 DDR3 1333 MHz PC3-10600 rg s	6 GB (3 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM								x			x		x	x										S26361-F4412-E533	240,00	
	Rank Sparing Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory															x									S26361-F3694-E1	5,00	
	Rank Sparing Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory												x												S26361-F3695-E1	5,00	
	4 GB DDR3 1333 MHz PC3-10600 rg s/d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x			x		x	x										S26361-F4412-E514	85,00	
	MM 8GB 2x4 DDR31333 MHz PC3-10600 rg s/d	8 GB (2 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM								x			x		x	x										S26361-F4412-E524	170,00	
	SP12GB 3x4 DDR31333 MHz PC3-10600 rg s/d	12 GB (3 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM								x			x		x	x										S26361-F4412-E534	255,00	
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x			x		x	x										S26361-F4412-E515	135,00	
	MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	16 GB (2 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM								x			x		x	x										S26361-F4412-E525	270,00	
	MM 32GB 2x16 DDR3 1066 MHz PC3-8500 rg q	32 GB (2 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM								x			x		x	x										S26361-F4412-E526	610,00	
	SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	24 GB (3 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM								x			x		x	x										S26361-F4412-E535	405,00	
	2GB (1x2GB) 1Rx8 L DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM												x				x								S26361-F3694-E613	40,00	
	16 GB DDR3 1066 MHz PC3-8500 rg q	16 GB (1 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM								x			x		x	x										S26361-F4412-E516	305,00	
	SP 48GB 3x16 DDR3 1066 MHz PC3-8500 rg q	48 GB (3 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM								x			x		x	x										S26361-F4412-E536	915,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM												x				x								S26361-F3694-E614	65,00	
	MM 8GB 2x4 DDR3 LV1333 MHz 10600 rg s/d	8 GB (2 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x			x		x	x										S26361-F4415-E524	170,00	
	SP12GB 3x4 DDR3 LV1333 MHz 10600 rg s/d	12 GB (3 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x			x		x	x										S26361-F4415-E534	255,00	
	16 GB DDR3 LV 1333MHz PC3-10600 rg d ECC	16 GB (1 module(s) 16 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM														x										S26361-F4492-E516	305,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM												x				x								S26361-F3695-E614	95,00	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg s/d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x			x		x	x										S26361-F4415-E514	85,00	
	MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	16 GB (2 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x			x		x	x										S26361-F4415-E525	270,00	
	SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	24 GB (3 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x			x		x	x										S26361-F4415-E535	405,00	
	4GB (1x4GB) 1Rx4 L DDR3-1333 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM												x				x								S26361-F3696-E614	85,00	
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x			x		x	x										S26361-F4415-E515	135,00	
	32 GB DDR3 1066 MHz PC3-8500 rg q ECC	1 module 32GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode											x			x										S26361-F3604-E517	1.705,00	
	8GB (1x8GB) 2Rx4 L DDR3-1333 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM												x				x								S26361-F3696-E615	135,00	
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM												x				x								S26361-F3697-E614	95,00	
	8GB (1x8GB) 2Rx4 L DDR3-1600 R ECC	8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1600 MHz, PC3-12800, DIMM												x				x								S26361-F3697-E615	155,00	
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC	16 GB (1 module(s) 16 GB) DDR3, registered, ECC, 1600 MHz, PC3-12800, DIMM												x				x								S26361-F3697-E616	335,00	
	16GB (1x16GB) 4Rx4 L DDR3-1333 LR ECC	16 GB (1 module(s) 16 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM												x				x								S26361-F3698-E616	395,00	
	32GB (1x32GB) 4Rx4 L DDR3-1333 LR ECC	32 GB (1 module(s) 32 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM												x				x								S26361-F3698-E617	1.850,00	
Removable Media Drives																												
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM,slimline 0,5" fitting height, black									x															S26361-F3269-E2	90,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height									x															S26361-F3641-E2	165,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)																				x				S26361-F3857-E4	160,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, black bezel, with description (G/US) and cleaning cartridge																				x				S26361-F3324-E4	500,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge																				x				S26361-F3325-E4	685,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge																				x	x			S26361-F3561-E4	1.395,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge																				x	x			S26361-F3626-E2	2.030,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge																				x	x			S26361-F3627-E1	2.980,00	
Hard Disks																												
	HD SAS 3GB/s 300GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"							x																	S26361-F3244-E530	470,00	
	HD SAS 3GB/s 450GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"							x																	S26361-F3244-E545	645,00	
	HD SAS 3GB/s 600GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"							x																	S26361-F3244-E560	760,00	
	HD SATA 3GB/s 2TB 7.2k hot p 3.5" SX40	7.200 rpm, fitting height 1"							x																	S26361-F3245-E200	895,00	
	HD SATA 3G 320GB 5.4K NO HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, non hot plug, 2.5-inch, economic																x								S26361-F3747-E320	225,00	
	HD SATA 3G 500GB 5.4K NO HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 500 GB, 5400 rpm, non hot plug, 2.5-inch, economic																x								S26361-F3747-E500	235,00	
	disk drive mounting kit	BX922 Disk drive mounting kit														x										S26361-F4008-E1	70,00	Phased out
	disk drive mounting kit	BX924 Disk drive mounting kit															x									S26361-F4008-E2	95,00	Phased out
	disk mounting kit onboard PCH	BX924 S3 Drive mounting kit																x								S26361-F4008-E3	85,00	
	disk mounting kit SAS Mezz card	BX924 S3 Drive mounting kit																x								S26361-F4008-E4	85,00	



Blade Servers Options

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Options matrix																												
Hard Disks (Continued)																												
	BX900 Mezz. bracket	Mounting Kit for two BX900 Mezzanine Cards																x								S26361-F4468-E1	35,00	
	BX900 Mezz./Disk bracket	Mounting Kit for one Mezzanine Card and two SSD																x								S26361-F4469-E1	35,00	
	SSD SAS 6G 100GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 100 GB, SLC, hot-plug, 2.5-inch, enterprise																							x	S26361-F4541-E100	1.775,00	
	SSD SAS 6G 200GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, SLC, hot-plug, 2.5-inch, enterprise																							x	S26361-F4541-E200	3.450,00	
	SSD SAS 6G 400GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, SLC, hot-plug, 2.5-inch, enterprise																							x	S26361-F4541-E400	6.630,00	
	SSD SAS 6G 200GB MLC NO HP 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, MLC, non hot plug, 2.5-inch, enterprise																x								S26361-F4580-E200	1.965,00	
	SSD SAS 6G 200GB MLC HOT PL 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise												x											x	S26361-F4581-E200	1.965,00	
	SSD SATA 6G 100GB MLC NO HP 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, non hot plug, 2.5-inch, enterprise													x	x		x								S26361-F5123-E100	555,00	New product,Orderable from: 01/08/2012
	SSD SATA 6G 200GB MLC NO HP 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, non hot plug, 2.5-inch, enterprise													x	x		x								S26361-F5123-E200	1.095,00	New product,Orderable from: 01/08/2012
	SSD SATA 6G 400GB MLC NO HP 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, non hot plug, 2.5-inch, enterprise													x	x		x								S26361-F5123-E400	2.645,00	New product,Orderable from: 01/08/2012
	SSD SATA 6G 100GB MLC NO HP 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, non hot plug, 2.5-inch, enterprise																x								S26361-F5124-E100	555,00	New product,Orderable from: 01/08/2012
	SSD SATA 6G 200GB MLC NO HP 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, non hot plug, 2.5-inch, enterprise																x								S26361-F5124-E200	1.095,00	New product,Orderable from: 01/08/2012
	SSD SATA 6G 400GB MLC NO HP 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, non hot plug, 2.5-inch, enterprise																x								S26361-F5124-E400	2.645,00	New product,Orderable from: 01/08/2012
	SSD SATA 6G 100GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, hot-plug, 2.5-inch, enterprise								x				x										x	x	S26361-F5225-E100	555,00	New product,Orderable from: 01/08/2012
	SSD SATA 6G 200GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise								x				x										x	x	S26361-F5225-E200	1.095,00	New product,Orderable from: 01/08/2012
	SSD SATA 6G 400GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 400 GB, MLC, hot-plug, 2.5-inch, enterprise								x				x										x	x	S26361-F5225-E400	2.645,00	New product,Orderable from: 01/08/2012
	HD SATA 3G 160GB 5.4K NO HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, non hot plug, 2.5-inch, economic													x											S26361-F3599-E160	180,00	Phased out
	HD SATA 6G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical												x												S26361-F3708-E250	225,00	
	HD SATA 3G 160GB 5.4K HOT PL 2.5"	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic								x																S26361-F3515-E160	180,00	Phased out
	HD SATA 3G 320GB 5.4K NO HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, non hot plug, 2.5-inch, economic													x											S26361-F3599-E320	225,00	
	HD SATA 6G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical												x												S26361-F3708-E500	235,00	
	HD SATA 6G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical												x												S26361-F3708-E100	405,00	
	HD SATA 3G 320GB 5.4K HOT PL 2.5"	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic								x																S26361-F3515-E320	225,00	
	HD SATA 3G 500GB 5.4K HOT PL 2.5"	HDD SATA, 3 GB/s, 500 GB, 5400 rpm, hot-plug, 2.5-inch, economic								x																S26361-F3515-E500	235,00	
	HD SATA 3G 250GB 7.2K HOT PL 2.5"	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical								x																S26361-F3600-E250	225,00	
	HD SATA 3G 500GB 7.2K HOT PL 2.5"	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical								x																S26361-F3600-E500	235,00	
	HD SATA 3G 1TB 7.2K HOT PL 2.5"	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical								x																S26361-F3600-E100	405,00	
	HD SATA 3G 160GB 5.4K HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic											x											x	x	S26361-F3297-E160	180,00	Phased out
	HD SATA 3G 320GB 5.4K HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic											x											x	x	S26361-F3297-E320	225,00	
	HD SATA 3G 500GB 5.4K HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic											x											x	x	S26361-F3297-E500	235,00	
	HD SATA 3G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical											x											x	x	S26361-F3601-E250	225,00	
	HD SATA 3G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical											x											x	x	S26361-F3601-E500	235,00	
	HD SATA 3G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical											x											x	x	S26361-F3601-E100	405,00	
	HD SAS 3G 300GB 10K HOT PL 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																						x	x	S26361-F3292-E130	465,00	
	HD SAS 3G 450GB 10K HOT PL 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																						x		S26361-F3292-E145	625,00	
	HD SAS 3G 600GB 10K HOT PL 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																						x		S26361-F3292-E160	730,00	
	HD SAS 3G 73GB 15K HOT PL 2.5" EP	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																						x	x	S26361-F3292-E573	330,00	
	HD SAS 3G 146GB 15K HOT PL 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																						x	x	S26361-F3292-E514	480,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise											x	x										x	x	x	S26361-F4482-E130	285,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise											x	x										x	x	x	S26361-F4482-E145	410,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise											x	x										x	x	x	S26361-F4482-E160	530,00	
	HD SAS 6G 900GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise											x	x										x	x	x	S26361-F4482-E190	835,00	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise											x	x										x	x	x	S26361-F4482-E573	250,00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise											x	x										x	x	x	S26361-F4482-E514	325,00	
	HD SAS 6G 300GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise											x	x										x	x	x	S26361-F4482-E530	565,00	
	HD SAS 3G 300GB 10K HOT PL 2.5"	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise								x																S26361-F3208-E130	465,00	
	HD SAS 3G 450GB 10K HOT PL 2.5"	HDD SAS, 3 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise								x																S26361-F3208-E145	625,00	
	HD SAS 3G 600GB 10K HOT PL 2.5"	HDD SAS, 3 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise								x																S26361-F3208-E160	730,00	
	HD SAS 3G 73GB 15K HOT PL 2.5"	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise								x																S26361-F3208-E573	330,00	
	HD SAS 3G 146GB 15K HOT PL 2.5"	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise								x																S26361-F3208-E514	480,00	
	HD SAS 3G 300GB 15K HOT PL 2.5"	HDD SAS, 3 GB/s, 300 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise								x																S26361-F3208-E530	565,00	
SCSI/RAID/SAS controller																												
	RAID Contr BBU Upgrade for RAID 5/6 V16	BBU Upgrade for LSI SAS1078 and LSI SAS2108								x														x	x		S26361-F3257-E116	165,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports																					x	x			S26361-F3257-E4	110,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, LSI SAS3442E-R Low Profile								x																S26361-F3271-E201	210,00	Phased out
	SAS Ctrl 6G 8ext PCIe lp	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e LP								x																S26361-F3628-E201	260,00	
	SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS,												x				x								S26361-F3674-E1	95,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports																						x		S26361-F3554-E8	165,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports																						x	x	S26361-F3554-E512	385,00	
	RAID Ctrl SAS 6G 8Port ex 512MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU								x																S26361-F3593-E201	590,00	
SATA/SAS controller																												



Blade Servers Options

Options matrix

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Entcryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
SATA/SAS controller (Continued)																												
	SAS/PCIe Storage Modul	SAS Controller, PCIe slot for lp cards incl. mounting kit, RAID1support for 2 SAS hard disks								x																S26361-F3207-E42	325,00	
	SAS/RAID Storage Module 4M	SAS/RAID Controller, iTBBU/256MB Cache incl. mounting kit, RAID1support for 2 SAS hard disks								x																S26361-F3207-E51	885,00	
Fibre Channel																												
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber								x																S26361-F3961-E202	1.370,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LCLP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber								x																S26361-F3631-E202	1.500,00	
	PY BX600 FC Mezz Card 4GB 2Port (FC42E)	4 GBit/s FC I/O module (PCIe), exclusively in combination with the Fibre Channel Switches PY BX600 4/4GB FC Switch 12Port (SW4016-D4) or PY BX600 4/4GB FC Switch 16Port (SW4016-D4) and PY BX600 FC Pass Thru Blade 4GB								x																S26361-F3306-E601	660,00	
	PY BX600 Eth Mezz Card 1GB 2Port (PCIe)	Broadcom Ethernet LAN, 1GBit/s, PCIe, 2-channel								x																S26361-F3451-E1	320,00	
Connection Blades																												
	FC SFP MMF 4GB LC (Brocade)	Brocade hot-pluggable SFP module, 4 GB/s Short-Wavelength Laser (SWL), Multi-Mode Fiber with LC connector																	x							S26361-F3873-E104	130,00	
	FC SFP+ MMF 8GB LC (Brocade)	Brocade hot-pluggable SFP+ module, 8 GB/s Short-Wavelength Laser (SWL), Multi-Mode Fiber with LC connector																	x							S26361-F3873-E109	245,00	
	FC SFP SMF 4GB LC 4km (Brocade)	Brocade hot-pluggable SFP module (4km), 4 GB/s Long-Wavelength Laser (SWL), Single-Mode Fiber with LC connector																	x							S26361-F3873-E204	520,00	
	FC SFP+ SMF 8GB LC 10km (Brocade)	Brocade hot-pluggable SFP+ module, 8 GB/s Long-Wavelength Laser (LWL), Single-Mode Fiber with LC connector																	x							S26361-F3873-E208	1.560,00	
	Eth SFP+ MMF 10GB LC (Brocade)	Brocade hot-pluggable SFP+ module, 10 GB/s Short-Wavelength Laser (SWL), Short Range (SR), Multi-Mode Fiber with LC connector																	x							S26361-F3873-E310	405,00	New product,Deliverable from: 16/07/2012,Orderable from: 03/08/2012
	SFP+ activ Twinax Cable Brocade custom	Brocade branded active Twinax cooper cable 10GBE for rack assambly ex factory., Customized cable length (1m, 3m or 5m), SFP+ plugs at both sides									x	x														S26361-F3873-E500	175,00	New product,Deliverable from: 16/07/2012,Orderable from: 03/08/2012
	SFP Module GBE RJ45	SFP module 1GB Ethernet with RJ45 connector (jack) for Fujitsu PRIMERGY BX900 GB LAN connection blades.																	x							S26361-F3986-E1	200,00	
	SFP Module Multi Mode Fiber GBE LC	SFP module 1GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX900 GB LAN connection blades																	x							S26361-F3986-E2	110,00	
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755., For multi-mode short-range fiber optic cables up to 300m.																	x							S26361-F3986-E3	405,00	
	SFP+ Module Single Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blade and LAN adapter D2755., For single-mode long-range fiber optic cables up to 10km.																	x							S26361-F3986-E4	1.180,00	
	CX4 Stacking Cable customized	for PY CB Eth Switch/IBP 1GB 36/8+2									x	x								x						S26361-F3989-E500	225,00	
	SFP+ active Twinax Cable customized	active Twinax cooper cable 10GBE, customized length, SFP+ plugs at both sides										x														S26361-F3989-E600	195,00	
	PY CB FC Pass Thru 8G 18/18	Fibre Channel Pass Thru Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers , with 18 downlinks and 18 uplinks, all pathes are 100% independent from each other and support 4GB/8GB Fibre Channel speed with autonegotiation									x	x														S26361-K1363-V18	4.050,00	
	PY CB Eth Pass Thru 1/10G 18/18	Ethernet Pass Thru Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, with 18 downlinks and 18 uplinks, all pathes are 100% decoupled from other each other and support 1GB/10GB Ethernet speed									x	x														S26361-K1365-V18	4.500,00	
	PY CB Eth Switch/IBP 1GB 18/6	1GB LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers., Usable as LAN switch or Intelligent Blade Panel (IBP)., , Interfaces:, intern:18x 1GB Eth (downlinks), extern: 6x RJ45 1GBE									x	x														S26361-K1366-V100	2.050,00	
	PY CB SAS Switch 6GB 18/6	6GB SAS Connection Blade for Fujitsu PRIMERGY BX400 /BX900 Blade Server., Will be used for connection between Server Blades and SX980 and/or between Server Blades and external storage devices., , Interfaces:, internal: 18x 6GB SAS, external: 6x 6GB SAS									x	x														S26361-K1391-V300	1.705,00	
	PY CB IB Switch 56GB 18/18	InfiniBand Connection Blade for Fujitsu PRIMERGY BX900 blade server., , Double wide, Single height, , Fourteen Data Rate (FDR x4), , Interfaces:, intern: 18x (downlinks), extern: 18x QSFP connectors (uplink)									x	x														S26361-K1423-V200	13.800,00	Orderable from: 29/06/2012
	PY CB DCB SW 10GB 18/6 Base (Brocade)	Ethernet / DCBI Switch 10GB 18/6 (Brocade VDX 2730 Base) Connection Blade for Fujitsu PRIMERGY Blade Servers, embedded in the basic unit are:, - License for 24 Ports Ethernet / DCB, - License for 2 node VCS, Fibre Cannel and FCoE requires additional licenses, contains NO SFP+ modules									x	x														S26361-K1429-V100	12.500,00	New product,Deliverable from: 16/07/2012,Orderable from: 03/08/2012
	PY CB DCB SW 10GB 18/6/6 Enterprise (Br)	Ethernet / DCBI Switch 10GB 18/6 (Brocade VDX 2730 Enterprise) Connection Blade for Fujitsu PRIMERGY Blade Servers, embedded in the basic unit are:, - License for 24 Ports Ethernet / DCB, - License for VCS with more than 2 nodes, - License for Fibre-Channel Ports, - Livense for FCoE, contains NO SFP+ modules									x	x														S26361-K1429-V200	19.000,00	New product,Deliverable from: 16/07/2012,Orderable from: 03/08/2012
	PY CB Eth Switch/IBP 1GB 36/12	LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers., Usable as LAN switch or Intelligent Blade Panel (IBP)., , Interfaces:, intern: 36 (downlinks), extern:, 8 RJ45 GBE, 4 SFP GBE									x	x														S26361-K1304-V100	3.000,00	
	PY CB Eth Switch/IBP 1GB 36/8+2	LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers., Usable as LAN switch or Intelligent Blade Panel (IBP)., , Interfaces:, intern: 36 (downlinks), extern:, 8 RJ45 GBE, 2 SFP+ 10GBE									x	x														S26361-K1304-V101	5.500,00	



Blade Servers Options

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Entcryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Options matrix																												
Connection Blades (Continued)																												
	PY CB Eth Switch/IBP 10GB 18/8	10GB LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers., Usable as LAN switch or Intelligent Blade Panel (IBP)., , Interfaces:, intern: 18x 10GB Eth (downlinks), extern: 8x SFP+ 10GBE									x	x														S26361-K1304-V200	8.250,00	
	PY CB FC Switch 8GB 18/8 14 (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit are:, - License for 14 Ports with DPOD (Dynamic Ports on Demand), Automatically enables ports on an embedded blade when the server is, powered on and does not require a predefined assignment of port;, determined by the total number of ports in use and the number of, purchased dynamic ports., - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-pluggable SFP+ module, 8 GBit/sec Short-Wavelength Laser (SWL), LC connector									x	x														S26361-K1305-V14	7.600,00	
	PY CB FC Switch 8GB 18/8 26 (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit are:, - License for 26 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-pluggable SFP+ module, 8 GBit/sec Short-Wavelength Laser (SWL), LC connector									x	x														S26361-K1305-V26	11.200,00	
	PY CB FC SW 8G 18/8 26 Enterpr (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit are:, - License for 26 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - License for Fabric Watch, - License for Advanced Performance Monitor, - License for ISL Trunking, - License for Extended Fabric, - License for Adaptive Networking, - License for Server Application Optimization, - 4 x Brocade hot-pluggable SFP+ module, 8 GBit/sec Short-Wavelength Laser (SWL), LC connector									x	x														S26361-K1305-V126	15.200,00	
	PY CB IB Switch 40GB 18/18	InfiniBand Connection Blade for Fujitsu PRIMERGY BX900 blade server., , Double wide, Single height, , Quad Data Rate (QDR x4), , Interfaces:, , intern: 18x (downlinks), , extern: 18x QSFP connectors (uplink)									x	x														S26361-K1336-V200	11.800,00	
Mezzanine Cards																												
	PY Mezz Card 2x10GB CNA MC-CNA102E	CNA mezzanine module, MC-CNA102E, 2 Channel, 8GB/s, PCIe x8, The mezzanine module is functional wise compatible with the Emulex CNA OCe10102., The CNA cards has 2 10GB Ethernet interfaces to the backplane and support the Data-Center-Bringing (Data Center Ethernet) protocol. In addintion the Fibre Channel over Ethernet (FCoE) protcol is fully handled in hardware on the card.											x		x	x		x								S26361-F3592-E502	890,00	Phased out
	PY IB CX2 Mezz Card 40GB 2 Port	InfiniBand Mezzanine Card, 2-channel , 40GB/s, PCIe x8											x	x	x	x	x									S26361-F3992-E2	1.220,00	
	PY IB CX3 Mezz Card 56GB 2 Port	InfiniBand Mezzanine Card, 2 port , 56GB/s, PCIe x8												x			x									S26361-F4534-E1	1.800,00	Orderable from: 29/06/2012
	PY Eth Mezz Card 1GB 4 Port	4 Channel GBE Mezzanine Card, 2 Intel 82575EB LAN Controller											x	x	x	x	x	x								S26361-F3331-E1	525,00	
	PY Eth Mezz Card 10GB 2 Port	2 Channel 10GBE Mezzanine Card, Intel 82599EB LAN Controller											x	x	x	x	x	x								S26361-F3997-E1	590,00	
	PY FC Mezz Card 8GB 2 Port (MC-FC82E)	Fibre Channel mezzanine module, MC-FC82E, 2 Channel, 8GB/s, PCIe x8, The mezzanine module is functional wise compatible with the Emulex HBA LPe12002.											x	x	x	x	x	x								S26361-F3874-E1	655,00	
	PY SAS HBA Mezz Card 6GB	SAS HBA Mezzanine Card based on LSI Chipset SAS2008, PCIe 2.0 x8, SAS 2.0,											x	x	x	x	x									S26361-F4480-E1	195,00	
	PY SAS RAID Mezz Card 6GB	SAS RAID Mezzanine Card based on LSI MegaRAID SAS2108, PCIe 2.0 x8, SAS 2.0											x		x	x	x									S26361-F4481-E1	350,00	
	RAID Mezz HDD Connection Kit	SAS HDD backplane for BX920S2 to connect to SAS RAID mezzanine card. Thereby RAID 0,1 functionality can be realized on BX920S2.											x													S26361-F4481-E20	30,00	
	SSD Connection Kit	SSD backplane for BX924S3 to connect to SAS mezzanine cards																x								S26361-F4481-E30	75,00	New product
	RAID Mezz iBBU Upgrade	BBU Upgrade for LSI SAS2108											x		x	x										S26361-F4481-E10	180,00	
Communication/Network																												
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu lp	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu lp, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit								x																S26361-F3610-E202	155,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable								x																S26361-F3592-E202	1.180,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102								x																S26361-F3592-E108	400,00	
Rack-Infrastructure																												
	Mounting in symmetrical Racks	Rack server mounting in symmetrical racks without support bracket									x	x										x				S26361-F4530-E10	5,00	
	Mounting BX server in asymmetrical racks	Rack server mounting in asymmetrical PRIMECENTER racks with 10U support bracket										x														S26361-F4530-E14	5,00	
	Mounting 1U in asymmetrical Racks	Rack server mounting in asymmetrical rack with 1U support bracket																				x				S26361-F4530-E11	5,00	
	Mounting 3U in asymmetrical racks	Rack server mounting in asymmetrical rack with 2U support bracket									x															S26361-F4530-E13	5,00	
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.							x													x				S26361-F1647-E302	65,00	
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.									x	x														SNP:SY-F1647E301-P	130,00	
	Blade Installation in System Unit	Service for installation of a server blade into the system unit ex works Augsburg., With ordering this service, the system unit will be delivered completely premounted and tested ex works.								x			x	x	x	x	x	x				x	x	x	x	S26361-F2749-E1	10,00	
	Serverblade single package/delivery	Serverblade single package/delivery, incl. test, Service without integration ex works								x			x	x	x	x	x	x				x	x	x	x	S26361-F2749-E2	45,00	



Blade Servers Options

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Entcryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Options matrix																												
Rack-Infrastructure (Continued)																												
Country kits																												
	region kit APAC/America/EMEA/India	Region-kit APAC/ America/EMEA/ India									x	x									x					S26361-F1452-E100	10,00	
PRIMERGY-Software																												
	BIA-Appliance Modul	HA functionality for Bi-Accelerator., Mandatory for each extension modul for BIA Entry model								x																D:BIA-ADDON	4.000,00	Phased out
	Fujitsu BWA Infra. SW Lic. Base 3rd-L	1 year 3rd level support for Fujitsu BWA infrastructure software V3.0 base license (D:BWA-SW-001).													x											D:BWA-SW-001-W1	160,00	
	Fujitsu BWA Infra. SW Lic. Base 3rd-L	3 year 3rd level support for Fujitsu BWA infrastructure software V3.0 base license (D:BWA-SW-001).													x											D:BWA-SW-001-W3	450,00	
	Fujitsu BWA Infra. SW Lic. Ext. M 3rd-L	1 year 3rd level support of Fujitsu BWA infrastructure software V3.0 license extension package medium (D:BWA-SW-002).													x											D:BWA-SW-002-W1	134,00	
	Fujitsu BWA Infra. SW Lic. Ext. M 3rd-L	3 year 3rd level support of Fujitsu BWA infrastructure software V3.0 license extension package medium (D:BWA-SW-002).													x											D:BWA-SW-002-W3	380,00	
	Fujitsu BWA Infra. SW Lic. Ext. L 3rd-L	1 year 3rd level support of Fujitsu BWA infrastructure software V3.0 license extension package large (D:BWA-SW-003).													x											D:BWA-SW-003-W1	134,00	
	Fujitsu BWA Infra. SW Lic. Ext. L 3rd-L	3 year 3rd level support of Fujitsu BWA infrastructure software V3.0 license extension package large (D:BWA-SW-003).													x											D:BWA-SW-003-W3	380,00	
	DI Blocks Entry/Standard upgr identifier	DI Blocks Entry/Standard upgrade identifier. It identifies that all following order codes for upgrades belong to the DI Blocks.										x				x	x									S26361-DI009-E101	10,00	
	DI Blocks Entry/Standard, RTU CPUcapacit	DI Blocks Entry/Standard RTU CPU-Capacity - Right to Use (RTU) per Blade compute power;, separate Right to Use for each Blade in the DI Blocks														x	x									S26361-DI009-E200	2.240,00	Orderable from: 15/09/2011
	DI-vCloud Entry/Enterpr, upgr identifier	DI-vCloud Entry/Enterprise upgrade identifier. It identifies that all following order codes for upgrades belong to the DI-vCloud block.										x					x									S26361-DI010-E101	10,00	
	DI-vCloud Entry/Enterpr, RTU CPUcapacity	DI-vCloud Entry/Enterprise RTU CPU-Capacity - Right to Use (RTU) per Blade compute power;, , separate Right to Use for each Blade in the DI-vCloud block															x									S26361-DI010-E200	2.240,00	
	PRIMERGY DuplexDataManager 5.01	for Windows Server 2008 and 2003. CD-ROM and License.								x			x	x	x	x	x	x								S26361-F2565-L596	2.745,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. OEM DVD, License.								x			x	x	x	x	x	x								S26361-F2567-E20	380,00	
	MS SysCtr Essntls 2010 OEM	MS System Center Essentials 2010. English. OEM DVD, License.								x			x	x	x	x	x	x								S26361-F2567-E30	115,00	
	Win Svr 2008 R2 SP1 Datactr 4CPU OEM	Win Srv 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.																x								S26361-F2567-E333	5.932,00	
	Egenera PAN Builder for BX900	1) The PAN Builder software license authorizes the use of the base PAN Manager software platform as specified in the applicable end user documentation and is required for every PAN pNode to be provisioned and managed by PAN Manager software. A PAN Builder license is valid for use only on certified/authorized Fujitsu BX900 System configured for PAN Manager. , 2) PAN Builder licenses are priced and licensed based on the number of processor sockets an authorized pNode for which the functionality is licensed may have, with license covering authorized pNodes with up to 2 processor sockets. A PAN Builder license is not issued for a specific authorized pNode unit, but rather authorizes the use of the licensed functionality on any one (1) authorized pNode that meets the applicable processor socket limitation at a time, 3) The PAN vmBuilder/vBlade license is included as part of the PAN Builder License and authorizes the use of vmBuilder software for any pNode with a valid PAN Builder License. This license authorizes the user to partition a physical											x					x									S26361-F4583-S100	2.500,00	
	Egenera PAN Server Portability for BX900	1) The PAN Server Portability software license is an optional add-on product to the PAN Builder license. This license authorizes the use of PAN Manager software to automatically move a pServer from one pNode to another pNode within a single PAN environment and such other functionality as is described in the applicable end user documentation. A PAN environment is defined by the number of pNodes supported by a particular redundant pair of PAN Controllers in a Fujitsu BX900 System configured for PAN Manager. A PAN Server Portability license is valid for use only on certified/authorized Fujitsu BX900 System configured for PAN Manager. , 2) PAN Server Portability licenses are priced and licensed based on the number of processor sockets an authorized pNode for which the functionality is licensed may have, with license covering authorized pNodes with up to 2 processor sockets. A PAN Server Portability license is not issued for a specific authorized pNode unit, but rather authorizes the use of the licensed											x					x									S26361-F4583-S110	2.000,00	
	Egenera PAN Portability for BX900	1) The PAN Portability software license is an optional add-on product to the PAN Builder license. This license authorizes the use of PAN Manager software to configure a backup hardware environment and such other functionality as is described in the applicable end user documentation. This capability allows a PAN environment at one geographic location to act as a disaster recovery facility for one or more PAN environment(s) at other locations. A PAN environment is defined by the number of pNodes supported by a particular redundant pair of PAN Controllers in a Fujitsu BX900 System configured for PAN Manager. A PAN Portability license is valid for use only on certified/authorized Fujitsu BX900 System configured for PAN Manager. , 2) PAN Portability licenses are priced and licensed based on the number of processor sockets an authorized pNode for which the functionality is licensed may have, with license covering authorized pNodes with up to 2 processor sockets. A PAN Portability license is not											x					x									S26361-F4583-S120	3.000,00	
	VIOM License f. operation of one server,	VIOM License for operation of one server, Service Pack mandatory								x	x	x	x	x	x	x	x	x								U15000-C311	315,00	
	VIOM License for operation of 8 servers,	VIOM License for operation of 8 servers, Service Pack mandatory								x	x	x	x	x	x	x	x	x								U15000-C312	1.890,00	



Blade Servers Options

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Entcryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Options matrix																												
PRIMERGY-Software (Continued)																												
	VIOM License f. operation of 18 servers,	VIOM License for operation of 18 servers, Service Pack mandatory								x		x	x	x	x	x	x	x								U15000-C313	3.795,00	
	Red Hat EL HPC 1-2SOC Self-Support 1Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year											x	x	x	x	x									S26361-F2346-C851	57,00	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.								x			x	x	x	x	x	x								S26361-F2565-E593	875,00	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.								x			x	x	x	x	x	x								S26361-F2565-E595	875,00	
	Win Svr 2008 R2 SP1 Datactr 2CPU OEM	Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.								x			x	x	x	x	x	x								S26361-F2567-E331	2.966,00	
	PCM Fujitsu Basic per node 1Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 1 year.											x	x	x	x	x									S26361-F2346-C951	157,00	
	Win Srv 2008 R2 SP1 Enterpr w/10CAL OEM	Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.								x			x	x	x	x	x	x								S26361-F2567-E321	1.870,00	
	PCM Fujitsu Basic Services 1Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 1-Year.											x	x	x	x	x									S26361-F2346-S951	7,00	
	Win Srv 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and woldwide language packs. OEM DVD, License.								x			x	x	x	x	x	x								S26361-F2567-E311	585,00	
	PCM Fujitsu Enterprise per node 1y	Platform Cluster Manager Fujitsu Enterprise Edition pro Knoten (Kopf- und Arbeitsknoten) 5x9 level3 Support 1 Jahr.											x	x	x	x	x									S26361-F2346-C961	466,00	
	Win SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA, License											x	x	x	x	x									S26361-F2567-E350	630,00	
	Win SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set, COA, License											x	x	x	x	x									S26361-F2567-E351	630,00	
	Win SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License											x	x	x	x	x									S26361-F2567-E352	630,00	
	Win SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License											x	x	x	x	x									S26361-F2567-E353	630,00	
	Win SBS Standard 2011 w/5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License											x	x	x	x	x									S26361-F2567-E354	630,00	
	Win SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License											x	x	x	x	x									S26361-F2567-E355	630,00	
	Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License											x	x	x	x	x									S26361-F2567-E356	630,00	
	Win SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA, License											x	x	x	x	x									S26361-F2567-E357	630,00	
	Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA, License											x	x	x	x	x									S26361-F2567-E358	630,00	
	Win SBS Standard 2011 w/5CAL OEM HU	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License											x	x	x	x	x									S26361-F2567-E359	630,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License											x	x	x	x	x									S26361-F2567-E370	925,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media set, COA, License											x	x	x	x	x									S26361-F2567-E371	925,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License											x	x	x	x	x									S26361-F2567-E372	925,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License											x	x	x	x	x									S26361-F2567-E373	925,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License											x	x	x	x	x									S26361-F2567-E374	925,00	
	PCM Fujitsu Enterprise Services 1y	Platform Cluster Maneger Fujitsu Enterprise Services entitlement per HPC configuration 1 year.											x	x	x	x	x									S26361-F2346-S961	7,00	
	Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.								x			x		x		x		x							S26361-F2567-E330	3.315,00	Phased out
	Win Srv 2008 R2 Enterprise 10CAL MUL OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.								x			x		x		x		x							S26361-F2567-E320	2.085,00	Phased out
	Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.								x			x		x		x		x							S26361-F2567-E310	655,00	Phased out
	Win Srv 2008 R2 Standard 5CAL PRC OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) Simplified Chinese. OEM DVD, License.								x			x	x	x	x	x	x								S26361-F2567-E318	530,00	
	Win Web Srv 2008 R2 MULI OEM	Win Web Srv 2008 R2 1-4 CPU EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.								x			x	x	x	x	x	x								S26361-F2567-E302	305,00	
	Fujitsu BWA Infra. SW License Base 3.0	Fujitsu BWA infrastructure software V3.0 base license. Covers first 48 GB RAM and staging efforts													x											D:BWA-SW-001	3.400,00	
	Red Hat EL HPC 1-2SOC Self-Support 3Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year											x	x	x	x	x									S26361-F2346-C852	170,00	
	Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.								x			x	x	x	x	x	x								S26361-F2567-E391	25,00	
	PCM Fujitsu Basic per node 3Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 3 years.											x	x	x	x	x									S26361-F2346-C952	470,00	
	Win Srvs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.								x			x	x	x	x	x	x								S26361-F2567-E390	25,00	
	PCM Fujitsu Basic Services 3Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 3 years.											x	x	x	x	x									S26361-F2346-S952	7,00	
	PCM Fujitsu Enterprise per node 3Y	Platform Cluster Manager Fujitsu Enterprise Edition per node (head and compute node) 5x9 level3 support 3 years.											x	x	x	x	x									S26361-F2346-C962	1.394,00	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system								x			x	x	x	x	x	x								S26361-F2565-E328	25,00	Phased out
	PCM Fujitsu Enterprise Services 3Y	, Platform Cluster Maneger Fujitsu Enterprise Services entitlement per HPC configuration 3 years.											x	x	x	x	x									S26361-F2346-S962	7,00	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system								x			x	x	x	x	x	x								S26361-F2565-E318	25,00	Phased out



Blade Servers Options

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Entcryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Options matrix																												
PRIMERGY-Software (Continued)																												
	Fujitsu BWA Infra. SW License Ext. M 3.0	Fujitsu BWA infrastructure software V3.0 license extension package medium. Covers the range of 48 GB to 240 GB RAM in steps of 12 GB													x											D:BWA-SW-002	840,00	
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.												x	x	x	x									S26361-F2567-E360	750,00	
	Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.												x	x	x	x									S26361-F2567-E361	375,00	
	Win HPC Pack 2008 R2 Express MUL OEM	Win HPC Pack 2008 R2 Express (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.												x	x	x	x									S26361-F2567-E362	25,00	
	Win HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.												x	x	x	x									S26361-F2567-E363	110,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC USA	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for USA. Ships per Request for Special Release only. Only for Qualified Educational Users in the U.S., only for shipments to U.S.A. OEM Recovery DVD Media Kit, COA, License.												x	x	x	x									S26361-F2567-E366	30,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC PRC	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for PRC. Ships per Request for Special Release only. Only for Qualified Educational Users in the PRC, only for shipments to PRC. OEM Recovery DVD Media Kit, COA, License.												x	x	x	x									S26361-F2567-E368	30,00	
	Fujitsu BWA Infra. SW License Ext. L 3.0	Fujitsu BWA infrastructure software V3.0 license extension package large. Covers all main memory beyond 240 GB in steps of 24 GB.													x											D:BWA-SW-003	840,00	
	FF-AN RTU for RX600 S5/S6	FF4SAP RTU																	x							U21348-C231	10.520,00	
	FF RTU RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame ApplicationNode RTU for RX300 S5/S6, BX620 S5/S6 aund BX920 S1/S2.								x			x	x		x	x									U21348-C291	4.785,00	
	FF-AN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software.																	x							U21348-C231-W1	2.982,42	
	FF-AN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.								x			x	x		x	x									U21348-C291-W1	1.357,00	
	FF SAN RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2), which is connected via SAN to the database								x																U21348-C292	2.393,00	
	FF-AN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S12 Application Node Management Software.																	x							U21348-C231-W3	8.521,20	
	FF-AN Accounting RTU RX600	FF4SAP Accounting RTU																	x							U21348-C233	5.260,00	
	FF-AN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.								x			x	x		x	x									U21348-C291-W3	3.876,00	
	FF Acnt RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node Accounting RTU for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2.								x			x	x		x	x									U21348-C293	2.393,00	
	FF-AN SAN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – SAN option.																	x							U21348-C232-W1	1.491,21	
	FF-AN Messenger RTU RX600 and BX960	FF4SAP Messenger RTU																	x							U21348-C234	5.260,00	
	FF-AN SAN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.								x			x	x		x	x									U21348-C292-W1	678,00	
	FF Msg RX300S5/S6, BX620S5, BX920S1/S2	FF4SAP Application Node Messenger Expert Right to use for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2								x			x	x		x	x									U21348-C294	2.393,00	
	FF-AN SAN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – SAN option.																	x							U21348-C232-W3	4.260,60	
	FF-AN SAN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – SAN option.								x			x	x		x	x									U21348-C292-W3	1.938,00	
	FF VMware vSphere ESXi 5.0 Standard	FlexFrame VMware vSphere ESXi 5.0 Standard RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Standard licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)								x			x	x		x	x									U21348-C494	1.892,00	
	FF-AN Acc back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – Accounting option.																	x							U21348-C233-W1	1.491,21	
	FF-AN Acc back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.								x			x	x		x	x									U21348-C293-W1	678,00	
	FF VMware vSphere ESXi 5.0 Enterprise	FlexFrame VMware vSphere ESXi 5.0 Enterprise RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)								x			x	x		x	x									U21348-C495	3.954,00	
	FF-AN Acc back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – Accounting option.																	x							U21348-C233-W3	4.260,60	
	FF-AN Acc back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.								x			x	x		x	x									U21348-C293-W3	1.938,00	
	FF VMware vSphere ESXi 5.0 ENT PL	FlexFrame VMware vSphere ESXi 5.0 Enterprise Plus RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise Plus licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)								x			x	x		x	x									U21348-C496	4.637,00	



Blade Servers Options

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Entcryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Options matrix																												
PRIMERGY-Software (Continued)																												
	FF-AN Mes back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – Messenger Expert option.																x								U21348-C234-W1	1.491,21	
	FF-AN Mes back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.								x			x	x		x	x									U21348-C294-W1	678,00	
	FF-VMware Option	FlexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support contracts have to be ordered via the local Vmware contacts., These licenses can also be ordered, when the customer already has its own Vmware vSphere licenses and support								x			x	x		x	x									U21348-C490	800,00	
	FF-AN Mes back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – Messenger Expert option.																x								U21348-C234-W3	4.260,60	
	FF-AN Mes back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.								x			x	x		x	x									U21348-C294-W3	1.938,00	
	FF-AN VMware back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX600 S5 or BX960 S1 server.																x								U21348-C430-W1	290,20	
	FF-AN VMware back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.								x			x	x		x	x									U21348-C490-W1	132,00	
	SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year subscription.								x			x	x	x	x	x	x								S26361-F2346-E611	249,00	
	SUSE Linux ES 32SOC 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 3 years subscription.								x			x	x	x	x	x	x								S26361-F2346-E612	670,00	
	SUSE Linux E 11 HAE 32SOC 3Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 3 years subscription.								x			x	x	x	x	x	x								S26361-F2346-E622	1.350,00	
	SUSE Linux ES BX600 3Y	SUSE Linux Enterprise Server for x86, x86_64 BX600 System Unit 3 years subscription.								x																S26361-F2346-E632	3.363,00	
	SUSE Linux ES BX900 3Y	SUSE Linux Enterprise Server for x86, x86_64 BX900 System Unit 3 years subscription.										x	x	x	x	x	x	x								S26361-F2346-E642	6.020,00	
	SUSE Linux ES BX400 3Y	SUSE Linux Enterprise Server for x86, x86_64 BX400 System Unit 3 years subscription.									x		x	x	x	x	x	x								S26361-F2346-E652	2.692,00	
	FF-AN VMware back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX600 S5 or BX960 S1 server.																x								U21348-C430-W3	791,52	
	FF-AN VMware back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.								x			x	x		x	x									U21348-C490-W3	360,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year								x			x	x	x	x	x			x						S26361-F2346-S101	331,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years								x			x	x	x	x	x			x						S26361-F2346-S102	889,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year								x			x	x	x	x	x			x						S26361-F2346-S103	497,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years								x			x	x	x	x	x			x						S26361-F2346-S104	1.334,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year								x			x	x	x	x	x			x						S26361-F2346-S105	830,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years								x			x	x	x	x	x			x						S26361-F2346-S106	2.224,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year								x			x	x	x	x	x			x						S26361-F2346-S111	538,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years								x			x	x	x	x	x			x						S26361-F2346-S112	1.445,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year								x			x	x	x	x	x			x						S26361-F2346-S113	808,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years								x			x	x	x	x	x			x						S26361-F2346-S114	2.169,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year								x			x	x	x	x	x			x						S26361-F2346-S115	1.347,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years								x			x	x	x	x	x			x						S26361-F2346-S116	3.615,00	
	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year								x			x	x	x	x	x			x						S26361-F2346-S121	220,00	
	Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years								x			x	x	x	x	x			x						S26361-F2346-S122	607,00	
	Red Hat EL RS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year								x			x	x	x	x	x			x						S26361-F2346-S131	441,00	
	Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 3 years								x			x	x	x	x	x			x						S26361-F2346-S132	1.215,00	
	Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year								x			x	x	x	x	x			x						S26361-F2346-S141	110,00	
	Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years								x			x	x	x	x	x			x						S26361-F2346-S142	303,00	
	Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year								x			x	x	x	x	x			x						S26361-F2346-S151	110,00	
	Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years								x			x	x	x	x	x			x						S26361-F2346-S152	303,00	
	Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year								x			x	x	x	x	x			x						S26361-F2346-S161	110,00	
	Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years								x			x	x	x	x	x			x						S26361-F2346-S162	303,00	
	Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 1 year								x			x	x	x	x	x			x						S26361-F2346-S171	138,00	
	Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years								x			x	x	x	x	x			x						S26361-F2346-S172	380,00	
	Red Hat ELS 4SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 1 year																x								S26361-F2346-S201	663,00	
	Red Hat ELS 4SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 3 years																x								S26361-F2346-S202	1.778,00	



Blade Servers Options

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Entcryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Options matrix																												
PRIMERGY-Software (Continued)																												
	Red Hat ELS 4SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 1 year																x								S26361-F2346-S203	994,00	
	Red Hat ELS 4SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 3 years																x								S26361-F2346-S204	2.668,00	
	Red Hat ELS 4SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 1 year																x								S26361-F2346-S205	1.657,00	
	Red Hat ELS 4SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 3 years																x								S26361-F2346-S206	4.449,00	
	Red Hat ELS 4SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 1 year																x								S26361-F2346-S211	1.077,00	
	Red Hat ELS 4SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 3 years																x								S26361-F2346-S212	2.891,00	
	Red Hat ELS 4SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 1 year																x								S26361-F2346-S213	1.616,00	
	Red Hat ELS 4SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 3 years																x								S26361-F2346-S214	4.338,00	
	Red Hat ELS 4SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 1 year																x								S26361-F2346-S215	2.694,00	
	Red Hat ELS 4SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 3 years																x								S26361-F2346-S216	7.231,00	
	Red Hat EL HA 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 1 year																x								S26361-F2346-S221	441,00	
	Red Hat EL HA 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 3 years																x								S26361-F2346-S222	1.214,00	
	Red Hat EL RS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 1 year																x								S26361-F2346-S231	883,00	
	Red Hat EL RS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 3 years																x								S26361-F2346-S232	2.430,00	
	Red Hat EL SFS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (4 sockets) I3 Support 1 year																x								S26361-F2346-S241	220,00	
	Red Hat EL SFS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (4 sockets) I3 Support 3 years																x								S26361-F2346-S242	605,00	
	Red Hat EL LB 4SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (4 sockets) I3 Support 1 year																x								S26361-F2346-S251	220,00	
	Red Hat EL LB 4SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (4 sockets) I3 Support 3 years																x								S26361-F2346-S252	605,00	
	Red Hat EL HPN 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 1 year																x								S26361-F2346-S261	220,00	
	Red Hat EL HPN 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 3 years																x								S26361-F2346-S262	605,00	
	Red Hat EL EUS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) I3 Support 1 year																x								S26361-F2346-S271	275,00	
	Red Hat EL EUS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) I3 Support 3 years																x								S26361-F2346-S272	757,00	
	Citrix XS AE, 3yr SA	Citrix XS AE, 3yr SA; XenServer V5.6+ Advanced Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download											x	x	x	x	x	x								S26361-F2341-S980	1.050,00	
	Citrix XS EE, 3yr SA	Citrix XS EE, 3yr SA; XenServer V5.6+ Enterprise Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download											x	x	x	x	x	x								S26361-F2341-S981	2.630,00	
	Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download											x	x	x	x	x	x								S26361-F2341-S982	5.290,00	
	Citrix XS AE-EE upgr, 3yr SA	Citrix XS AE-EE upgr, 3yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 3 years Subscription Advantage; SW and Lizence key per Download											x	x	x	x	x	x								S26361-F2341-S983	2.000,00	
	Citrix XS AE-PE upgr, 3yr SA	Citrix XS AE-PE upgr, 3yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizence key per Download											x	x	x	x	x	x								S26361-F2341-S984	4.880,00	
	Citrix XS EE-PE upgr, 3yr SA	Citrix XS EE-PE upgr, 3yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizence key per Download											x	x	x	x	x	x								S26361-F2341-S985	3.540,00	
	Citrix XS AE, 1yr SA	Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download											x	x	x	x	x	x								S26361-F2341-S986	830,00	
	Citrix XS EE, 1yr SA	Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download											x	x	x	x	x	x								S26361-F2341-S987	2.080,00	
	Citrix XS PE, 1yr SA	Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download											x	x	x	x	x	x								S26361-F2341-S988	4.170,00	
	Citrix XS AE-EE upgr, 1yr SA	Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and Lizence key per Download											x	x	x	x	x	x								S26361-F2341-S989	1.460,00	
	Citrix XS AE-PE upgr, 1yr SA	Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizence key per Download											x	x	x	x	x	x								S26361-F2341-S990	3.750,00	
	Citrix XS EE-PE upgr, 1yr SA	Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizence key per Download											x	x	x	x	x	x								S26361-F2341-S991	2.420,00	
	VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Single SRV Lic. (w/o SP)								x			x	x	x	x	x	x								S26361-F2341-E431	60,00	
	VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S700	10,00	
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4,vCenter 5,vShield,Backup-Restore , VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore - No License								x			x	x	x	x	x	x								S26361-F2341-E300	80,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-E707	895,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-E708	895,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-E709	2.585,00	



Blade Servers Options

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Entcryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Options matrix																											
PRIMERGY-Software (Continued)																											
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-E710	2.585,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-E711	3.145,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-E712	3.145,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-E730	8.995,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-E731	8.995,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-E732	15.750,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-E733	15.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-E734	19.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-E735	19.750,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S736	4.495,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S737	4.495,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 1 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S738	1.345,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 3 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S739	1.345,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-E740	4.045,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 3 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-E741	4.045,00	
	VMware Essentials w/1yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 1 year VMware Sub. - no Support								x			x	x	x	x	x	x								S26361-F2341-S800	504,00	
	VMware Essentials w/3yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 3 year VMware Sub. - no Support								x			x	x	x	x	x	x								S26361-F2341-S801	600,00	
	VMware SRM STD 25 VM Pack w/7x24-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.								x			x	x	x	x	x	x								S26361-F2341-S802	4.969,00	
	VMware SRM STD 25 VM Pack w/7x24-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.								x			x	x	x	x	x	x								S26361-F2341-S803	6.510,00	
	VMware SRM STD 25 VM Pack w/5x9-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.								x			x	x	x	x	x	x								S26361-F2341-S804	4.810,00	
	VMware SRM STD 25 VM Pack w/5x9-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.								x			x	x	x	x	x	x								S26361-F2341-S805	6.104,00	
	VMware SRM ENT 25 VM Pack w/7x24-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.								x			x	x	x	x	x	x								S26361-F2341-S806	12.573,00	
	VMware SRM ENT 25 VM Pack w/7x24-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.								x			x	x	x	x	x	x								S26361-F2341-S807	16.483,00	
	VMware SRM ENT 25 VM Pack w/5x9-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.								x			x	x	x	x	x	x								S26361-F2341-S808	12.169,00	
	VMware SRM ENT 25 VM Pack w/5x9-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.								x			x	x	x	x	x	x								S26361-F2341-S809	15.454,00	
	VMware View ENT Start 10 CLI w/o SP-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S742	1.220,00	
	VMware View ENT Start 10 CLI w/o SP-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S743	1.220,00	
	VMware View ENT 100 CLI w/o SP-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S744	12.195,00	
	VMware View ENT 100 CLI w/o SP-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S745	12.195,00	
	VMware View ENT Add 10 CLI w/o SP-1yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL - Mandatory 1 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S746	1.220,00	Phased out
	VMware View ENT Add 10 CLI w/o SP-3yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL - Mandatory 3 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S747	1.220,00	Phased out
	VMware View ENT Add-On 10 CLI w/o SP-1yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM - Mandatory 1 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S748	730,00	
	VMware View ENT Add-On 10 CLI w/o SP-3yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM - Mandatory 3 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S749	730,00	
	VMware View PRE Start 10 CLI w/o SP-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S750	2.030,00	
	VMware View PRE Start 10 CLI w/o SP-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S751	2.030,00	
	VMware View PRE 100 CLI w/o SP-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S752	20.295,00	
	VMware View PRE 100 CLI w/o SP-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S753	20.295,00	
	VMware View PRE Add 10 CLI w/o SP-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S754	2.030,00	Phased out
	VMware View PRE Add 10 CLI w/o SP-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S755	2.030,00	Phased out
	VMware View PRE Add-On 10 CLI w/o SP-1yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA - Mandatory 1 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S756	1.540,00	
	VMware View PRE Add-On 10 CLI w/o SP-3yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA - Mandatory 3 year Service Pack needed!								x			x	x	x	x	x	x								S26361-F2341-S757	1.540,00	



Blade Servers Options

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Entcryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Options matrix																												
PRIMERGY-Software (Continued)																												
	VMware vCloud Dir. 25 VM Pack w/7x24-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.								x			x	x	x	x	x	x								S26361-F2341-S810	3.992,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.								x			x	x	x	x	x	x								S26361-F2341-S811	5.299,00	
	VMware Chargeback 25 VM Pack w/7x24-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.								x			x	x	x	x	x	x								S26361-F2341-S812	1.275,00	
	VMware Chargeback 25 VM Pack w/7x24-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.								x			x	x	x	x	x	x								S26361-F2341-S813	1.694,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.								x			x	x	x	x	x	x								S26361-F2341-S814	3.865,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.								x			x	x	x	x	x	x								S26361-F2341-S815	4.963,00	
	VMware Chargeback 25 VM Pack w/5x9-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.								x			x	x	x	x	x	x								S26361-F2341-S816	1.234,00	
	VMware Chargeback 25 VM Pack w/5x9-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.								x			x	x	x	x	x	x								S26361-F2341-S817	1.586,00	
OS/Application-SW																												
	SUSE Linux ES BF200 3Y	SUSE Linux Enterprise Server for all platforms BF200 System Unit 3-Years subscription																		x						U15045-C162-B	2.586,00	Phased out
	SUSE Linux ES BF400 3Y	SUSE Linux Enterprise Server for all platforms BF400 System Unit 3-Years subscription																		x						U15045-C172-B	10.340,00	Phased out
UPS/Power supply																												
	PY BX400 PSU (1600W/1100W) w/o powercord	PY BX400 Power Supply (1600 W/1100 W) without power cable									x															S26113-F607-E201	495,00	
	PY BX900 Rear Fan Unit	BX900 Rear Fan Unit with 4 Fans										x														S26361-F3962-E100	285,00	
	PY BX400 Fan Unit	BX400 Fan Unit with 2 Fans									x															S26361-F4474-E100	155,00	
	BX900 PSU 2.880W silver w/o power cord	BX900 Power supply 100-240V AC, w/o power cord										x														S26113-F606-E250	675,00	
	BX900 PSU 2.880W platinum hp w/o power c	BX900 Power Supply 2.880W platinum hp										x														S26113-F606-E300	860,00	
	Power Cord 16A IEC320 C19->C20	Power cord with connector IEC320 C20 ->plug IEC320 C20 for connection to UPS (connector 16A IEC320 C19)									x	x														S26361-F3151-E301	30,00	
	Power Cord 16A IEC320 C19->C20 1 m	Power cord 16A IEC320 C20 -> IEC320 C19 length 1 meter										x														S26361-F3151-E10	30,00	
	Power Cord IEC320 C19 -> IEC 320 C14	Power coerd with connector IEC320 C19 ->plug IEC320 C14 for connection to UPS or socket outlet (connector 16A IEC320 C19)									x															S26361-F3151-E351	10,00	
	Cable powercord rack, 4m, grey	Powercord for rackmounting, IEC 320 C14 -> C13 (10A plug), 4m																				x				T26139-Y1968-E100	10,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd																				x				T26139-Y1742-E10	10,00	
	Power cord IEC320 C19 -> IEC320 C14	Power coerd with connector IEC320 C19 ->plug IEC320 C14 for connection to UPS or socket outlet (connector 16A IEC320 C19)									x															S26361-F3151-E350	10,00	
	No powercord as order option	For Countries without specific cable orderable like e.g. China									x	x										x				T26139-Y3850-E10	2,00	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C20 ->plug IEC320 C20 for connection to UPS (connector 16A IEC320 C19)									x															S26361-F3151-E300	30,00	
	Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19->CEE 7/7 (Schuko)									x															S26361-F3151-E100	30,00	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C20 -> 16A CEE (IEC309, blue), length 3,5m									x	x														S26361-F3151-E200	30,00	
	Power cord IEC320 C19 -> US NEMA L6-20p	with connector IEC320 C20 -> US NEMA L6-20p									x															S26361-F3151-E500	60,00	
Miscellaneous																												
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order							x	x	x	x	x	x								x				S26361-F1647-E410	25,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!								x			x	x	x	x	x									S26361-F3552-E1	50,00	
	TPM Module for BX960	Trusted Platform Module on motherboard, be aware of import restrictions!																x								S26361-F3552-E2	50,00	
FC/IP-Infrastructure																												
	S/W, 10 Gigabit Ethernet 1Y Maintenance	S/W, 10 Gigabit Ethernet 1 year Maintenance, Brocade number: BR-DCX10GE-01-M			x		x																			B:BR-DCX10GE-01-M	16.543,00	
	S/W, 10 Gigabit Ethernet 2Y Maintenance	S/W, 10 Gigabit Ethernet 2 years Maintenance, Brocade number: BR-DCX10GE-01-M-2			x		x																			B:BR-DCX10GE-02-M	17.412,00	
	S/W, 10 Gigabit Ethernet 3Y Maintenance	S/W, 10 Gigabit Ethernet 3 years Maintenance, Brocade number: BR-DCX10GE-01-M-3			x		x																			B:BR-DCX10GE-03-M	18.232,00	
	S/W, 10 Gigabit Ethernet 4Y Maintenance	S/W, 10 Gigabit Ethernet 4 years Maintenance, Brocade number: BR-DCX10GE-01-M-4			x		x																			B:BR-DCX10GE-04-M	19.117,00	
	S/W, 10 Gigabit Ethernet 5Y Maintenance	S/W, 10 Gigabit Ethernet 5Y Maintenance, Brocade number: BR-DCX10GE-01-M-5			x		x																			B:BR-DCX10GE-05-M	20.002,00	
	S/W,Advanced Extension 1Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 1 year SUP included, Brocade number BR-DCXAEX-01-M					x																			B:BR-DCXAEX-01-M	7.316,00	
	S/W,Advanced Extension 2Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 2 years SUP included, Brocade number BR-DCXAEX-01-M-2					x																			B:BR-DCXAEX-02-M	8.441,00	
	S/W,Advanced Extension 3Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 3 years SUP included, Brocade number BR-DCXAEX-01-M-3					x																			B:BR-DCXAEX-03-M	9.504,00	
	S/W,Advanced Extension 4Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 4 years SUP included, Brocade number BR-DCXAEX-01-M-4					x																			B:BR-DCXAEX-04-M	10.651,00	
	S/W,Advanced Extension 5Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 5 year SUP included, Brocade number: BR-DCXAEX-01-M-5					x																			B:BR-DCXAEX-05-M	11.798,00	
	S/W, Advanced Accelerator for FICON 1Y M	S/W, Advanced Accelerator for FICON 1 year Maintenance, Brocade Number: BR-DCXAFI-01-M					x																			B:BR-DCXAFI-01-M	27.142,00	
	S/W, Advanced Accelerator for FICON 2Y M	S/W, Advanced Accelerator for FICON 2 years Maintenance, Brocade Number: BR-DCXAFI-01-M-2					x																			B:BR-DCXAFI-02-M	31.321,00	
	S/W, Advanced Accelerator for FICON 3Y M	S/W, Advanced Accelerator for FICON 3 years Maintenance, Brocade Number:BR-DCXAFI-01-M-3					x																			B:BR-DCXAFI-03-M	35.267,00	
	S/W, Advanced Accelerator for FICON 4Y M	S/W, Advanced Accelerator for FICON 4 years Maintenance, Brocade Number: BR-DCXAFI-01-M-4					x																			B:BR-DCXAFI-04-M	39.522,00	
	S/W, Advanced Accelerator for FICON 5Y M	S/W, Advanced Accelerator for FICON 5 years Maintenance, Brocade number: BR-DCXAFI-01-M-5					x																			B:BR-DCXAFI-05-M	43.776,00	
	Integrated Routing (Inkl.-M), SUS 1 Year	Integrated Routing,1 year Mantenance., Brocadenumber: BR-DCXIR-01-M				x																				B:BR-DCXIR-01-M	21.920,00	
	Integrated Routing (Inkl.-M), SUS 2years	Integrated Routing,2 years Mantenance., Brocadenumber: BR-DCXIR-02-M				x																				B:BR-DCXIR-02-M	22.950,00	
	Integrated Routing (Inkl.-M), SUS 3years	Integrated Routing,3 years Mantenance., Brocadenumber: BR-DCXIR-03-M				x																				B:BR-DCXIR-03-M	23.922,00	
	Integrated Routing (Inkl.-M), SUS 4years	Integrated Routing, 4 year Mantenance., Brocadenumber: BR-DCXIR-04-M				x																				B:BR-DCXIR-04-M	24.969,00	



Blade Servers Options

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Entcryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Options matrix																												
FC/IP-Infrastructure (Continued)																												
	Integrated Routing (Inkl.-M), SUS 5years	Integrated Routing 5 years Maintenance, , Brocade number: BR-DCXIR-01-M-5				x																				B:BR-DCXIR-05-M	26.018,00	
	FS8-18 Upg(adv.crypto f.disk,1/DCX chas)	FS8-18 Upgrade (adv.crypto f.disk,1x per DCX chassis), , Brocade number: BR-ENCPRF48-01		x																						B:BR-ENCPRF48-01	72.141,00	
	Sup&4 hr advance HW replacem.parts only	Remote support & 4 hr advance HW replacement (parts only), Only the first order possible!, Brocade SVS-4P		x	x		x																			B:MAINT-SVS-4P	########	
	BR SFP, LWL (SMF), 8GB/s 10Km, 1-Pack	1xSFP Single Mode Fibre, 8 GB/s, 10km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000153 branded SFP)	x																							B:XBR-000153-M	1.394,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
	BR Mini-SFP,SWL(MMF)8GB/s50m,100m,1-Pack	1x Mini-SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000160 branded SFP)	x																							B:XBR-000160-M	199,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
	BR SFP, SWL(MMF), 8GB/s 50m,100m, 1-Pack	1x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000163 branded SFP)	x																							B:XBR-000163-M	116,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
	BR SFP, SWL(MMF), 8GB/s 50m,100m, 8-Pack	8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000164 branded SFP)	x																							B:XBR-000164-M	852,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
	BR SFP, LWL (SMF), 8GB/s 10Km, 8-Pack	8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000172 branded SFP)	x																							B:XBR-000172-M	7.610,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
	BR SFP+,SWL (MMF),16GB/s 50m,100m,1-Pack	1x SFP+,Sort Wave Lenghs,16GB/s, , (Brocade XBR-000192 branded SFP)	x																							B:XBR-000192-M	461,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
	BR SFP+,SWL (MMF),16GB/s 50m,100m,8-Pack	FRU,SFP+,SWL,16G,8-PK,BR, , (Brocade XBR-000193 branded SFP)	x																							B:XBR-000193-M	3.108,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
	BR SFP, LWL (SMF), 16GB/s 10Km, 1-Pack	FRU,SFP+,LWL,16G,10KM,1-PK,BR, , (Brocade XBR-000198 branded SFP)	x																							B:XBR-000198-M	1.968,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
	BR SFP, LWL (SMF), 16GB/s 10Km, 8-Pack	FRU,SFP+,LWL,16G,10KM,8-PK,BR, , (Brocade XBR-000199 branded SFP)	x																							B:XBR-000199-M	13.502,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
	Brocade FRU, SFP+,LWL,10GFC,10KM,1PK, BR	FRU, SFP+,LWL,10GFC,10KM,1-PK, BR, , (Brocade XBR-000217 branded SFP)	x																							B:XBR-000217-M	1.183,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
	Brocade FRU, SFP+,SWL,10GFC,10KM,1PK, BR	FRU, SFP+,SWL,10GFC,1-PK, BR, , (Brocade XBR-000218 branded SFP)	x																							B:XBR-000218-M	382,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
	10GBASE-CU SFP+ Cable 1 Meter	Cable with 2 integrated 10 GBE transceiver modules																		x						CIO:SFP-H10GB-CU1M	153,00	
	BR SFP, SWL (MMF), 4GB/s 150m, 1-Pack	1x SFP Multi Mode Fibre, 4 GB/s 150 m , (depending on used fibre cable type OM2 / OM3), (Brocade branded SFP)				x																				D:FCSFP-B-MM4G	100,00	
	BR SFP SWL (SMF) 4 GB/s 4 km,1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 4km , (depending on used fibre cable type OM2 / OM3), (Brocade branded SFP)				x																				D:FCSFP-B-SM4-04	460,00	
	BR SFP, LWL (SMF), 4GB/s 10Km, 1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade branded SFP)				x																				D:FCSFP-B-SM4-10	826,00	
	BR SFP SWL (SMF), 4 GB/s 30 km,1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 30km , (depending on used fibre cable type OM2 / OM3), (Brocade branded SFP)				x																				D:FCSFP-B-SM4-30	1.530,00	
	1 GBE Copper SFP (for IP)	1 GBE Copper SFP				x																				D:FCSFP-COP-1GBE	481,00	
	SFP Single Mode Fibre, 4 GB/s, 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km, , Not usable for 8 GB/s Switches!				x																				D:FCSFP-SM4G-30	1.831,00	Phased out
	PY BX900 Management Blade S1	Redundant Management Blade									x	x														S26361-F3962-E500	790,00	
	BR SFP, SWL(MMF), 8GB/s 50m,100m, 1-Pack	1x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000163 branded SFP)		x			x	x																		B:XBR-000163	116,00	
	BR SFP, SWL(MMF), 8GB/s 50m,100m, 8-Pack	8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000164 branded SFP)						x																		B:XBR-000164	852,00	
	BR SFP, LWL (SMF), 8GB/s 10Km, 1-Pack	1xSFP Single Mode Fibre, 8 GB/s, 10km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000153 branded SFP)					x	x																		B:XBR-000153	1.394,00	
	BR SFP, LWL (SMF), 8GB/s 10Km, 8-Pack	8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000172 branded SFP)						x																		B:XBR-000172	7.610,00	
	BR SFP, LWL (SMF), 8GB/s 25Km, 1-Pack	1xSFP Single Mode Fibre, 8 GB/s, 25km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000174 branded SFP)						x																		B:XBR-000174	4.072,00	
	BR Mini-SFP,SWL(MMF)8GB/s50m,100m,1-Pack	1x Mini-SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000160 branded SFP)						x																		B:XBR-000160	199,00	
	BR SFP, SWL (MMF), 4GB/s 150m, 1-Pack	1x SFP Multi Mode Fibre, 4 GB/s 150 m , (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000139 branded SFP)					x	x																		B:XBR-000139	122,00	
	BR SFP, LWL (SMF), 4GB/s 4Km, 1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 4km , (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000142 branded SFP)						x																		B:XBR-000142	640,00	
	BR SFP, LWL (SMF), 4GB/s 10Km, 1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000144 branded SFP)						x																		B:XBR-000144	1.169,00	
	BR SFP, SWL (MMF), 4GB/s 150m, 8-Pack	8x SFP Multi Mode Fibre, 4 GB/s 150 m , (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000141 branded SFP)						x																		B:XSM-000141	411,00	
	BR SFP, LWL (SMF), 4GB/s 4Km, 8-Pack	8xSFP Single Mode Fibre, 4 GB/s, 4km , (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000143 branded SFP)						x																		B:XSM-000143	3.336,00	
	Brocade FRU, SFP, LWL, 4G, 30km	1xSFP Single Mode Fibre, 4 GB/s, 30km , (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000146 branded SFP)						x																		B:XSM-000146	1.688,00	
	BR SFP, LWL (SMF), 4GB/s 10Km, 8-Pack	8x SFP+ Multi Mode Fibre, 4 GB/s, 50 / 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000157 branded SFP)						x																		B:XSM-000157	6.077,00	
	Brocade SFP+, SR, 10GE, 1-PK, BR	1x SFP+ Multi Mode Fibre, SR, 10 GE, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000180 branded SFP)			x		x																			B:XBR-000180	534,00	
	Brocade SFP+, SR, 10GE, 8-PK, BR	SFP+, SR, 10GE, 8-PK, BR, , (Brocade XBR-000181 branded SFP)			x																					B:XBR-000181	2.985,00	
	Brocade SFP+, LR, 10GE, 1-PK, BR	SFP+, LR, 10GE, 1-PK, BR, , (Brocade XBR-000182 branded SFP)			x		x																			B:XBR-000182	1.438,00	
	Brocade SFP+, LR, 10GE, 8-PK, BR	SFP+, LR, 10GE, 8-PK, BR, , (Brocade XBR-000181 branded SFP)			x																					B:XBR-000183	10.494,00	
	Brocade FRU, SFP+,LWL,10GFC,10KM,1PK, BR	FRU, SFP+,LWL,10GFC,10KM,1-PK, BR, , (Brocade XBR-000217 branded SFP)						x																		B:XBR-000217	1.183,00	
	Brocade FRU, SFP+,SWL,10GFC,10KM,1PK, BR	FRU, SFP+,SWL,10GFC,1-PK, BR, , (Brocade XBR-000218 branded SFP)						x																		B:XBR-000218	382,00	
	Brocade SFP, 1GE COPPER, 1-PK, ROHS	1x SFP+ Multi Mode Fibre, 1 GE, 50 / 100 m, , (Brocade XBR-000190 branded SFP)					x																			B:XBR-000190	338,00	
	BR SFP+,SWL (MMF),16GB/s 50m,100m,1-Pack	1x SFP+,Sort Wave Lenghs,16GB/s, , (Brocade XBR-000192 branded SFP)						x																		B:XBR-000192	461,00	
	BR SFP+,SWL (MMF),16GB/s 50m,100m,8-Pack	FRU,SFP+,SWL,16G,8-PK,BR, , (Brocade XBR-000193 branded SFP)						x																		B:XBR-000193	3.108,00	
	BR SFP, LWL (SMF), 16GB/s 10Km, 1-Pack	FRU,SFP+,LWL,16G,10KM,1-PK,BR, , (Brocade XBR-000198 branded SFP)						x																		B:XBR-000198	1.968,00	
	BR SFP, LWL (SMF), 16GB/s 10Km, 8-Pack	FRU,SFP+,LWL,16G,10KM,8-PK,BR, , (Brocade XBR-000199 branded SFP)						x																		B:XBR-000199	13.502,00	
Cables																												
	Direct Attached SFP+ Copper, 1m, 1-Pack	Brocade direct Attached cable SFP+, Copper, 1m, 1x, (Brocade XBR-TWX-0101 branded SFP)			x																					B:XBR-TWX-0101	128,00	



Blade Servers Options

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Entcryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Options matrix																												
Cables (Continued)																												
	Direct Attached SFP+ Copper, 3m, 1-Pack	Brocade direct Attached cable SFP+, Copper, 3m, 1x, (Brocade XBR-TWX-0301 branded SFP)			x																					B:XBR-TWX-0301	159,00	
	Direct Attached SFP+ Copper, 5m, 1-Pack	Brocade direct Attached cable SFP+, Copper, 5m, 1x, (Brocade XBR-TWX-0501 branded SFP)			x																					B:XBR-TWX-0501	208,00	
	SFP+ active Twinax cable BRCD 5m	Brocade branded active Twinax cooper cable 10GBE, 5m, SFP+ plugs at both sides.																	x							EBR800-TWX-5M	160,00	
SW Data Center Products																												
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download								x			x	x	x	x	x	x								S26361-F2341-E913	1.040,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download								x			x	x	x	x	x	x								S26361-F2341-E914	5.210,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download								x			x	x	x	x	x	x								S26361-F2341-E915	10.420,00	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download								x			x	x	x	x	x	x								S26361-F2341-E923	2.460,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download								x			x	x	x	x	x	x								S26361-F2341-E924	12.290,00	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download								x			x	x	x	x	x	x								S26361-F2341-E925	24.580,00	
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download								x			x	x	x	x	x	x								S26361-F2341-E933	3.750,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download								x			x	x	x	x	x	x								S26361-F2341-E934	18.750,00	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download								x			x	x	x	x	x	x								S26361-F2341-E935	37.500,00	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download								x			x	x	x	x	x	x								S26361-F2341-E960	2.170,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download								x			x	x	x	x	x	x								S26361-F2341-E961	10.830,00	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download								x			x	x	x	x	x	x								S26361-F2341-E962	21.670,00	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x			x	x	x	x	x	x								S26361-F2341-E963	3.460,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x			x	x	x	x	x	x								S26361-F2341-E964	17.290,00	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x			x	x	x	x	x	x								S26361-F2341-E965	34.580,00	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x			x	x	x	x	x	x								S26361-F2341-E966	2.210,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x			x	x	x	x	x	x								S26361-F2341-E967	11.040,00	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x			x	x	x	x	x	x								S26361-F2341-E968	22.080,00	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download								x			x	x	x	x	x	x								S26361-F2341-S913	790,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download								x			x	x	x	x	x	x								S26361-F2341-S914	3.960,00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download								x			x	x	x	x	x	x								S26361-F2341-S915	7.920,00	
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download								x			x	x	x	x	x	x								S26361-F2341-S923	1.880,00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download								x			x	x	x	x	x	x								S26361-F2341-S924	9.380,00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download								x			x	x	x	x	x	x								S26361-F2341-S925	18.750,00	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download								x			x	x	x	x	x	x								S26361-F2341-S933	2.920,00	
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download								x			x	x	x	x	x	x								S26361-F2341-S934	14.580,00	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download								x			x	x	x	x	x	x								S26361-F2341-S935	29.170,00	
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download								x			x	x	x	x	x	x								S26361-F2341-S960	1.580,00	



Blade Servers Options

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Entcryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Options matrix																												
SW Data Center Products (Continued)																												
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download								x			x	x	x	x	x	x								S26361-F2341-S961	7.920,00	
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download								x			x	x	x	x	x	x								S26361-F2341-S962	15.830,00	
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download								x			x	x	x	x	x	x								S26361-F2341-S963	2.630,00	
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download								x			x	x	x	x	x	x								S26361-F2341-S964	13.130,00	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download								x			x	x	x	x	x	x								S26361-F2341-S965	26.250,00	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download								x			x	x	x	x	x	x								S26361-F2341-S966	1.380,00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download								x			x	x	x	x	x	x								S26361-F2341-S967	6.880,00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download								x			x	x	x	x	x	x								S26361-F2341-S968	13.750,00	
	CD-Xprint-Unix-OS	CD-Xprint (Linux, UX, AIX,Solaris), Data media for Xprint Unix Alien, Intel/HP/IBM-based HW																		x						U11436-C231	36,00	
	SVRCVEFCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows)								x	x	x	x		x	x		x								U11420-C906	100,00	
	SVRCVEMCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows)								x	x	x	x		x	x		x								U11420-C936	100,00	
	XTN-CD V32 (PS) MED CD	x10sure CD 3.2; (Binaries / Documents) 1 Medium, German & English Version								x			x		x	x		x								U11420-C775	50,00	
	XTN-B V32 (PS) RTU -1CN1AN	x10sure 3.2 - Base License (RtU for 1 Control Node + 1 Application Node; no support nor updates included)								x			x		x	x		x								U11420-C877	1.400,00	
	XTN-B V32 (PS) UgRTU -1CN1AN	x10sure 3.2 - Upgrade Base License (Upgrade RtU for 1 Control Node + 1 Application Node from x10sure 2.x or 3.0; for maintenance renewal only)								x			x		x	x		x								U11420-C773-U	1,00	
	XTN-N V32 (PS) RtU -1 Node	x10sure 3.2 RtU for 1 additional Application- or Spare Node; no support nor updates included								x			x		x	x		x								U11420-C878	1.100,00	
	XTN-N V32 (PS) UgRtU -1 Node	x10sure 3.2 - Upgrade License (Upgrade RtU for 1 additional Application or Spare Node from x10sure 2.x or 3.0; for maintenance renewal only)								x			x		x	x		x								U11420-C774-U	1,00	
	Xprint-NET(WinServer) V8.0	Xprint-NET (W2K/2003) V8.0 LC f. Print Server up to 32 printers for Intel based HW (Licence no data media)																		x						U11436-C568	4.374,00	
	Xprint-NET-CL (WinServer) V8.0	Xprint-NET-CL (W2K/2003) V8.0 LC f. Print Client in conn. with Server for Intel based HW (Licence no data media)																		x						U11436-C569	1.188,00	
	Xprint-UGM (WinServer) V8.0	Xprint-UGM (W2K/2003) V8.0 LC f. connection of 33-128 printers for Intel based HW (Licence no data media)																		x						U11436-C570	1.458,00	
	Xprint-UG2 (WinServer) V8.0	Xprint-UG2 (W2K/2003) V8.0 LC f. connection of 129-256 printers for Intel based HW (Licence no data media)																		x						U11436-C571	1.458,00	
	Xprint-UG3 (WinServer) V8.0	Xprint-UG3 (W2K/2003) V8.0 LC f. connection of 257-512 printers for Intel based HW (Licence no data media)																		x						U11436-C572	2.484,00	
	Xprint-UG4 (WinServer) V8.0	Xprint-UG4 (W2K/2003) V8.0 LC f. connection of 513-1024 printers for Intel based HW (Licence no data media)																		x						U11436-C573	2.268,00	
	Xprint-UG5 (WinServer) V8.0	Xprint-UG5 (W2K/2003) V8.0 LC f. connection of 1025-2048 printers for Intel based HW (Licence no data media)																		x						U11436-C574	1.890,00	
	Xprint-UG6 (WinServer) V8.0	Xprint-UG6 (W2K/2003) V8.0 LC f. connection of 2049-4096 printers for Intel based HW (Licence no data media)																		x						U11436-C575	1.890,00	
	Xprint-UG7 (WinServer) V8.0	Xprint-UG7 (W2K/2003) V8.0 LC f. connection of 4097-8192 printers for Intel based HW (Licence no data media)																		x						U11436-C576	1.890,00	
	Xprint-UG8 (WinServer) V8.0	Xprint-UG8 (W2K/2003) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW (Licence no data media)																		x						U11436-C577	1.890,00	
	Xprint-ERP-Kit (WinServer) V8.0	Xprint-R/3-Kit (W2K/2003) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)																		x						U11436-C578	4.439,00	
	Xprint-NET-UP(WinServer) V8.0	Xprint-NET-UP (W2K/2003) V8.0 LC f. Print Server up to 32 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C580	1.761,00	
	Xprint-NET-CL-UP(WinServer) V8.0	Xprint-NET-CL-UP(W2K/2003) V8.0 LC f. Print Client in conn. with Server for Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C581	486,00	
	Xprint-UGM-UP (WinServer) V8.0	Xprint-UGM-UP (W2K/2003) V8.0 LC f. connection of 33-128 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C582	589,00	
	Xprint-UG2-UP (WinServer) V8.0	Xprint-UG2-UP (W2K/2003) V8.0 LC f. connection of 129-256 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C583	589,00	
	Xprint-UG3-UP (WinServer) V8.0	Xprint-UG3-UP (W2K/2003) V8.0 LC f. connection of 257-512 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C584	1.005,00	
	Xprint-UG4-UP (WinServer) V8.0	Xprint-UG4-UP (W2K/2003) V8.0 LC f. connection of 513-1024 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C585	908,00	
	Xprint-UG5-UP (WinServer) V8.0	Xprint-UG5-UP (W2K/2003) V8.0 LC f. connection of 1025-2048 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C586	756,00	
	Xprint-UG6-UP (WinServer) V8.0	Xprint-UG6-UP (W2K/2003) V8.0 LC f. connection of 2049-4096 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C587	756,00	
	Xprint-UG7-UP (WinServer) V8.0	Xprint-UG7-UP (W2K/2003) V8.0 LC f. connection of 4097-8192 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C588	756,00	



Blade Servers Options

Category	Description	Details	FC-Switch 8510 Port Blade(SUS)	FC-Switch Entcryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	FibreCAT SX40	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
Options matrix																												
SW Data Center Products (Continued)																												
	Xprint-UG8-UP (WinServer) V8.0	Xprint-UG8-UP (W2K/2003) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C589	756,00	
	Xprint-ERP-Kit-UP (WinServer) V8.0	Xprint-R/3-Kit-UP (W2K/2003) V8.0 LC f. in connection with SAP R/3 Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C590	1.804,00	
	Xprint-NET (LINUX) V8.0	Xprint (LINUX) V8.0 LC f. up to 32 printers for Intel based HW (Licence no data media)																		x						U11436-C616	4.374,00	
	Xprint-NET-CL (LINUX) V8.0	Xprint-NET-CL (LINUX) V8.0 LC f. Print Client in conn. with Server for Intel based HW (Licence no data media)																		x						U11436-C617	1.188,00	
	Xprint-UGM (LINUX) V8.0	Xprint-UGM (LINUX) V8.0 LC f. connection of 33-128 printers for Intel based HW (Licence no data media)																		x						U11436-C618	1.458,00	
	Xprint-UG2 (LINUX) V8.0	Xprint-UG2 (LINUX) V8.0 LC f. connection of 129-256 printers for Intel based HW (Licence no data media)																		x						U11436-C619	1.458,00	
	Xprint-UG3 (LINUX) V8.0	Xprint-UG3 (LINUX) V8.0 LC f. connection of 257-512 printers for Intel based HW (Licence no data media)																		x						U11436-C620	2.484,00	
	Xprint-UG4 (LINUX) V8.0	Xprint-UG4 (LINUX) V8.0 LC f. connection of 513-1024 printers for Intel based HW (Licence no data media)																		x						U11436-C621	2.268,00	
	Xprint-UG5 (LINUX) V8.0	Xprint-UG5 (LINUX) V8.0 LC f. connection of 1025-2048 printers for Intel based HW (Licence no data media)																		x						U11436-C622	1.890,00	
	Xprint-UG6 (LINUX) V8.0	Xprint-UG6 (LINUX) V8.0 LC f. connection of 2049-4096 printers for Intel based HW (Licence no data media)																		x						U11436-C623	1.890,00	
	Xprint-UG7 (LINUX) V8.0	Xprint-UG7 (LINUX) V8.0 LC f. connection of 4097-8192 printers for Intel based HW (Licence no data media)																		x						U11436-C624	1.890,00	
	Xprint-UG8 (LINUX) V8.0	Xprint-UG8 (LINUX) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW (Licence no data media)																		x						U11436-C625	1.890,00	
	Xprint-ERP-Kit (LINUX) V8.0	Xprint-R/3-Kit (LINUX) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)																		x						U11436-C626	4.439,00	
	Xprint-NET-UP (LINUX) V8.0	Xprint-NET-UP (LINUX) V8.0 LC f. Print Server up to 32 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C628	1.761,00	
	Xprint-NET-CL-UP (LINUX) V8.0	Xprint-NET-CL-UP (LINUX) V8.0 LC f. Print Client in conn. with Server for Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C629	486,00	
	Xprint-UGM-UP (LINUX) V8.0	Xprint-UGM-UP (LINUX) V8.0 LC f. connection of 33-128 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C630	589,00	
	Xprint-UG2-UP (LINUX) V8.0	Xprint-UG2-UP (LINUX) V8.0 LC f. connection of 129-256 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C631	589,00	
	Xprint-UG3-UP (LINUX) V8.0	Xprint-UG3-UP (LINUX) V8.0 LC f. connection of 257-512 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C632	1.005,00	
	Xprint-UG4-UP (LINUX) V8.0	Xprint-UG4-UP (LINUX) V8.0 LC f. connection of 513-1024 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C633	908,00	
	Xprint-UG5-UP (LINUX) V8.0	Xprint-UG5-UP (LINUX) V8.0 LC f. connection of 1025-2048 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C634	756,00	
	Xprint-UG6-UP (LINUX) V8.0	Xprint-UG6-UP (LINUX) V8.0 LC f. connection of 2049-4096 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C635	756,00	
	Xprint-UG7-UP (LINUX) V8.0	Xprint-UG7-UP (LINUX) V8.0 LC f. connection of 4097-8192 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C636	756,00	
	Xprint-UG8-UP (LINUX) V8.0	Xprint-UG8-UP (LINUX) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW Update from Xprint 7.0 to Xprint 8.0																		x						U11436-C637	756,00	
	Xprint-ERP-Kit-UP (LINUX) V8.0	Xprint-R/3-Kit (LINUX) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)																		x						U11436-C638	1.804,00	
	Xprint DMG-UG1 V1.0	Domain Monitoring GUI -UG1 V1.0 Licence for 3 to 8 instances																		x						U11436-C664	432,00	
	Xprint DMG-UG2 V1.0	Domain Monitoring GUI -UG2 V1.0 Licence for 9 to 16 instances																		x						U11436-C665	432,00	
	Xprint DMG-UG3 V1.0	Domain Monitoring GUI -UG3 V1.0 Licence for 17 to 32 instances																		x						U11436-C666	648,00	
	Xprint DMG-UG4 V1.0	Domain Monitoring GUI -UG4 V1.0 Licence for 33 to 64 instances																		x						U11436-C667	972,00	
	SVRORCEDRO V3 (WIN/LIN) RTU 1SVR	ServerView Resource Orchestrator DR Option License (1 Server) V3										x	x	x	x	x	x	x	x							U11420-C953	3.777,00	
	SVRORVEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator VE Demo License (1 Server) V3								x	x	x	x	x	x	x	x	x								U11420-C954	0,01	
	SVRORCEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator CE Demo License (1 Server) V3								x	x	x	x	x	x	x	x	x								U11420-C955	0,01	
	SVRORDVD V30 (WIN/LIN/SOL) MED DVD	ServerView Resource Orchestrator Media Pack V2.3 for Windows&Linux&Solaris								x	x	x	x	x	x	x	x	x								U11420-C956	50,00	
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator CE Server License (1 Server) 4CPU Class V3								x	x	x	x	x	x	x	x	x								U11420-C960	1.530,00	
	SVRORCESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class V3								x	x	x	x	x	x	x	x	x								U11420-C961	11.383,00	
	SVRORCESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator CE Server License (18 Server) 4CPU Class V3								x	x	x	x	x	x	x	x	x								U11420-C963	25.659,00	
	SVRORVESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator VE Server License (1 Server) 4CPU Class V3								x	x	x	x	x	x	x	x	x								U11420-C966	779,00	
	SVRORVESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator VE Server License (8 Server) 4CPU Class V3								x	x	x	x	x	x	x	x	x								U11420-C967	5.538,00	
	SVRORVESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator VE Server License (18 Server) 4CPU Class V3								x	x	x	x	x	x	x	x	x								U11420-C969	12.462,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class Upgrade from ROR VE V3								x	x	x	x	x	x	x	x	x								U11420-C978	751,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 8CSVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class Upgrade from ROR VE V3								x	x	x	x	x	x	x	x	x								U11420-C979	5.845,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class Upgrade from ROR VE V3								x	x	x	x	x	x	x	x	x								U11420-C981	13.198,00	
Services																												
	FCIP Port Blade POH Support 1Y Extended	FCIP Port Blade POH Support 1 year Extended				x																				D:POH-BLFCIP-1-EXT	3.070,00	
	FCIP Port Blade POH Support 1Y Renewal	FCIP Port Blade POH Support 1 year Renewal				x																				D:POH-BLFCIP-1-UPG	3.643,00	
Solution identifier																												
	HPC Compute Node Inst. ex works incl ICR	Please note confiuqration hints											x	x	x	x										S26361-F3638-E2	205,00	